



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
2443 WARRENVILLE ROAD STE 210
LISLE, ILLINOIS 60532-4352

JAN 22 2007

Steve Struck
Radiation Safety Officer
The Curators of the University of Missouri
University of Missouri - St. Louis
8001 Natural Bridge Road
St. Louis, MO 63121-4999

Dear Mr. Struck:

Enclosed is Amendment No. 22 to your NRC Material License No. 24-00513-38 in accordance with your request. Please note that the changes made to your license are printed in **bold font**.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

This amendment authorizes you as the Radiation Safety Officer for this license.

In processing this amendment I noted that no authorized users were listed for the use of materials in Subitem Nos. 6.K. through 6.M. In your next amendment please submit the name of at least one authorized user for each of these materials and each individual's training and experience. Please do not submit resumes, CV's, or personal, proprietary information that we must protect, in accordance with 10 CFR 2.390, such as social security numbers, dates of birth, home addresses or phone numbers, patient records, college transcripts, etc.

At this time I updated Condition No. 17 to permit the decay-in-storage of materials with a half-life less than or equal to 120 days. In addition, the Condition requiring that materials be held for a minimum of ten half-lives before survey and disposal has been deleted. These changes reflect the implementation of Regulatory Issue Summary 2004-017, revision 1, which can be found on our website at:

<http://www.nrc.gov/reading-rm/doc-collections/gen-comm/reg-issues/2004/ri200417r1.pdf>.

Please note that License Condition 26, which addresses security criteria for portable nuclear gauges, has been modified in its entirety to incorporate additional security measures. These security measures are based on revisions to 10 CFR Part 30, by the addition of paragraph 30.34(i), "Security requirements for portable gauges," as published in the Federal Register on January 12, 2005, with an effective date of July 11, 2005.

The final rule requires a portable gauge licensee to use a minimum of two independent physical controls that form tangible barriers to secure portable gauges from unauthorized removal whenever the portable gauges are not under the control and constant surveillance of the licensee.

315869

JAN 22 2007

You should have previously received a copy of this regulatory requirement by mail. This mailing included a revised copy of Appendix H, "Operating, Emergency, and Security Procedures," of NUREG 1556 Volume 1, Revision 1, Consolidated Guidance About Materials Licenses; Program-Specific Guidance About Portable Gauge Licenses, dated November 2001, which incorporates these changes.

I also corrected Subitem Nos. 7.J. and 9.J. to the correct format for your moisture gauge authorization, based upon the current Sealed Source and Device Registry.

Please direct any questions you may have to me at (630) 829-9841 or (800) 522-3025. My fax numbers are (630) 829-9782 or (630) 515-1259.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

The enclosed license document is exempt from public disclosure in accordance with 10 CFR 2.390, because its disclosure to unauthorized individuals could present a security vulnerability.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Sincerely,



Colleen Carol Casey
Materials Licensing Branch

License No. 24-00513-38
Docket No. 030-32694

Enclosure:

Amendment No. 22