



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

January 25, 2007

Docket No. 03020205
Control No. 139985

License No. 45-23040-01

Patricia A. Mullins
Senior Vice President
Culpeper Regional Hospital
501 Sunset Lane
P. O. Box 592
Culpeper, VA 22701

SUBJECT: CULPEPER REGIONAL HOSPITAL, LICENSE AMENDMENT, CONTROL NO.
139985

Dear Ms. Mullins:

This refers to your license amendment request. Enclosed with this letter is the amended license.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5239, so that we can provide appropriate corrections and answers.

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14).

Current NRC regulations and guidance are included on the NRC's website at www.nrc.gov; select **Nuclear Materials; Medical, Academic, and Industrial Uses of Nuclear Material**; then **Toolkit Index Page**. Or you may obtain these documents by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 8:00 p.m. EST, Monday through Friday (except Federal holidays).

Thank you for your cooperation.

Sincerely,

Original signed by Penny Lanzisera

Penny Lanzisera
Senior Health Physicist
Medical Branch
Division of Nuclear Materials Safety

P. Mullins
Culpeper Regional Hospital

2

Enclosure:
Amendment No. 29

cc:
David R. Weber, M.D., Radiation Safety Officer

DOCUMENT NAME: C:\FileNet\ML070300631.wpd

SUNSI Review Complete: PLanzisera

After declaring this document "An Official Agency Record" it will be released to the Public.

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	<input checked="" type="checkbox"/> N	DNMS/RI	<input type="checkbox"/>	DNMS/RI	<input type="checkbox"/>	<input type="checkbox"/>
NAME	PLanzisera / <i>PAN</i> /						
DATE	1/25/07						

OFFICIAL RECORD COPY

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Culpeper Regional Hospital</p> <p>2. 501 Sunset Lane, P.O. Box 592 Culpeper, Virginia 22701</p>	<p>In accordance with the letter dated January 12, 2007,</p> <p>3. License number 45-23040-01 is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration date May 31, 2015</p> <hr/> <p>5. Docket No. 03020205 Reference No.</p>
---	---

<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Any byproduct material permitted by 10 CFR 35.100</p> <p>B. Any byproduct material permitted by 10 CFR 35.200</p>	<p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Any</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. As needed</p> <p>B. As needed</p>
--	---	---

<p>9. Authorized use:</p> <p>A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100.</p> <p>B. Any imaging and localization study permitted by 10 CFR 35.200.</p>

CONDITIONS

- 10. Licensed material may be used or stored only at the licensee's facilities located at 501 Sunset Lane, Culpeper, Virginia
- 11. The Radiation Safety Officer for this license is David R. Weber, M.D.
- 12. Licensed material is only authorized for use by, or under the supervision of:
 - A. Individuals permitted to work as an authorized user in accordance with 10 CFR 35.13 and 35.14.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
45-23040-01

Docket or Reference Number
03020205

Amendment No. 29

B. The following individuals are authorized users for medical use as indicated:

<u>Authorized Users</u>	<u>Material and Use</u>
Todd H. Hillman, M.D.	35.100; 35.200
Philip N. Massey, M.D.	35.100; 35.200
Stephen L. Miller, M.D.	35.100; 35.200
James R. Koepke, M.D.	35.100; 35.200
Patrick F. Zazzaro, M.D.	35.100; 35.200
David R. Weber, M.D.	35.100; 35.200
Douglas J. Markert, M.D.	35.100; 35.200
Ravi M. Giyanani, M.D.	35.100; 35.200
Duyanh T. Vu, M.D.	35.100; 35.200
Jennifer T. Wargo, M.D.	35.100; 35.200
David M. Perlmutter, M.D.	35.100; 35.200
Maria E. Pace, M.D.	35.100; 35.200
Pamela M. Phillips, M.D.	35.100; 35.200
Michael B. Robins, M.D.	35.100; 35.200
Stephanie Mendlow, M.D.	35.100; 35.200
Edwin H. Kim, M.D.	35.100; 35.200
Namik Erdag, M.D.	35.100; 35.200
Thomas D. Call, M.D.	35.100; 35.200
Zia Roshandel, M.D.	35.100; 35.200

13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
14. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
45-23040-01

Docket or Reference Number
03020205

Amendment No. 29

15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

A. Letter dated May 16, 2005 [ML051430414]



For the U.S. Nuclear Regulatory Commission

Date January 25, 2007

By ***Original signed by Penny Lanzisera***

Penny Lanzisera
Medical Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406