

**From:** Dennis Brady <dennis.brady@nist.gov>  
**To:** <MMM@nrc.gov>, <DRB1@nrc.gov>, <Beverly.Miller@pnl.gov>  
**Date:** 02/09/2007 2:58:44 PM  
**Subject:** Fwd: Re: NIST clean up of Figure 2-5

Marvin, Dennis and Beverly,

Wade asked me to address your questions. First, please find attached a newer Adobe Acrobat version of the figure showing the immediate area surrounding Building 235. It is an E-size image with greater resolution. Below are answers to the questions you asked or clarification you sought:

1. Bldg 418 (confirm) Yes, the storage building on the back side of Building 235 is Building 418.
2. Small box above Bldg. 418 The small box above and to the left of Building 418 (southwest corner of the building) is a small pad site for the air conditioning unit that serves it. The other small box above and to the right of Building 418 (northwest corner of the building) is a slightly larger pad site that has the junction box for the electrical and instrumentation lines that come from the pump house and goes to the cooling tower.
3. Aband. Cooling Tower Basin This is the old, abandoned basin for the previous cooling tower that was replaced with the existing tower in 2001.
4. Box directly below the Cooling Tower Basin I'm not certain exactly what you are referencing here, but the box immediately adjacent to both cooling towers represents the suction plenum for the respective cooling tower.
5. Rad Waste Storage (confirm) Yes, this wing of Building 235 is for Rad Waste Storage.

If you have any more questions or need further clarification, please let me know.

Dennis

>X-Sieve: CMU Sieve 2.2  
>X-Mailer: QUALCOMM Windows Eudora Version 6.2.3.4  
>Date: Fri, 09 Feb 2007 13:17:47 -0500  
>To: "Dennis E. Brady" <dennis.brady@nist.gov>  
>From: "Wade J. Richards" <wade.richards@nist.gov>  
>Subject: Fwd: Re: NIST clean up of Figure 2-5  
>X-NIST-MailScanner: Found to be clean  
>X-NIST-MailScanner-From: wade.richards@nist.gov  
>  
>FYI  
>>X-Sieve: CMU Sieve 2.2  
>>X-IronPort-AV: i="4.13,294,1167627600";  
>> d="scan'208"; a="11359263:sNHT23299488"  
>>X-Mailer: Novell GroupWise Internet Agent 6.5.6  
>>Date: Wed, 07 Feb 2007 07:21:58 -0500

>>From: "Marvin Mendonca" <MMM@nrc.gov>  
>>To: "Tom Myers" <tjmyers@nist.gov>, "Wade Richards" <wade.richards@nist.gov>,  
>> "Dennis Beissel" <DRB1@nrc.gov>,  
>> "Beverly M Miller" <Beverly.Miller@pnl.gov>  
>>Subject: Re: NIST clean up of Figure 2-5  
>>X-Proofpoint-Virus-Version: vendor=fsecure  
>>engine=4.65.5502:2.3.11,1.2.37,4.0.164  
>>definitions=2007-02-07\_03:2007-02-01,2007-02-07,2007-02-07 signatures=0  
>>X-PP-SpamDetails: rule=spampolicy2\_notspam policy=spampolicy2  
>>score=0 spamscore=0 ipscore=0 adultscore=0 classifier=spam adjust=0  
>>reason=mlx engine=3.1.0-0701160000 definitions=main-0702070022  
>>X-PP-SpamScore: 0  
>>X-NIST-MailScanner: Found to be clean  
>>X-NIST-MailScanner-From: mmm@nrc.gov  
>>  
>>Dennis and Bev,  
>>  
>>I don't know the answers to your questions. I'm sending to NIST for  
>>help. I believe the figure you are interested is the same figure as is  
>>in NIST SAR Chapter 2 Figure 2-4. I went to zoom in on pdf file we have  
>>but can't really help.  
>>  
>>Tom or Wade,  
>>  
>>Could you help answer the questions about labeling on the figure as  
>>follows. As I said, I think it is the same as your Figure 2-4 in Chapter  
>>2 of SAR. We could use help with a few of the building labels...  
>>  
>>  
>>1. Bldg 418 (confirm).  
>>  
>>2. Small box above Bldg. 418  
>>  
>>3. \_\_\_\_\_ Cooling Tower Basin  
>>  
>>4. Box directly below the Cooling Tower Basin Don't know.  
>>  
>>5. Rad Waste Storage (confirm)  
>>  
>>See below if you need more background.  
>>  
>>Thanks  
>>  
>>Marv  
>>  
>>  
>>>> "Miller, Beverly M" <Beverly.Miller@pnl.gov> 02/06/2007 2:18 PM  
>>>>  
>>Hi Dennis,  
>> We are working on "clean up" of the Figures for the NIST camera  
>>ready  
>>draft document, and need a little assistance. We have added new  
>>overlays for most of the text in the figure below, but have a few that  
>>we are not sure of. Could you help, perhaps Marv will know, or if  
>>necessary, one of the NIST guys. We need it ASAP to get it into the  
>>camera ready document. Thanks, Bev!



**Mail Envelope Properties** (45CCD26C.AB0 : 17 : 10928)

**Subject:** Fwd: Re: NIST clean up of Figure 2-5  
**Creation Date** 02/09/2007 2:56:47 PM  
**From:** Dennis Brady <dennis.brady@nist.gov>  
**Created By:** dennis.brady@nist.gov

**Recipients**

nrc.gov  
 TWGWPO01.HQGWDO01  
 MMM (Marvin Mendonca)

nrc.gov  
 OWGWPO01.HQGWDO01  
 DRB1 (Dennis Beissel)

nist.gov  
 tjmyers CC  
 wade.richards CC

pnl.gov  
 Beverly.Miller

**Post Office**

TWGWPO01.HQGWDO01  
 OWGWPO01.HQGWDO01

**Route**  
 nrc.gov  
 nrc.gov  
 nist.gov  
 pnl.gov

<b>Files</b>	<b>Size</b>	<b>Date &amp; Time</b>
MESSAGE	4952	02/09/2007 2:56:47 PM
TEXT.htm	7077	
Figure 2-4 Revised 070209.pdf	233079	
Mime.822	333053	

**Options**

**Expiration Date:** None  
**Priority:** Standard  
**ReplyRequested:** No  
**Return Notification:** None

**Concealed Subject:** No  
**Security:** Standard

**Junk Mail Handling Evaluation Results**

Message is eligible for Junk Mail handling

This message was not classified as Junk Mail

**Junk Mail settings when this message was delivered**

Junk Mail handling disabled by User

Junk Mail handling disabled by Administrator

Junk List is not enabled

Junk Mail using personal address books is not enabled

Block List is not enabled

423

