



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION IV
611 RYAN PLAZA DRIVE, SUITE 400
ARLINGTON, TEXAS 76011-4005

February 15, 2007

Galen Hospital Alaska, Inc.
dba Alaska Regional Hospital
ATTN: Dennis P. Cherry
Director of Imaging Services
P. O. Box 143889
Anchorage, Alaska 99514-3889

SUBJECT: LICENSE AMENDMENT

Please find enclosed Amendment No. 28 to NRC License No. 50-18244-01 **acknowledging the corporate transaction between HCA Inc. and Hercules Holding II, LLC.**

NRC's Regulatory Issue Summary (RIS) 2005-31, provides criteria to identify security-related sensitive information and guidance for handling and marking of such documents. This ensures that potentially sensitive information is not made publicly available through ADAMS. The RIS may be located on the NRC Web site at: <http://www.nrc.gov/reading-rm/doc-collections/gen-comm/reg-issues/2005/>. Additionally, the link for frequently asked questions may be located at: <http://www.nrc.gov/reading-rm/faqlist.html>, then select "Withholding of Sensitive Information." Pursuant to NRC's RIS 2005-31, the enclosed materials license will be made publicly available.

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14)(iv). You should review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or if you have any questions, please contact me at 925-673-9646.

In addition, please note that NRC Form 313 requires the applicant, by signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or certifying official rather than a consultant. Since the NRC also accepts a letter requesting amendment of an NRC license, the signatory for such a request should also be the licensee or certifying official rather than a consultant.

NRC will periodically inspect your radiation safety program. Failure to conduct your program according to NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC may result in enforcement action against you. This could include issuance of a notice of violation; imposition of a civil penalty; or an order suspending, modifying, or revoking your license as specified in the NRC Enforcement Policy. The NRC Enforcement Policy is available on the following internet address: <http://www.nrc.gov/what-we-do/regulatory/enforcement/enforc-pol.pdf>.

The NRC no longer publishes the NRC Rules and Regulations loose leaf supplements. However, an electronic version of the NRC's regulations is available on the NRC Web site at www.nrc.gov. To view these regulations, highlight "Electronic Reading Room" and choose "Regulations" on the drop down menu. An electronic version of the NUREG-1556 Series publications is also available on the NRC Web site. To view these guidance documents, highlight "Electronic Reading Room," choose "All Collections" on the drop down menu; choose

Alaska Regional Hospital

-2-

"NUREGS (NRC Reports)" and select "Publications Prepared by the NRC Staff." Then, choose "NUREG-1556" from the table and select the appropriate volume(s) for your license type.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Thank you for your cooperation.

Sincerely,

\RA

James L. Montgomery, Health Physicist
Nuclear Materials Licensing Branch

Docket: 030-14720
License: 50-18244-01
Control: 471225

Enclosures: As stated

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Galen Hospital Alaska, Inc. dba Alaska Regional Hospital</p> <p>2. P.O. Box 143889 Anchorage, Alaska 99514-3189</p>	<p>In accordance with letter dated September 26, 2006</p> <p>3. License number 50-18244-01 is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration date May 31, 2015</p> <hr/> <p>5. Docket No. 030-14720 Reference No.</p>
---	---

<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Any byproduct material permitted by 10 CFR 35.100</p> <p>B. Any byproduct material permitted by 10 CFR 35.200</p> <p>C. Any byproduct material permitted by 10 CFR 35.300</p> <p>D. Any byproduct material permitted by 10 CFR 35.400</p> <p>E. Depleted uranium</p>	<p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Any</p> <p>C. Any</p> <p>D. Sealed sources (Amersham CDC-SJ series and SIA.20)</p> <p>E. Metal</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. As needed</p> <p>B. As needed</p> <p>C. 1.5 Curies</p> <p>D. 1 Curie</p> <p>E. 999 kilograms</p>
---	--	--

9. Authorized use
- A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100
 - B. Any imaging and localization study permitted by 10 CFR 35.200
 - C. Any use permitted by 10 CFR 35.300
 - D. Any manual brachytherapy procedure permitted by 10 CFR 35.400
 - E. Shielding in a linear accelerator

CONDITIONS

- 10. Licensed material shall be used only at the licensee's facilities located at 2801 De Barr Road, Anchorage, Alaska.
- 11. The Radiation Safety Officer for this license is Bradley K. Cruz, M.D.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
50-18244-01

Docket or Reference Number
030-14720

Amendment No. 28

12. Licensed material is only authorized for use by, or under the supervision of:
- A. Individuals permitted to work as an authorized user, authorized nuclear pharmacist, and/or authorized medical physicist in accordance with 10 CFR 35.13 and 35.14.

- B. The following individuals are authorized users for the materials and uses indicated:

Authorized Users

Material and Use

Julee K. Holayter, M.D.	35.100; 35.200; 35.300; depleted uranium
Bradley K. Cruz, M.D.	35.100; 35.200; 35.300; depleted uranium
Lester B. Lewis, M.D.	35.100; 35.200; 35.300; depleted uranium
Glenn R. Stewart, M.D.	35.300; 35.400
Richard Chung, M.D.	35.300; 35.400
Lawrence P. Wood, M.D.	35.100; 35.200, oral administration of sodium iodide iodine-131; depleted uranium
David Mills, M.D.	35.100; 35.200
Andrew Moran, M.D.	35.100; 35.200

- C. The following individual is an authorized medical physicist:

Authorized Medical Physicist

Material and Use

Darwin L. Zellmer, Ph.D.	Decay corrections of strontium-90 used for ophthalmic treatments
--------------------------	--

13. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license.
14. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
15. The licensee is authorized to transport licensed material only in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
16. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
50-18244-01Docket or Reference Number
030-14720

Amendment No. 28

17. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

A. Application dated January 31, 2005

B. Letter dated September 26, 2006



FOR THE U.S. NUCLEAR REGULATORY COMMISSION

/s/RAI

Date February 15, 2007

By _____

James L. Montgomery, Health Physicist
Nuclear Materials Licensing Branch
Region IV
Arlington, Texas 76011