

**MATERIALS LICENSE**


Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

*03121*

*315952*

<p>Licensee</p> <p>1. Inland Seas Engineering, Inc.</p> <p>2. P.O. Box 6820 Traverse City, MI 49696-6820</p>	<p>In accordance with application dated <b>January 9, 2007,</b></p> <p>3. License number 21-26798-01 is amended in its entirety to read as follows:</p> <p>4. Expiration date May 31, 2007</p> <p>5. Docket No. 030-34446 Reference No.</p>
--	---

<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Cesium-137</p> <p>B. Americium-241</p>	<p>7. Chemical and/or physical form</p> <p>Sealed sources registered either with NRC under 10 CFR 32.210 or with an Agreement State and incorporated in a compatible gauging device as specified in Item 9 of this license.</p> <p>Sealed sources registered either with NRC under 10 CFR 32.210 or with an Agreement State and incorporated in a compatible gauging device as specified in Item 9 of this license.</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. No single source to exceed the maximum activity specified in the certificate of registration issued by NRC or an Agreement State. <b>Total possession not to exceed 45 millicuries.</b></p> <p>B. No single source to exceed the maximum activity specified in the certificate of registration issued by NRC or an Agreement State. <b>Total possession not to exceed 220 millicuries.</b></p>
---	---	--



9. Authorized Use:
- A. and B. To be used in Troxler Model 3400 Series and Troxler Model 3450 Road Reader Plus moisture/density gauges.
  - A. To be used in Troxler Model 4640 Series surface density gauges.
  - B. To be used in a Troxler Model 3241 Series asphalt content gauges.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License Number  
21-26798-01

Docket or Reference Number  
030-34446

Amendment No. 03

CONDITIONS

10. Licensed material may be stored at the licensee's facilities located at 1755 Barlow, Traverse City, Michigan, 1449 E. Pierson, Suite A, Flushing, Michigan, and may be used at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.
11. **A. The Radiation Safety Officer (RSO) for this license is Jeffery T. Hill, EIT.**
- B. Before assuming the duties and responsibilities as RSO for this license, future RSOs shall have successfully completed one of the training courses described in Criteria in Section 8.8 of NUREG-1556, Volume 1, dated May 1997.
12. Licensed material shall only be used by, or under the supervision and in the physical presence of, individuals who have received the training described in application dated April 4, 2001, and have been instructed in the licensee's routine and emergency operating procedures and who have been designated by the Radiation Safety Officer.
13. **A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of test results issued by NRC under 10 CFR 32.210 or by an Agreement State.**
- B. In the absence of a certificate of test results indicating that a leak test has been made within the intervals specified in the certificate of test results issued by NRC under 10 CFR 32.210 or by an Agreement State prior to the transfer, a sealed source received from another person shall not be put into use until tested.
- C. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transfer to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- D. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- E. Tests for leakage and/or contamination shall be performed by persons specifically licensed by the Commission or an Agreement State to perform such services. In addition, the licensee is authorized to collect leak test samples but not perform the analysis: analysis of leak samples must be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.


**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License Number  
21-26798-01

Docket or Reference Number  
030-34446

Amendment No. 03

14. Sealed sources or source rods containing licensed material shall not be opened or sources removed or detached from source rods or gauges by the licensee, except as specifically authorized.
15. Except for maintaining labeling as required by 10 CFR Part 20 or 71, the licensee shall obtain authorization from NRC before making any changes in the sealed source, device, or source-device combination that would alter the description or specifications as indicated in the respective Certificates of Registration issued either by the Commission pursuant to 10 CFR 32.210 or by an Agreement State.
16. The licensee shall conduct a physical inventory every 6 months to account for all sources and/or devices received and possessed under the license.
17. The licensee is authorized to transport licensed material only in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
18. Each portable gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport, storage, or when not under the direct surveillance of an authorized user.
19. Any cleaning, maintenance, or repair of the device requires removal of the source rod shall be performed only by the manufacturer or by a person specifically licensed by the Commission or an Agreement State to perform such services.
20. In addition to the possession limits in item 2 of the license, the licensee shall further restrict the possession of licensed material to quantities below the minimums specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.



**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
21-26798-01Docket or Reference Number  
030-34446

Amendment No. 03

21. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Applications dated April 20, 1997, April 5, 2001, and
- B. Letters dated May 14, 1997, and May 30, 2001.



FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date FEB 16 2007By *Toye L. Simmons*  
Toye L. Simmons  
Materials Licensing Branch  
Region III