



REPLY TO
ATTENTION OF

DEPARTMENT OF THE ARMY
HEADQUARTERS, US ARMY COMMUNICATIONS-ELECTRONICS COMMAND
AND FORT MONMOUTH
FORT MONMOUTH, NEW JERSEY 07703-5000



August 27, 1997

Directorate of Safety
Risk Management

U.S. Nuclear Regulatory Commission
Region I, DNMS
Attention: Mr. Steve W. Shaffer
475 Allendale Road
King of Prussia, Pennsylvania 19406-1415

This refers to our Radiological Survey Report U.S. Army Evans Area, Fort Monmouth, Wall Township, New Jersey, prepared July 1997.

During your review of our survey report you identified three areas that required further explanation or information for clarification. Specifically, calibration data on laboratory and field survey instruments used in the survey; explanation of activity present in building 9080 sublevel water sample; and a statement identifying Charles Wood Area, Reference 1 as the background data for soil samples collected in Evans Area Zones 1 and 1A.

The requested documents and information are contained in the enclosed survey report addendum.

Our points of contact are Mr. Joseph M. Santarsiero, Directorate of Safety Risk Management (DSRM) Radiation Protection Officer, CECOM or Mr. David E. Craig, IceSolv, Incorporated, contracted to the CECOM DSRM, Facsimile on (732) 542-7161 or Voice on (732) 427-4427/3112.

Sincerely,

Joseph M. Santarsiero
JOSEPH M. SANTARSIERO
Acting Director, Safety
Risk Management

Enclosure

LL/SJC
[Signature]

123817 and

OFFICIAL RECORD COPY ML 10

Backup For 123818

Copies Furnished:

State of New Jersey, Department of Environmental Protection, Bureau
of Environmental Radiation, 25 Arctic Parkway, Ewing, NJ
0825-0415 (w/encl)

Commander, U.S. Army Materiel Command, ATTN: AMCSF and AMCSO,
5001 Eisenhower Avenue, Alexandria, VA 22333-0001 (w/o encl)

Commander, Army Environmental Center, ATTN: SSIM-AEC-ERO,
Aberdeen Proving Ground, MD 21010-5401 (w/encl)

Commander, U.S. Army Communication-Electronics Command, ATTN:
AMSEL-DCS, (w/o encl), AMSEL-DE-BR, (w/encl), Fort Monmouth,
NJ 07703