UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

FEB 22 2007

Robert L. Piess, M.D.
Radiation Safety Officer
Lorin M. Brown, M.D., P.C.
1950 45th Street
Munster, IN 46321

Dear Dr. Piess:

Enclosed is Amendment No. 01 to your NRC Material License No. 13-32269-01 in accordance with your request dated February 7, 2007. Please note that the changes made to your license are printed in **bold** font.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please note that we have reformatted Subitem Nos. 6, 7, and/or 9 and Condition No. 12 at this time to remove all references to excluded authorizations, including but not limited to authorizations such as "generators, xenon-133, aerosols, etc."

Please be advised that your 1650 45th Street facility cannot be released for unrestricted use until a closeout survey is completed and provided to the NRC as an amendment to your NRC license. The survey needs to include ambient radiation measurements and wipes test in all areas where radioactive material was used and stored together with a diagram keyed to the areas checked. The results of the closeout survey needs to be in mR/hr for ambient radiation measurements and DPM for wipe tests showing removable contamination if any.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at http://www.nrc.gov/reading-rm/adams.html (the Public Electronic Reading Room).

Sincerely,

James R. Mullauer, M.H.S.
Health Physicist
Materials Licensing Branch

License No. 13-32269-01
Docket No. 030-35556

Enclosure: Amendment No. 01