

From: John Jankovich
To: John J. Miller
Date: 11/21/2006 2:08:00 PM
Subject: RE: Amendment NR-1235-S-102-S

John,
I did receive your 2nd e-mail too, and we will combine the two e-mails into one NRC case and address them together.
John J.

>>> "John J. Miller" <jjmiller@intisoid.com> 11/21/2006 12:05 PM >>>

John, I had sent the emailed documents in via US mail as well. I hope you can import the two attachments directly into the NRC SS&D format because they are more legible than the current drawing and label. I am submitting a rather straight forward amendment request for the Cs-137 capsules. We began inspecting the sources we have on hand (in a hot cell) and have orders to fill. We have concluded that it would be better to make capsule sizes in a range between and including the dimensions of the -1J and -2J models. We would keep the Model numbers the same so that we new a CDC.800 was in the -1J and the CDC.700 (with exclusions) was in the -2J. I have attached another letter requesting this amendment and an updated drawing. The drawings are produced in AutoCAD and then plotted to a PDF file. The clarity is fantastic, hopefully you can import the drawings directly into the SS&D. If you would prefer the drawing in AutoCAD I can send that way as well. Enjoy your Thanksgiving, John

From: John Jankovich [<mailto:JPJ2@nrc.gov>]
Sent: Monday, November 20, 2006 8:28 AM
To: John J. Miller
Cc: Nima Ashkeboussi
Subject: Re: Amendment NR-1235-S-102-S

John,
Please note that I did receive you e-mail ad its attachment.
We will open a case and proceed with the review.
If you need further information, please contact me by e-mail or call at 301 415-7904.
John Jankovich
Team Leader
Sealed Source and Device Registrations

>>> "John J. Miller" <jjmiller@intisoid.com> 11/16/2006 5:28 PM >>>
Dr. Jankovich, International Isotopes Inc. seeks to amend NR-1235-S-102-S to include a syringe geometry. We believe this geometry is a great improvement over the standard 30 ml vial geometry that is used quite readily by the nuclear medicine industry. Please find the attached letter and supporting attachments. I will send original hardcopies via US mail. Thank you John J. Miller, CHPRadiation Safety OfficerInternational Isotopes IncPh. (208) 524.5300Fax. (208) 524.1411Cell. (208) 589.1580

CC: naa; tsk

A-8

Mail Envelope Properties (45634E90.A52 : 3 : 9342)

Subject: RE: Amendment NR-1235-S-102-S
Creation Date 11/21/2006 2:08:00 PM
From: John Jankovich
Created By: JPJ2@nrc.gov

Recipients

intisoid.com
jjmiller (John J. Miller)

nrc.gov
OWGWPO01.HQGWDO01
NAA CC (Nima Ashkeboussi)

nrc.gov
OWGWPO04.HQGWDO01
TSK CC (Traci Kime)

Post Office

OWGWPO01.HQGWDO01
OWGWPO04.HQGWDO01

Route

intisoid.com
nrc.gov
nrc.gov

Files

MESSAGE
TEXT.htm

Size
3562
8285

Date & Time

11/21/2006 2:08:00 PM

Options

Expiration Date: None
Priority: Standard
ReplyRequested: No
Return Notification: None

Concealed Subject: No
Security: Standard

Junk Mail Handling Evaluation Results

Message is not eligible for Junk Mail handling
Message is from an internal sender

Junk Mail settings when this message was delivered

Junk Mail handling disabled by User
Junk Mail handling disabled by Administrator
Junk List is not enabled
Junk Mail using personal address books is not enabled
Block List is not enabled