

Facility: <i>Millstone Unit 2</i>		Date of Exam: <i>03/21/06</i>		Exam Level: RO <input checked="" type="checkbox"/> SRO <input type="checkbox"/>		
Item Description	Initial					
	a	b*	c*			
1. Questions and answers are technically accurate and applicable to the facility.	<i>RA</i>	<i>RA</i>	<i>RA</i>			
2. a. NRC K/As are referenced for all questions. b. Facility learning objectives are referenced as available.	<i>RA</i>	<i>RA</i>	<i>RA</i>			
3. SRO questions are appropriate in accordance with Section D.2.d of ES-401	<i>N/A</i>	<i>NA</i>	<i>—</i>			
4. The sampling process was random and systematic (If more than 4 RO or 2 SRO questions were repeated from the last 2 NRC licensing exams, consult the NRR OL program office).	<i>RA</i>	<i>RA</i>	<i>RA</i>			
5. Question duplication from the license screening/audit exam was controlled as indicated below (check the item that applies) and appears appropriate: ___ the audit exam was systematically and randomly developed; or ___ the audit exam was completed before the license exam was started; or <input checked="" type="checkbox"/> the examinations were developed independently; or ___ the licensee certifies that there is no duplication; or ___ other (explain)	<i>RA</i>	<i>RA</i>	<i>RA</i>			
6. Bank use meets limits (no more than 75 percent from the bank, at least 10 percent new, and the rest new or modified); enter the actual RO / SRO-only question distribution(s) at right.	Bank	Modified	New	<i>RA</i>	<i>RA</i>	<i>RA</i>
	<i>28 / -</i>	<i>34.7 / -</i>	<i>37.3 / -</i>			
7. Between 50 and 60 percent of the questions on the RO exam are written at the comprehension/ analysis level; the SRO exam may exceed 60 percent if the randomly selected K/As support the higher cognitive levels; enter the actual RO / SRO question distribution(s) at right.	Memory		C/A	<i>RA</i>	<i>RA</i>	<i>RA</i>
	<i>45.3 / -</i>		<i>54.7 / -</i>			
8. References/handouts provided do not give away answers or aid in the elimination of distractors.	<i>RA</i>	<i>RA</i>	<i>RA</i>			
9. Question content conforms with specific K/A statements in the previously approved examination outline and is appropriate for the tier to which they are assigned; deviations are justified.	<i>RA</i>	<i>RA</i>	<i>RA</i>			
10. Question psychometric quality and format meet the guidelines in ES Appendix B.	<i>RA</i>	<i>RA</i>	<i>RA</i>			
11. The exam contains the required number of one-point, multiple choice items; the total is correct and agrees with the value on the cover sheet.	<i>RA</i>	<i>RA</i>	<i>RA</i>			
Printed Name / Signature		Date				
a. Author	<i>Robert L. Cimmino, Jr. / [Signature]</i>					<i>3/17/06</i>
b. Facility Reviewer (*)	<i>Richard J. Ashley / [Signature]</i>					<i>3/17/06</i>
c. NRC Chief Examiner (#)	<i>GILBERT A. JOHNSON / [Signature]</i>					<i>3/18/06</i>
d. NRC Regional Supervisor	<i>Richard E. Carter / [Signature]</i>					<i>3/20/06</i>
Note: * The facility reviewer's initials/signature are not applicable for NRC-developed examinations. # Independent NRC reviewer initial items in Column "c"; chief examiner concurrence required.						