

From: Alicia Williamson
To: Jill Brochu
Date: 03/12/2007 3:42:24 PM
Subject: Re: PNPS License Renewal - Cooling Tower Question

Hi Jill

Sorry you cannot access the comments. Maybe I provided the wrong Accession Number. I looked again and the number is ML07066135. In addition, the letter is attached. If you need anything else, please let me know.

Alicia

>>> "Brochu, Jill" <JBroc94@entergy.com> 3/12/2007 5:26 AM >>>
Alicia,

Good Morning. I checked and there have not been cooling tower studies completed for Pilgrim. Also, I am unable to get the EPA comments from ADAMs. The accession number doesn't turn anything up. If you have those comments electronically, could you please forward them to me?

Thank you,

Jill

Jill Brochu

508-830-8315

jbroc94@entergy.com

Mail Envelope Properties (45F5AD20.905 : 23 : 11472)

Subject: Re: PNPS License Renewal - Cooling Tower Question
Creation Date 03/12/2007 3:42:24 PM
From: Alicia Williamson

Created By: ARW1@nrc.gov

Recipients	Action	Date & Time
entergy.com PM JBroc94 (Jill Brochu)	Transferred	03/12/2007 3:42:29

Post Office	Delivered	Route
		entergy.com

Files	Size	Date & Time
MESSAGE	1870	03/12/2007 3:42:24 PM
EPA DSEIS.pdf	577347	03/12/2007 11:41:22 AM

Options

Auto Delete: No
Expiration Date: None
Notify Recipients: Yes
Priority: Standard
ReplyRequested: No
Return Notification: None

Concealed Subject: No
Security: Standard

To Be Delivered: Immediate
Status Tracking: Delivered & Opened