

May 3, 2007

Mr. Preston D. Swafford
Interim Chief Nuclear Officer
Nuclear Support
Tennessee Valley Authority
6A Lookout Place
1101 Market Street
Chattanooga, TN 37402-2801

SUBJECT: SEQUOYAH NUCLEAR PLANT, UNITS 1 AND 2 - RESPONSE TO GENERIC LETTER 2006-02 "GRID RELIABILITY AND THE IMPACT ON PLANT RISK AND THE OPERABILITY OF OFFSITE POWER" (TAC NOS. MD1033 AND MD1034)

Dear Mr. Swafford:

On February 1, 2006, the U.S. Nuclear Regulatory Commission (NRC) issued Generic Letter (GL) 2006-02, "Grid Reliability and the Impact on Plant Risk and the Operability of Offsite Power" (Agencywide Document Access and Management System (ADAMS) Accession No. ML060180352) to all holders of operating licenses for nuclear power reactors except those who have permanently ceased operation and have certified that fuel has been removed from the reactor vessel.

GL 2006-02 notified licensees of the NRC staff's need for information in four areas, as follows:

(1) use of protocols between the nuclear power plant (NPP) and the transmission system operator (TSO), independent system operator (ISO), or reliability coordinator/authority (RC/RA) and the use of transmission load flow analysis tools (analysis tools) by TSOs to assist NPPs in monitoring grid conditions to determine the operability of offsite power systems under plant technical specifications (TSs). (The TSO, ISO, or RA/RC is responsible for preserving the reliability of the local transmission system. In this GL the term TSO is used to denote these entities);

(2) use of NPP/TSO protocols and analysis tools by TSOs to assist NPPs in monitoring grid conditions for consideration in maintenance risk assessments;

(3) offsite power restoration procedures in accordance with Section 2 of NRC Regulatory Guide (RG) 1.155, "Station Blackout;" and

(4) losses of offsite power caused by grid failures at a frequency equal to or greater than once in 20 site-years in accordance with RG 1.155.

Subsequent to the GL, the NRC issued a Request For Additional Information (RAI) (ADAMS Accession No. ML063380308) regarding the resolution of GL 2006-02 to 63 of 65 holders of operating licenses for nuclear power reactors. The RAI requested licensees respond to questions in the following areas:

- (1) Switchyard Minimum Voltage;
- (2) Loss of Real-Time Contingency Analysis (RTCA) Capability;
- (3) Verification of RTCA Predicted Post-Trip Voltage;
- (4) Identification of Applicable Single Contingencies;
- (5) Seasonal Variation in Grid Stress (reliability and Loss-of-offsite power (LOOP) Probability);
- (6) Interface With Transmission System Operator During Extended Plant Maintenance.

By letters dated April 3, 2006 (ADAMS Accession No. ML060950306), and January 31, 2007 (ADAMS Accession No. ML070330051), the Tennessee Valley Authority (TVA) responded to the information request of GL 2006-02 and the subsequent RAI, respectively. Based on the information provided, the staff has concluded that compliance is being maintained with NRC regulatory requirements governing electric power sources and associated personnel training and considers TVA's response to GL 2006-02 complete for the Sequoyah Nuclear Plant, Units 1 and 2.

If you have any questions, please contact me 301-415-3974.

Sincerely,

/RA/

Brendan T. Moroney, Project Manager
Plant Licensing Branch II-2
Division of Operating Licensing
Office of Nuclear Reactor Regulation

Docket Nos. 50-327 and 50-328

cc: See next page

P. Swafford

-2-

May 3, 2007

operating licenses for nuclear power reactors. The RAI requested licensees respond to questions in the following areas:

- (1) Switchyard Minimum Voltage;
- (2) Loss of Real-Time Contingency Analysis (RTCA) Capability;
- (3) Verification of RTCA Predicted Post-Trip Voltage;
- (4) Identification of Applicable Single Contingencies;
- (5) Seasonal Variation in Grid Stress (reliability and Loss-of-offsite power (LOOP) Probability);
- (6) Interface With Transmission System Operator During Extended Plant Maintenance.

By letters dated April 3, 2006 (ADAMS Accession No. ML060950306), and January 31, 2007 (ADAMS Accession No. ML070330051), the Tennessee Valley Authority (TVA) responded to the information request of GL 2006-02 and the subsequent RAI, respectively. Based on the information provided, the staff has concluded that compliance is being maintained with NRC regulatory requirements governing electric power sources and associated personnel training and considers TVA's response to GL 2006-02 complete for the Sequoyah Nuclear Plant, Units 1 and 2.

If you have any questions, please contact me 301-415-3974.

Sincerely,

/RA/

Brendan T. Moroney, Project Manager
Plant Licensing Branch II-2
Division of Operating Licensing
Office of Nuclear Reactor Regulation

Docket Nos. 50-327 and 50-328

cc: See next page

Distribution:

| | | | |
|------------------|---------------------------|------------------------|--------------------|
| PUBLIC | LPL2-2 r/f | RidsNrrLACSola | RidsNrrPMBMoroney |
| RidsNrrDorLpl2-2 | RidsOgcRp | RidsAcrcAcnwMailCenter | RidsRgn2MailCenter |
| RidsNrrDeEeeb | SCampbell, EDO, Region II | | JRobinson, NRR |

ADAMS ACCESSION NUMBER: ML071080205

| | | | | |
|--------|-----------|-----------|---------|-----------|
| OFFICE | LPL2-2/PM | LPL2-2/LA | EEEE/BC | LPL2-2/BC |
| NAME | BMoroney | RSola | GWilson | TBoyce |
| DATE | 4/19/07 | 4/20/07 | 4/20/07 | 5/3/07 |

OFFICIAL RECORD COPY

Mr. Preston D. Swafford
Tennessee Valley Authority

SEQUOYAH NUCLEAR PLANT

cc:

Mr. Ashok S. Bhatnagar, Senior Vice President
Nuclear Operations
Tennessee Valley Authority
6A Lookout Place
1101 Market Street
Chattanooga, TN 37402-2801

Mr. Glenn W. Morris, Manager
Licensing and Industry Affairs
Sequoyah Nuclear Plant
Tennessee Valley Authority
P.O. Box 2000
Soddy Daisy, TN 37384-2000

Mr. Larry S. Bryant, Vice President
Nuclear Engineering & Technical Services
Tennessee Valley Authority
6A Lookout Place
1101 Market Street
Chattanooga, TN 37402-2801

Mr. David A. Kulisek, Plant Manager
Sequoyah Nuclear Plant
Tennessee Valley Authority
P.O. Box 2000
Soddy Daisy, TN 37384-2000

General Counsel
Tennessee Valley Authority
6A West Tower
400 West Summit Hill Drive
Knoxville, TN 37902

Senior Resident Inspector
Sequoyah Nuclear Plant
U.S. Nuclear Regulatory Commission
2600 Igou Ferry Road
Soddy Daisy, TN 37379

Mr. John C. Fornicola, Manager
Nuclear Assurance
Tennessee Valley Authority
6A Lookout Place
1101 Market Street
Chattanooga, TN 37402-2801

Mr. Lawrence E. Nanney, Director
Division of Radiological Health
Dept. of Environment & Conservation
Third Floor, L and C Annex
401 Church Street
Nashville, TN 37243-1532

Ms. Beth A. Wetzel, Manager
Corporate Nuclear Licensing and
Industry Affairs
Tennessee Valley Authority
4X Blue Ridge
1101 Market Street
Chattanooga, TN 37402-2801

County Mayor
Hamilton County Courthouse
Chattanooga, TN 37402-2801

Mr. Robert H. Bryan, Jr., General Manager
Licensing and Industry Affairs
Tennessee Valley Authority
4X Blue Ridge
1101 Market Street
Chattanooga, TN 37402-2801

Ms. Ann P. Harris
341 Swing Loop Road
Rockwood, TN 37854

Mr. Randy Douet, Site Vice President
Sequoyah Nuclear Plant
Tennessee Valley Authority
P.O. Box 2000
Soddy Daisy, TN 37384-2000