



Smith Ranch - Highland
Uranium Project
P. O. Box 1210
Glenrock, Wyoming USA 82637
Casper: 307-235-1628
Douglas: 307-358-6541
Fax: 307-358-4533

April 16, 2007

Paul Michalak
U.S. Nuclear Regulatory Commission
Two White Flint North
11545 Rockville Pike
Rockville, MD 20852-2738

RE: Amendment to the request radiological dose assessment for Smith Ranch-
Highland
License No.: SUA-1548, Docket No.: 40-8964

Dear Mr. Michalak:

Please find attached the MILDOS run and summary for the SW Mine Unit (MU-9, MU-10 and MU-11) to be incorporated in the previously submitted dose assessment dated March 15, 2007.

PRI understands the submitted information will complete the requested requirements needed to finalize the pending Environmental Evaluation. If you have any questions, please call me at (307) 358-6541, ext. 46.

Regards,

A handwritten signature in cursive script, appearing to read 'John McCarthy'.

John McCarthy
Manager, Safety, Health and Environment

cc: S. Collings
S. Ingle WDEQ
C. Foldenauer
File SR 4.6.4.1



John McCarthy

From: "Savignac, Noel (E-mail)" <noelsav@swcp.com>
To: "John McCarthy (E-mail)" <pri_jmccarthy@vcn.com>
Sent: Saturday, April 14, 2007 2:23 PM
Attach: PRI Rev Table 3 Well field operational data 3-15-07.doc
Subject: MILDOS 3-14-07

John:

On Monday you should receive a Fed Ex package with the revised MILDOS report containing the revisions requested by the NRC. In the flurry of activity to meet the Fed Ex deadline on Friday I neglected to revise Table 3, the well field data. Please find a revised Table 3 attached.

Revisions in the document includes:

Ex Summary, page 9 Maximum Radiation Doses, Page 10 Table 4, and Page 10 Dose Comparisons: Presents radiation doses that include doses from mine field SW.

Page 2 Production: Statement that radon releases during production include radon releases from satellite mine water collection facilities.

Page 2 Restoration: Contains information showing that the radon production from operations is the same as for restoration.

Page 4: I have sent the referenced weather data to the NRC via email as per their request.

Page 5: Statement that the purge rate is in liters per day and not gallons per day.

Page 7 Table 3: Well field SW added to list of sources of radon.

Noel

Noel Savignac Consultants
8500 Menaul Blvd., NE, Suite B-335
Albuquerque, NM 87112
(505) 881-4150
noelsav@swcp.com

4/16/2007

Radiation Protection Consultant

Noel Savignac, Ph.D.



**MILDOS DETERMINATION OF
RADIATION DOSES FROM
POWER RESOURCES INC.
SMITH RANCH-HIGHLANDS URANIUM
IN-SITU LEACHING OPERATION**

By:

Noel Savignac, Ph.D.

Revised April 14, 2007

EXECUTIVE SUMMARY

Radiation doses from the release of radon-222 at the proposed Smith Ranch-Highlands Uranium In-Situ Leaching Operation near Glenrock Wyoming were estimated using the computer code MILDOS written for the Nuclear Regulatory Commission. The code used weather data from Casper, Wyoming to calculate annual average concentrations and radiation doses at nearby residences, ranches, towns, and population centers. Results include:

- The maximum annual radiation dose at the nearest residence (Sunquest Ranch) from the release of radon-222 is 18 mrem/year which is 18% of the 100 mrem/yr dose limit for the general public specified in 10 CFR 20.
- The maximum annual radiation dose at the nearest downwind resident (Vollman Ranch) is 13 mrem/yr which is 13 % of the 100 mrem/yr dose limit for the general public.
- The 40CFR190 annual dose commitment is zero because 40CFR190 excludes the dose from radon-222 and its progeny and radon-222 and its progeny are the only effluents from the in-situ leaching operation.
- The maximum population dose for all populations is 305 person-rem/yr for all populations around the facility.
- The maximum radiation dose occurs in the first 4 years of the project (2007-2010).

OBJECTIVE

Model the dispersion of radon-222 from the Power Resources Inc. Smith Ranch-Highlands Uranium in-situ leaching operation using the computer code MILDOS to predict the radiation doses to people in the vicinity of the project.

PROJECT DESCRIPTION

Twenty well fields have or will be developed for injection and recovery of uranium leaching solutions over the life of the project, approximately 25 years. The leaching solution is pumped into the underground uranium ore body to oxidize the uranium to a soluble and stable form. The leach solution will consist of oxygen (O₂), carbon dioxide (CO₂) and native groundwater. The solution is removed in extraction wells and passed over ion exchange resins to remove the uranium. The resins are then removed and transported by truck to the Smith Ranch Central Processing Facility where the uranium is removed from the resin and dried. The resin is returned to the individual ion exchange columns.

RADIOACTIVE EFFLUENTS

In the ore body uranium-238 decays to form radium-226 and then to radon-222. Both uranium and radon are soluble in the leach solution that is pumped through the ore body


to the ground surface. Radioactive effluents from an operating in-situ uranium recovery facility include:

- Radon-222 from new well fields. When the wells are drilled into the ore body, ore cuttings are transported to the ground surface in the drilling mud. The cuttings are temporarily stored in mud pits where radon-222 is released from the radium-226 in the cuttings. The quantity radon-222 released from new well fields is less than 1% of the radon-222 released during well field production.
- Radon-222 from the production well fields. Radon-222 that is dissolved in the leach solution is released from the purge water which is water in excess of the water that is injected back into the ore body. Radon-222 is only released from the purge water during storage in tanks prior to being injected down deep disposal wells. As a result, only a portion of radon-222 carried in the purge water is released. Therefore, estimates generated from MILDOS for radon-222 releases from purge water are considered conservative and include releases from satellite mine water collection facilities. In addition radon-222 is released from occasional venting of the wellheads and from the removal of resin from the ion exchange columns.
- Uranium from the drying of yellowcake. Drying of yellowcake will take place at the Smith Ranch Central Processing Facility using a vacuum dryer which releases negligible quantities of yellowcake into the atmosphere.
- Radon-222 from the pumping of fresh water during the restoration of the well fields. The primary source of radon-222 during restoration is from the water circulating within and discharged from the wells. These releases are equal to the radon releases during uranium production. For example for well field SW at the Smith Ranch-Highlands Uranium operation MILDOS calculated the total radon release during production to be $8.3E3$ Ci/yr. The total radon release during restoration was calculated to be $8.3 E3$ Ci/yr.
- Radon-222 from land application areas. Purge water from production wells or restoration wells is sometimes treated and released for irrigation. This source of radon-222 is not applicable at the Smith Ranch-Highlands Uranium operation because uranium and radium are removed from the water before discharge from the irrigator.

SMITH RANCH-HIGHLANDS URANIUM OPERATIONS

Of the 20 minefield units that are or will be developed on the Smith Ranch-Highlands Uranium operation, the number of units that are in production and/or in restoration during any given year is presented in Figure 1. For the first 4 years of operation, 16 mine units will be in production and/or restoration. After the first 4 years of the project the number of mine units in production and/or restoration range from 13 down to 1 in the 20th year of the project.

Figure 1 Smith Ranch - Highland Uranium Project



YEAR OF MAXIMAL RADON-222 RELEASE

Radon-222 releases during the drilling, production, and restoration phases of the operation are calculated by the computer program MILDOS from the input parameters to the program. Production and restoration account for nearly all of the releases of radon-222 from the Mine Units. Drilling releases are very small, e.g. 0.001% of the total radon-222 releases. Radon-222 from land applications such as an irrigator is minimal because the uranium and radium have been removed from the water.

The maximum number of units in production and/or restoration for any year of the project is 16 mine units in years 1-4 of the project. During years 1-4 the maximum amount of radon-222 is released from the project (2007-2010).

MILDOS

The computer code MILDOS was used to determine the impact of radon-222 release on the surrounding populations. The code was originally designed to address the impacts of uranium mill operations but was subsequently updated in 1998 to address the impacts of uranium in-situ leaching operations using a MS Windows format. The code was developed by Argonne National Laboratory for the Nuclear Regulatory Commission to assess the radiological impacts and regulatory compliance of a release. To determine the maximal impact the code was run for year 1 which is one of four years during which the most number of well units will be in production and/or restoration and the most radon-222 will be released from the project.

INPUT DATA

The weather data entered into the MILDOS computer code were the joint frequency of wind speed by direction and stability class in the STAR format collected by the National Oceanic and Atmospheric Administration for Casper, WY. For example the wind blew from the north at a speed of 1.5 mph 0.007 percent of the year for stability class 1. The data were in the file "cpr0335.str." Local data for the Reynolds Ranch were not available in the STAR format. The Casper data is considered representative of the Smith Ranch-Highlands Uranium project since it was from the closest meteorological station and no significant barriers such as a mountain range exist between the two sites to significantly alter weather patterns. The printout of the weather data is presented in the attached MILDOS printouts.

Table 1 presents the locations where radiation doses around the Smith Ranch-Highland Uranium project were calculated by MILDOS. The Sunquest Ranch is the nearest residence approximately 1 km South. The Vollman Ranch is the nearest downwind residence approximately 6 km West. The nearest communities within 80 km are presented in Table 1 with their respective East-West and North-South distances from the Highland Central Processing facility.

Table 1. Locations around the Smith Ranch-Highland Uranium Project where MILDOS calculated radiation doses.

Location	KM East West (-)	KM North South (-)
Casper	-54	-23.0
Douglas	22	-32
Evansville	-50	-22
Glenrock	-16	-20
Midwest	-60	41
Sunquest Ranch (nearest Residence)	0.0	-1.1
Vollman Ranch (nearest downwind residence)	-6.4	0.1
Wright	12	80

Table 2 presents the population distribution within 80 km of the Smith Ranch-Highland Uranium Project that was entered into MILDOS.

Table 3 presents the well field operational data that were entered into MILDOS. The well fields were those that will be in production and/or restoration during year 1 of the project. As shown in Figure 1 the largest number of wells will be in production or restoration during years 1-4. Since the amount of radon-222 emitted during production and restoration is much greater than during well development or reclamation, years 1-4 are the years of greatest radon-222 production from all the well fields over the 25-year lifetime of the project.

The East-West, North-South distances in km from the Smith Ranch Central Processing facility are presented in Table 3. The well field unit, its location relative to the Smith Ranch-Highlands Uranium Central Processing Facility, the radium-226 concentration, the radon-222 emanation fraction, the thickness of the ore, the ore density, and the area of the well unit are presented for each mine unit. The volume of process water in circulation, the fraction of radon in the process water, the rate of radon venting from the process water, and the purge rate (in liters per day, not gallons per day) are presented. The ion-exchange column volume, the column unloading rate, and the porosity of the ion exchange resin are presented in Table 3.

Figure 2 is a map that shows the proximity of the mine units to the Central Processing Facility.

Table 2, Population distributions within 80 km of the Smith Ranch Central Processing Facility.

Distance from Smith Ranch Central Processing Facility (km)													
	1	2	3	4	5	10	20	30	40	50	60	70	80
N	0	0	0	0	0	4	4	4	4	4	4	4	4
NE	0	0	0	0	0	0	4	4	4	4	4	4	4
E	0	0	0	0	4	0	4	4	4	4	4	8	1500
SE	0	0	0	0	4	8	10	100	5300	100	50	10	8
S	4	0	0	0	0	4	10	8	10	1	8	4	4
SW	0	0	4	0	4	10	20	3000	2500	50000	1000	100	20
W	0	0	0	0	4	8	8	10	10	10	10	8	8
NW	0	0	0	0	4	4	4	8	10	10	10	10	500

Table 3 Well field operational data.

UNIT ^a	X	Y	[Ra] pCi/ g	EM FR.	THICK m	DEN. g/cm ³	AREA m ²	CIR. VOL. L	FR Rn	Rn VENT /d	PURGE L/d	COL L	COL UL /d	POR
C	8.2	4.3	574	0.2	3	1.93	8.4E5	5.1E8	0.8	0.01	6.3E4	18903	1	0.4
D	6.4	2.7	574	0.2	3	1.93	1.4E5	8.4E7	0.8	0.01	2.1E4	18903	1	0.4
Dext	7.3	2.7	574	0.2	3	1.93	4.2E5	2.5E8	0.8	0.01	1.4E4	18903	1	0.4
E	3.4	6.7	574	0.2	3	1.93	5.5E5	3.3E8	0.8	0.01	7.1E3	18903	1	0.4
F	2.4	4.6	574	0.2	3	1.93	2.3E6	1.4E9	0.8	0.01	2.8E4	18903	1	0.4
H	4.3	10.4	574	0.2	3	1.93	1.2E6	7.2E8	0.8	0.01	2.8E3	18903	1	0.4
I	9.5	2.1	574	0.2	3	1.93	1.2E6	7.2E8	0.8	0.01	9.2E4	18903	1	0.4
1	2.4	-3.1	574	0.2	3	1.93	5.4E5	8.5E7	0.8	0.01	1.6E5	18903	1	0.4
2	-0.3	2.4	574	0.2	3	1.93	3.7E5	1.5E8	0.8	0.01	2.8E5	18903	1	0.4
3	0.9	-1.5	574	0.2	3	1.93	7.0E5	1.4E8	0.8	0.01	2.6E5	18903	1	0.4
4/4A	-1.2	-2.1	574	0.2	3	1.93	5.5E5	9.2E7	0.8	0.01	1.7E5	18903	1	0.4
(SR)15	-3.0	-4.3	574	0.2	3	1.93	1.4E6	8.3E8	0.8	0.01	2.0E5	18903	1	0.4
(SR)15A	-1.5	-3.9	574	0.2	3	1.93	1.3E6	8.3E8	0.8	0.01	2.0E5	18903	1	0.4
(HUP)J	3.9	3.4	574	0.2	3	1.93	1.3E6	8.3E8	0.8	0.01	1.4E5	18903	1	0.4
(HUP)K	0.9	0.9	574	0.2	3	1.93	4.6E5	2.7E8	0.8	0.01	1.3E5	18903	1	0.4
SW	-6.1	-4.9	574	0.2	3	1.93	2.1E6	2.6E9	0.8	0.01	3.4E7	18903	1	0.4

^aKey to columns:

UNIT = Well unit

X = Km from Smith Ranch Central Processing Facility (+)
= East, (-) = West

Y = Km from Smith Ranch Central Processing Facility (+)
= North, (-) = South

[Ra] = Radium concentration

EM. FR = Radon emanation fraction

THICK = Thickness of ore

DEN = Density of ore

AREA = Area of well unit

CIR VOL = Volume of process water in circulation

FR Rn = Fraction of Radon in process water

Rn VENT = Rate of Radon venting from process water

PURGE = Treated water purge rate

COL = Ion-Exchange column volume

COL UN = Ion-Exchange column unloading rate

POR = Porosity of ion exchange resin

PLEASE INSERT MAP OF THE FACILITY HERE

MILDOS OUTPUT

The MILDOS computer model calculated the radiological doses to people in the vicinity of the Smith Ranch-Highland Uranium Project from radon-222. The attached MILDOS output presents the radiation doses and population doses from each of the 15 well fields in production and/or restoration during year 1. The MILDOS output report from each well field contains the following information:

- Page 2 presents the meteorological data as the fraction of time the wind blows from a given compass direction by wind speed category by stability class.
- Page 3 presents the locations where the radiation doses are calculated (receptor locations).
- Page 4 presents the population distribution within 80 km of the Smith Ranch-Highland Uranium Central processing facility.
- Page 5 presents the well field locations and radon emissions.
- Page 18 presents the 100-year effective population doses for all populations.
- Page 19 or 20 presents the total annual dose commitments by location in mrem/yr for adults.

Table 4 presents the maximum radiation dose from the Smith Ranch-Highland Uranium Facility at the nearest residence, at the nearest downwind residence, and to the nearby communities. At the bottom of Table 4 the radiation doses from each well field are totaled for each location. Note: At any location each well field contributes its own radiation dose. Those doses are independent of each other and are additive to produce a total dose at each location.

THE MAXIMUM RADIATION DOSES FROM THE RELEASE OF RADON-222 IN YEAR 1 OF THE PROJECT ARE:

- The maximum annual radiation dose is 18 mrem/yr to the people at the Sunquest Ranch 1 km South of the Central Processing Facility from radon-222. That dose is 18 % of the 100 mrem/yr dose limit for the public specified in 10 CFR 20.
- The maximum annual radiation dose at the nearest downwind resident (Vollman Ranch) is 13 mrem/yr which is 13 % of the 100 mrem/yr dose limit for the general public.
- Population dose (the number of people exposed times their dose in mrem/yr) for the project is 305 people-rem/yr for all populations around the facility.
- The 40CFR190 annual dose commitment is zero because 40CFR190 excludes the dose from radon-222 and its progeny and radon-222 and its progeny are the only effluents from the in-situ leaching operation.

THE MAXIMUM RADIATION DOSES FROM THE RELEASE OF RADON-222 IN YEARS 2-25 OF THE PROJECT ARE:

- For years 2-4 the doses are the same as presented for year 1.
- For years 5-25 the doses are less than for years 1-4.

Table 4. Maximum Radiation doses and population doses from the Power Resources Inc. Smith Ranch-Highland Uranium project

Well Field	Casper mrem/yr	Douglas mrem/yr	Evansville mrem/yr	Glenrock mrem/yr	Midwest mrem/yr	Sunquest Ranch mrem/yr	Vollman Ranch mrem/yr	Wright mrem/yr	Population Dose person-rem/yr
C	0.02	0.04	0.02	0.04	0.02	0.17	0.15	0.01	14.00
D	0.00	0.01	0.00	0.01	0.00	0.04	0.03	0.00	2.38
Dext	0.01	0.02	0.01	0.02	0.01	0.10	0.08	0.01	6.97
E	0.01	0.02	0.01	0.04	0.01	0.18	0.16	0.01	9.09
F	0.05	0.11	0.06	0.15	0.04	1.10	0.95	0.04	37.90
H	0.03	0.05	0.03	0.07	0.02	0.26	0.24	0.03	19.80
I	0.02	0.07	0.03	0.06	0.02	0.22	0.21	0.02	20.00
1	0.02	0.03	0.02	0.05	0.01	0.31	0.25	0.02	10.50
2	0.01	0.02	0.01	0.03	0.01	0.52	0.51	0.01	7.19
3	0.02	0.04	0.02	0.07	0.01	3.10	1.30	0.02	15.00
4/4A	0.02	0.03	0.02	0.06	0.01	3.80	2.70	0.01	12.30
SR15	0.04	0.06	0.04	0.14	0.02	1.30	1.30	0.03	23.80
SR15A	0.03	0.06	0.04	0.08	0.02	1.40	1.10	0.02	22.00
(HUP)J	0.03	0.06	0.03	0.12	0.02	0.52	0.43	0.02	21.80
(HUP)K	0.01	0.02	0.01	0.04	0.01	1.40	0.53	0.01	7.95
SW	0.13	0.18	0.13	0.58	0.06	3.14	3.31	0.09	74.92
Total	0.4	0.9	0.4	1.58	0.3	17.5	13.2	0.4	305.6

DOSE COMPARISONS

The maximum radiation dose of 18 mrem/yr to the people at the Sunquest Ranch and the 13 mrem/yr to people at the Vollman Ranch may be compared to:

- 3 mrem/trip for an airplane flight from San Francisco to New York.
- 10 mrem/chest X ray
- 365 mrem/yr average background radiation in U.S.

MINE UNIT SW

TABLE OF CONTENTS

METEOROLOGICAL DATA	2
INDIVIDUAL RECEPTORS & MISCELLANEOUS INPUT DATA	3
POPULATION DISTRIBUTION	4
SOURCE PARAMETERS	5
TIME STEP 1,	
100-YEAR ENVIRONMENTAL DOSE COMMITMENTS, PERSON-REM/YEAR	
INHALATION PATHWAY	6
GROUND PATHWAY	10
CLOUD PATHWAY	11
VEGETATION INGESTION PATHWAY	12
MEAT INGESTION PATHWAY	14
MILK INGESTION PATHWAY	16
POPULATION DOSE SUMMARY	18
ENVIRONMENTAL DOSE COMMITMENTS, INTEGRATED OVER ALL TIME STEPS	19
INDIVIDUAL RECEPTOR ALC CHECK AND/OR ANNUAL DOSE COMMITMENTS	20

METSET:		DATA: SRHI.MIL														04/13/07	
JOINT FREQUENCY IN PERCENT, DIRECTION INDICATES WHERE WIND IS FROM																FREQWS=0.05735,0.21076,0.28172,0.26136,0.13155,0.05735	
MPH	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	TOTALS

STABILITY CLASS 1																	
1.5	0.0070	0.0240	0.0100	0.0240	0.0170	0.0100	0.0070	0.0410	0.0140	0.0210	0.0240	0.0240	0.0380	0.0170	0.0210	0.0100	0.3090
5.5	0.0140	0.0270	0.0210	0.0070	0.0140	0.0210	0.0140	0.0620	0.0070	0.0210	0.0070	0.0270	0.0550	0.0340	0.0000	0.0210	0.3520
10.0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
15.5	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
21.5	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
28.0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
ALL	0.0210	0.0510	0.0310	0.0310	0.0310	0.0310	0.0210	0.1030	0.0210	0.0420	0.0310	0.0510	0.0930	0.0510	0.0210	0.0310	0.6610

STABILITY CLASS 2																	
1.5	0.0550	0.0510	0.0370	0.0420	0.0960	0.0420	0.0660	0.0650	0.0980	0.0410	0.0620	0.0450	0.1130	0.0400	0.0210	0.0640	0.9380
5.5	0.0960	0.1230	0.0690	0.0410	0.1230	0.1160	0.1300	0.1160	0.2120	0.1030	0.1580	0.1370	0.1370	0.0960	0.0550	0.1100	1.8220
10.0	0.0690	0.0620	0.0690	0.0410	0.0620	0.0210	0.0550	0.0270	0.0550	0.0690	0.0820	0.1100	0.1780	0.0690	0.0750	0.0820	1.1260
15.5	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
21.5	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
28.0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
ALL	0.2200	0.2360	0.1750	0.1240	0.2810	0.1790	0.2510	0.2080	0.3650	0.2130	0.3020	0.2920	0.4280	0.2050	0.1510	0.2560	3.8860

STABILITY CLASS 3																	
1.5	0.0190	0.0130	0.0110	0.0120	0.0370	0.0190	0.0130	0.0040	0.0280	0.0190	0.0190	0.0290	0.0180	0.0270	0.0320	0.0030	0.3030
5.5	0.0960	0.1370	0.0960	0.1030	0.1780	0.0960	0.1230	0.0820	0.1510	0.0960	0.0960	0.1710	0.2400	0.1300	0.0750	0.0620	1.9320
10.0	0.2530	0.1850	0.1580	0.1710	0.2330	0.1920	0.1230	0.0820	0.1230	0.1990	0.3700	0.6440	0.4730	0.2260	0.1640	0.1580	3.7540
15.5	0.0270	0.0140	0.0140	0.0140	0.0340	0.0340	0.0140	0.0000	0.0340	0.0960	0.2060	0.1710	0.1920	0.0340	0.0410	0.0690	0.9940
21.5	0.0000	0.0070	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0140	0.0070	0.0340	0.0340	0.0410	0.0210	0.0000	0.0000	0.1580
28.0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0070	0.0140	0.0070	0.0000	0.0000	0.0000	0.0280
ALL	0.3950	0.3560	0.2790	0.3000	0.4820	0.3410	0.2730	0.1680	0.3500	0.4170	0.7320	1.0630	0.9710	0.4380	0.3120	0.2920	7.1690

STABILITY CLASS 4																	
1.5	0.0790	0.1050	0.0850	0.0740	0.0600	0.0590	0.0550	0.0270	0.0550	0.0340	0.0410	0.0530	0.0680	0.0820	0.0430	0.1010	1.0210
5.5	0.5410	0.5820	0.4450	0.3220	0.4110	0.3220	0.1920	0.1300	0.1920	0.1230	0.2060	0.3360	0.3360	0.2400	0.1440	0.4520	4.9740
10.0	1.1400	1.4250	1.0210	0.8770	0.9250	0.4930	0.3010	0.1370	0.2120	0.6300	1.4180	2.1300	1.7470	0.5410	0.5210	0.5000	14.0180
15.5	1.1100	1.4870	1.0280	0.6510	1.0000	0.5480	0.1990	0.0550	0.3700	3.0830	6.5420	5.1990	1.9320	0.9450	0.5890	0.4040	25.1420
21.5	0.2810	0.3770	0.1710	0.0620	0.2260	0.0820	0.0410	0.0140	0.1780	2.6720	5.0080	2.2130	0.9250	0.4040	0.2400	0.1030	12.9970
28.0	0.1030	0.1030	0.0270	0.0000	0.0140	0.0070	0.0000	0.0000	0.0410	1.4800	2.2470	0.9730	0.5210	0.1160	0.0410	0.0340	5.7070
ALL	3.2540	4.0790	2.7770	1.9860	2.6360	1.5110	0.7880	0.3630	1.0480	8.0220	15.4620	10.9040	5.5290	2.3280	1.5780	1.5940	63.8590

STABILITY CLASS 5																	
1.5	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
5.5	0.4180	0.3360	0.2880	0.1920	0.2600	0.1580	0.1510	0.1030	0.1370	0.1160	0.2470	0.4930	0.7470	0.3630	0.3290	0.3290	4.6670
10.0	0.3430	0.3010	0.2810	0.2880	0.4040	0.3080	0.1160	0.0480	0.0550	0.4040	1.0890	2.8220	1.9040	0.4040	0.2470	0.2600	9.2740
15.5	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
21.5	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
28.0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
ALL	0.7610	0.6370	0.5690	0.4800	0.6640	0.4660	0.2670	0.1510	0.1920	0.5200	1.3360	3.3150	2.6510	0.7670	0.5760	0.5890	13.9410

STABILITY CLASS 6																	
1.5	0.3720	0.1670	0.1430	0.1100	0.1610	0.1120	0.0630	0.0580	0.1220	0.1120	0.1450	0.3000	0.5750	0.2610	0.2020	0.2610	3.1640
5.5	0.6920	0.5620	0.3560	0.3560	0.3630	0.1990	0.1580	0.0890	0.1640	0.1990	0.2810	0.7810	1.2670	0.6230	0.5750	0.6640	7.3290
10.0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
15.5	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
21.5	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
28.0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
ALL	1.0640	0.7290	0.4990	0.4660	0.5240	0.3110	0.2210	0.1470	0.2860	0.3110	0.4260	1.0810	1.8420	0.8840	0.7770	0.9250	10.4930

ALL	5.7150	6.0880	4.3300	3.3870	4.6180	2.8390	1.8210	1.1400	2.2620	9.5250	18.2890	16.7060	11.5140	4.6730	3.4150	3.6870	100.0090

-----INDIVIDUAL RECEPTOR LOCATION DATA, 8 LOCATIONS INPUT THIS RUN-----

I	LOCATION NAMES	X(KM)	Y(KM)	Z(M)	DIST(KM)	TYPE	I	LOCATION NAMES	X(KM)	Y(KM)	Z(M)	DIST(KM)	TYPE
1	Casper	-54.00	-23.00	0.00	58.69	1	5	Midwest	-60.00	41.00	0.00	72.67	1
2	Douglas	22.00	-32.00	0.00	38.83	1	6	Sunquest Ranch neare	0.00	-1.10	0.00	1.10	1
3	Evansville	-50.00	-22.00	0.00	54.63	1	7	Vollman Ranch neares	-1.00	-1.00	0.00	1.41	1
4	Glenrock	-16.00	-20.00	0.00	25.61	1	8	Wright	12.00	80.00	0.00	80.89	1

MISCELLANEOUS INPUTABLE PARAMETER VALUES

DMM	DMA	TSTART	FFORI	FHAYI	FFORP	FHAYP	FPR(1)	FPR(2)	FPR(3)	ACTRAT
100.0	100.0	2007.00	0.50	0.50	0.50	0.50	0.00	0.00	0.00	2.50

IPACT EQUALS 0,

JC EQUALS 0, 1, 0, 1, 0, 0, 0, 0, 0, 0

TIME STEP DATA.... STEP NAMES LENGTH, YRS IFTODO
 1 5.00 1

XRHO EQUALS 1.5, 2.5, 3.5, 4.5, 7.5, 15.0, 25.0, 35.0, 45.0, 55.0, 65.0, 75.0,

HDP EQUALS 50.0

POPULATION DISTRIBUTION

KILOMETERS	N 0.0	NNE 22.5	NE 45.0	ENE 67.5	E 90.0	ESE 112.5	SE 135.0	SSE 157.5	S 180.0	SSW 202.5	SW 225.0	WSW 247.5	W 270.0	WNW 292.5	NW 315.0	NNW 337.5
1.0- 2.0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0
2.0- 3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3.0- 4.0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0
4.0- 5.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5.0-10.0	0	0	0	0	4	0	4	0	0	0	4	0	4	0	4	0
10.0-20.0	4	0	0	0	0	0	8	0	4	0	10	0	0	0	4	0
20.0-30.0	4	0	4	0	4	0	10	0	10	0	20	0	8	0	4	0
30.0-40.0	4	0	4	0	4	0	100	0	8	0	3000	0	8	0	8	0
40.0-50.0	4	0	4	0	4	0	5300	0	10	0	2500	0	10	0	10	0
50.0-60.0	4	0	4	0	4	0	100	0	1	0	50000	0	10	0	10	0
60.0-70.0	4	0	4	0	4	0	50	0	8	0	1000	0	10	0	10	0
70.0-80.0	4	0	8	0	4	0	10	0	4	0	100	0	8	0	0	0
1.0-80.0	28	0	28	0	28	0	5582	0	49	0	56638	0	58	0	50	0

TOTAL 1-80 KM POPULATION IS 62461 PERSONS

TIME STEP NUMBER 1,

DURATION IN YRS IS... 5.0

EXPOSURE PATHWAY IS INHAL.

EXPOSED ORGAN IS EFFECTIV

DOSES SHOWN BELOW ARE 100-YEAR ENVIRONMENTAL DOSE COMMITMENTS, PERSON-REM/YEAR

DIRECTION	XRHO 1.5	XRHO 2.5	XRHO 3.5	XRHO 4.5	XRHO 7.5	XRHO 15.0	XRHO 25.0	XRHO 35.0	XRHO 45.0	XRHO 55.0	XRHO 65.0	XRHO 75.0
N	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.150E-05	1.269E-05	1.307E-05	1.314E-05	1.308E-05	1.296E-05	1.281E-05
NNE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.520E-05	1.529E-05	1.550E-05	1.567E-05	1.576E-05	3.157E-05
ENE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
E	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.458E-05	0.000E+00	3.451E-05	3.522E-05	3.515E-05	3.475E-05	3.422E-05	3.363E-05
ESE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.824E-05	4.674E-05	4.906E-05	4.590E-04	2.294E-02	4.112E-04	1.966E-04	3.777E-05
SSE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
S	1.746E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.882E-05	5.712E-05	4.832E-05	6.051E-05	5.969E-06	4.687E-05	2.295E-05
SSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SW	0.000E+00	0.000E+00	1.219E-05	0.000E+00	2.557E-06	3.063E-05	7.072E-05	1.075E-02	8.892E-03	1.757E-01	3.502E-03	3.473E-04
WSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
W	0.000E+00	0.000E+00	0.000E+00	0.000E+00	6.376E-06	0.000E+00	2.725E-05	3.077E-05	4.006E-05	4.060E-05	4.066E-05	3.238E-05
WNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.212E-05	9.422E-06	8.384E-06	1.781E-05	2.268E-05	2.274E-05	2.263E-05	0.000E+00
NNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

TOTAL DOSE COMMITMENT IS 2.246E-01 PERSON-REM/YR

TIME STEP NUMBER 1,

DURATION IN YRS IS... 5.0

EXPOSURE PATHWAY IS INHAL.

EXPOSED ORGAN IS BONE

DOSES SHOWN BELOW ARE 100-YEAR ENVIRONMENTAL DOSE COMMITMENTS, PERSON-REM/YEAR

DIRECTION	XRHO 1.5	XRHO 2.5	XRHO 3.5	XRHO 4.5	XRHO 7.5	XRHO 15.0	XRHO 25.0	XRHO 35.0	XRHO 45.0	XRHO 55.0	XRHO 65.0	XRHO 75.0
N	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	9.323E-05	1.029E-04	1.059E-04	1.065E-04	1.060E-04	1.049E-04	1.037E-04
NNE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.233E-04	1.239E-04	1.256E-04	1.270E-04	1.276E-04	2.556E-04
ENE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
E	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.994E-04	0.000E+00	2.798E-04	2.854E-04	2.847E-04	2.814E-04	2.770E-04	2.721E-04
ESE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.103E-04	3.791E-04	3.978E-04	3.721E-03	1.859E-01	3.330E-03	1.591E-03	3.057E-04
SSE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
S	1.417E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.526E-04	4.633E-04	3.917E-04	4.904E-04	4.836E-05	3.795E-04	1.858E-04
SSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SW	0.000E+00	0.000E+00	9.892E-05	0.000E+00	2.075E-05	2.486E-04	5.737E-04	8.717E-02	7.208E-02	1.424E+00	2.837E-02	2.813E-03
WSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
W	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.174E-05	0.000E+00	2.210E-04	2.495E-04	3.247E-04	3.290E-04	3.293E-04	2.622E-04
WNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	9.837E-05	7.643E-05	6.799E-05	1.444E-04	1.838E-04	1.842E-04	1.833E-04	0.000E+00
NNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

TOTAL DOSE COMMITMENT IS 1.820E+00 PERSON-REM/YR

TIME STEP NUMBER 1,

DURATION IN YRS IS... 5.0

EXPOSURE PATHWAY IS INHAL.

EXPOSED ORGAN IS AVG.LUNG

DOSES SHOWN BELOW ARE 100-YEAR ENVIRONMENTAL DOSE COMMITMENTS, PERSON-REM/YEAR

DIRECTION	XRHO 1.5	XRHO 2.5	XRHO 3.5	XRHO 4.5	XRHO 7.5	XRHO 15.0	XRHO 25.0	XRHO 35.0	XRHO 45.0	XRHO 55.0	XRHO 65.0	XRHO 75.0
N	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.371E-06	1.546E-06	1.627E-06	1.673E-06	1.702E-06	1.724E-06	1.741E-06
NNE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.850E-06	1.894E-06	1.952E-06	2.006E-06	2.049E-06	4.168E-06
ENE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
E	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.886E-06	0.000E+00	4.204E-06	4.382E-06	4.464E-06	4.505E-06	4.527E-06	4.538E-06
ESE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.466E-06	5.534E-06	5.932E-06	5.666E-05	2.890E-03	5.289E-05	2.581E-05	5.060E-06
SSE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
S	2.018E-06	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.198E-06	6.815E-06	5.888E-06	7.532E-06	7.589E-07	6.083E-06	3.041E-06
SSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SW	0.000E+00	0.000E+00	1.401E-06	0.000E+00	2.920E-07	3.541E-06	8.359E-06	1.298E-03	1.096E-03	2.210E-02	4.492E-04	4.543E-05
WSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
W	0.000E+00	0.000E+00	0.000E+00	0.000E+00	7.338E-07	0.000E+00	3.238E-06	3.734E-06	4.966E-06	5.138E-06	5.253E-06	4.268E-06
WNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.412E-06	1.112E-06	1.011E-06	2.192E-06	2.851E-06	2.919E-06	2.966E-06	0.000E+00
NNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

TOTAL DOSE COMMITMENT IS 2.818E-02 PERSON-REM/YR

TIME STEP NUMBER 1,

DURATION IN YRS IS... 5.0

EXPOSURE PATHWAY IS INHAL.

EXPOSED ORGAN IS BRONCHI

DOSES SHOWN BELOW ARE 100-YEAR ENVIRONMENTAL DOSE COMMITMENTS, PERSON-REM/YEAR

DIRECTION	XRHO 1.5	XRHO 2.5	XRHO 3.5	XRHO 4.5	XRHO 7.5	XRHO 15.0	XRHO 25.0	XRHO 35.0	XRHO 45.0	XRHO 55.0	XRHO 65.0	XRHO 75.0
N	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.542E-02	1.486E-02	1.005E-02	7.400E-03	5.761E-03	4.660E-03	3.876E-03
NNE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.979E-02	2.213E-02	1.769E-02	1.473E-02	1.259E-02	2.195E-02
ENE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
E	0.000E+00	0.000E+00	0.000E+00	0.000E+00	9.181E-02	0.000E+00	3.808E-02	2.715E-02	2.074E-02	1.658E-02	1.369E-02	1.158E-02
ESE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.245E-01	8.131E-02	4.955E-02	3.277E-01	1.256E+01	1.820E-01	7.285E-02	1.203E-02
SSE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
S	2.101E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.261E-02	7.418E-02	4.081E-02	3.752E-02	2.918E-03	1.890E-02	7.872E-03
SSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SW	0.000E+00	0.000E+00	3.517E-01	0.000E+00	2.432E+00	2.294E-01	1.502E-01	1.283E+01	7.322E+00	1.103E+02	1.776E+00	1.478E-01
WSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
W	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.999E-02	0.000E+00	4.449E-02	3.074E-02	2.849E-02	2.234E-02	1.821E-02	1.222E-02
WNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.181E-02	1.517E-02	7.857E-03	1.193E-02	1.164E-02	9.414E-03	7.829E-03	0.000E+00
NNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

TOTAL DOSE COMMITMENT IS 1.501E+02 PERSON-REM/YR

TIME STEP NUMBER 1,

DURATION IN YRS IS... 5.0

EXPOSURE PATHWAY IS GROUND

EXPOSED ORGAN IS EFFECTIV

DOSES SHOWN BELOW ARE 100-YEAR ENVIRONMENTAL DOSE COMMITMENTS, PERSON-REM/YEAR

DIRECTION	XRHO 1.5	XRHO 2.5	XRHO 3.5	XRHO 4.5	XRHO 7.5	XRHO 15.0	XRHO 25.0	XRHO 35.0	XRHO 45.0	XRHO 55.0	XRHO 65.0	XRHO 75.0
N	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.494E-06	2.361E-06	1.836E-06	1.539E-06	1.350E-06	1.219E-06	1.122E-06
NNE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.186E-06	3.323E-06	2.831E-06	2.505E-06	2.267E-06	4.169E-06
ENE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
E	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.171E-05	0.000E+00	6.156E-06	4.956E-06	4.224E-06	3.731E-06	3.375E-06	3.104E-06
ESE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.614E-05	1.171E-05	8.233E-06	6.162E-05	2.647E-03	4.254E-05	1.873E-05	3.375E-06
SSE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
S	2.442E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	6.964E-06	1.145E-05	7.203E-06	7.480E-06	6.490E-07	4.640E-06	2.115E-06
SSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SW	0.000E+00	0.000E+00	3.856E-05	0.000E+00	2.192E-04	2.755E-05	2.079E-05	2.028E-03	1.304E-03	2.187E-02	3.880E-04	3.527E-05
WSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
W	0.000E+00	0.000E+00	0.000E+00	0.000E+00	7.107E-06	0.000E+00	6.496E-06	5.125E-06	5.366E-06	4.697E-06	4.232E-06	3.111E-06
WNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.372E-06	2.221E-06	1.338E-06	2.302E-06	2.529E-06	2.279E-06	2.094E-06	0.000E+00
NNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

TOTAL DOSE COMMITMENT IS 2.893E-02 PERSON-REM/YR

TIME STEP NUMBER 1,

DURATION IN YRS IS... 5.0

EXPOSURE PATHWAY IS VEG. ING

EXPOSED ORGAN IS EFFECTIV

DOSES SHOWN BELOW ARE 100-YEAR ENVIRONMENTAL DOSE COMMITMENTS, PERSON-REM/YEAR

DIRECTION	XRHO 1.5	XRHO 2.5	XRHO 3.5	XRHO 4.5	XRHO 7.5	XRHO 15.0	XRHO 25.0	XRHO 35.0	XRHO 45.0	XRHO 55.0	XRHO 65.0	XRHO 75.0
N	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NNE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
ENE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
E	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
ESE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SSE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
S	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
WSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
W	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
WNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

TOTAL DOSE COMMITMENT IS 0.000E+00 PERSON-REM/YR

WARNING--POPULATION FOOD INGESTION DOSES SHOWN
 ABOVE HAVE NOT BEEN CORRECTED TO REFLECT POTENTIAL
 FOOD EXPORT AND MAY EXCEED DOSES ACTUALLY RECEIVED
 BY THE POPULATION OF THIS REGION. SEE SUMMARY
 TABLE FOR THIS INFORMATION.

TIME STEP NUMBER 1,

DURATION IN YRS IS... 5.0

EXPOSURE PATHWAY IS VEG. ING

EXPOSED ORGAN IS BONE

DOSES SHOWN BELOW ARE 100-YEAR ENVIRONMENTAL DOSE COMMITMENTS, PERSON-REM/YEAR

DIRECTION	XRHO 1.5	XRHO 2.5	XRHO 3.5	XRHO 4.5	XRHO 7.5	XRHO 15.0	XRHO 25.0	XRHO 35.0	XRHO 45.0	XRHO 55.0	XRHO 65.0	XRHO 75.0
N	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NNE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
ENE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
E	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
ESE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SSE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
S	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
WSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
W	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
WNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

TOTAL DOSE COMMITMENT IS 0.000E+00 PERSON-REM/YR

WARNING--POPULATION FOOD INGESTION DOSES SHOWN
 ABOVE HAVE NOT BEEN CORRECTED TO REFLECT POTENTIAL
 FOOD EXPORT AND MAY EXCEED DOSES ACTUALLY RECEIVED
 BY THE POPULATION OF THIS REGION. SEE SUMMARY
 TABLE FOR THIS INFORMATION.

TIME STEP NUMBER 1,

DURATION IN YRS IS... 5.0

EXPOSURE PATHWAY IS MEAT ING

EXPOSED ORGAN IS EFFECTIV

DOSES SHOWN BELOW ARE 100-YEAR ENVIRONMENTAL DOSE COMMITMENTS, PERSON-REM/YEAR

DIRECTION	XRHO 1.5	XRHO 2.5	XRHO 3.5	XRHO 4.5	XRHO 7.5	XRHO 15.0	XRHO 25.0	XRHO 35.0	XRHO 45.0	XRHO 55.0	XRHO 65.0	XRHO 75.0
N	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NNE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
ENE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
E	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
ESE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SSE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
S	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
WSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
W	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
WNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

TOTAL DOSE COMMITMENT IS 0.000E+00 PERSON-REM/YR

WARNING--POPULATION FOOD INGESTION DOSES SHOWN
 ABOVE HAVE NOT BEEN CORRECTED TO REFLECT POTENTIAL
 FOOD EXPORT AND MAY EXCEED DOSES ACTUALLY RECEIVED
 BY THE POPULATION OF THIS REGION. SEE SUMMARY
 TABLE FOR THIS INFORMATION.

TIME STEP NUMBER 1,

DURATION IN YRS IS... 5.0

EXPOSURE PATHWAY IS MEAT ING

EXPOSED ORGAN IS BONE

DOSES SHOWN BELOW ARE 100-YEAR ENVIRONMENTAL DOSE COMMITMENTS, PERSON-REM/YEAR

DIRECTION	XRHO 1.5	XRHO 2.5	XRHO 3.5	XRHO 4.5	XRHO 7.5	XRHO 15.0	XRHO 25.0	XRHO 35.0	XRHO 45.0	XRHO 55.0	XRHO 65.0	XRHO 75.0
N	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NNE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
ENE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
E	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
ESE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SSE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
S	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
WSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
W	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
WNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

TOTAL DOSE COMMITMENT IS 0.000E+00 PERSON-REM/YR

WARNING--POPULATION FOOD INGESTION DOSES SHOWN
 ABOVE HAVE NOT BEEN CORRECTED TO REFLECT POTENTIAL
 FOOD EXPORT AND MAY EXCEED DOSES ACTUALLY RECEIVED
 BY THE POPULATION OF THIS REGION. SEE SUMMARY
 TABLE FOR THIS INFORMATION.

TIME STEP NUMBER 1,

DURATION IN YRS IS... 5.0

EXPOSURE PATHWAY IS MILK ING

EXPOSED ORGAN IS EFFECTIV

DOSES SHOWN BELOW ARE 100-YEAR ENVIRONMENTAL DOSE COMMITMENTS, PERSON-REM/YEAR

DIRECTION	XRHO 1.5	XRHO 2.5	XRHO 3.5	XRHO 4.5	XRHO 7.5	XRHO 15.0	XRHO 25.0	XRHO 35.0	XRHO 45.0	XRHO 55.0	XRHO 65.0	XRHO 75.0
N	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NNE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
ENE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
E	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
ESE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SSE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
S	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
WSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
W	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
WNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

TOTAL DOSE COMMITMENT IS 0.000E+00 PERSON-REM/YR

WARNING--POPULATION FOOD INGESTION DOSES SHOWN
 ABOVE HAVE NOT BEEN CORRECTED TO REFLECT POTENTIAL
 FOOD EXPORT AND MAY EXCEED DOSES ACTUALLY RECEIVED
 BY THE POPULATION OF THIS REGION. SEE SUMMARY
 TABLE FOR THIS INFORMATION.

TIME STEP NUMBER 1,

DURATION IN YRS IS... 5.0

EXPOSURE PATHWAY IS MILK ING

EXPOSED ORGAN IS BONE

DOSES SHOWN BELOW ARE 100-YEAR ENVIRONMENTAL DOSE COMMITMENTS, PERSON-REM/YEAR

DIRECTION	XRHO 1.5	XRHO 2.5	XRHO 3.5	XRHO 4.5	XRHO 7.5	XRHO 15.0	XRHO 25.0	XRHO 35.0	XRHO 45.0	XRHO 55.0	XRHO 65.0	XRHO 75.0
N	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NNE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
ENE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
E	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
ESE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SSE	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
S	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
SW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
WSW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
W	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
WNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
NNW	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

TOTAL DOSE COMMITMENT IS 0.000E+00 PERSON-REM/YR

WARNING--POPULATION FOOD INGESTION DOSES SHOWN
 ABOVE HAVE NOT BEEN CORRECTED TO REFLECT POTENTIAL
 FOOD EXPORT AND MAY EXCEED DOSES ACTUALLY RECEIVED
 BY THE POPULATION OF THIS REGION. SEE SUMMARY
 TABLE FOR THIS INFORMATION.

TIME STEP NUMBER 1,

DURATION IN YRS IS... 5.0

SUMMARY PRINT OF POPULATION DOSES COMPUTED FOR TSTEP 1--DOSES SHOWN ARE 100-YEAR ENVIRONMENTAL DOSE COMMITMENTS, PERSON-REM/YEAR

DOSES RECEIVED BY PEOPLE WITHIN 80 KILOMETERS

PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
INHAL.	2.246E-01	1.820E+00	2.818E-02	1.365E+00	6.560E-01	1.501E+02
GROUND	2.893E-02	2.893E-02	2.893E-02	2.893E-02	2.893E-02	2.893E-02
CLOUD	1.248E+00	1.248E+00	1.248E+00	1.248E+00	1.248E+00	1.248E+00
VEG. ING	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
MEAT ING	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
MILK ING	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
RNPLUS50	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
TOTALS	1.502E+00	3.097E+00	1.305E+00	2.642E+00	1.933E+00	1.514E+02

DOSES RECEIVED BY PEOPLE BEYOND 80 KILOMETERS

PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
INHAL.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
GROUND	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
CLOUD	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
VEG. ING	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
MEAT ING	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
MILK ING	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
RNPLUS50	7.342E+01	1.001E+03	1.669E+01	7.342E+01	7.342E+01	4.672E+02
TOTALS	7.342E+01	1.001E+03	1.669E+01	7.342E+01	7.342E+01	4.672E+02

TOTAL DOSES COMPUTED OVER ALL POPULATIONS

PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
INHAL.	2.246E-01	1.820E+00	2.818E-02	1.365E+00	6.560E-01	1.501E+02
GROUND	2.893E-02	2.893E-02	2.893E-02	2.893E-02	2.893E-02	2.893E-02
CLOUD	1.248E+00	1.248E+00	1.248E+00	1.248E+00	1.248E+00	1.248E+00
VEG. ING	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
MEAT ING	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
MILK ING	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
RNPLUS50	7.342E+01	1.001E+03	1.669E+01	7.342E+01	7.342E+01	4.672E+02
TOTALS	7.492E+01	1.004E+03	1.799E+01	7.606E+01	7.535E+01	6.186E+02

COMPLETE SUMMARY OF COMPUTED ENVIRONMENTAL DOSE COMMITMENTS, INTEGRATED OVER ALL TIME STEPS

100-YEAR ENVIRONMENTAL DOSE COMMITMENTS RECEIVED BY PEOPLE WITHIN 80 KILOMETERS, PERSON-REM

NO.	T-START	T-END	T-LONG	PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
1	2007.00	2012.00	5.00	TOTALS	7.509E+00	1.548E+01	6.527E+00	1.321E+01	9.666E+00	7.568E+02
TOTALS OVER ALL 1 TIME STEPS					7.509E+00	1.548E+01	6.527E+00	1.321E+01	9.666E+00	7.568E+02

100-YEAR ENVIRONMENTAL DOSE COMMITMENTS RECEIVED BY PEOPLE BEYOND 80 KILOMETERS, PERSON-REM

NO.	T-START	T-END	T-LONG	PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
1	2007.00	2012.00	5.00	TOTALS	3.671E+02	5.006E+03	8.343E+01	3.671E+02	3.671E+02	2.336E+03
TOTALS OVER ALL 1 TIME STEPS					3.671E+02	5.006E+03	8.343E+01	3.671E+02	3.671E+02	2.336E+03

GRAND TOTAL 100-YEAR ENVIRONMENTAL DOSE COMMITMENTS RECEIVED OVER ALL POPULATIONS, PERSON-REM

NO.	T-START	T-END	T-LONG	PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
1	2007.00	2012.00	5.00	TOTALS	3.746E+02	5.021E+03	8.996E+01	3.803E+02	3.768E+02	3.093E+03
TOTALS OVER ALL 1 TIME STEPS					3.746E+02	5.021E+03	8.996E+01	3.803E+02	3.768E+02	3.093E+03

METSET:

DATA: SRHI.MIL

04/13/07

TIME STEP NUMBER 1,

DURATION IN YRS IS... 5.0

NUMBER 1 NAME=Casper

X= -54.0KM, Y= -23.0KM, Z= 0.0M, DIST= 58.7KM, IRTYPE= 1

40CFR190 ANNUAL DOSE COMMITMENTS COMPUTED FOR THIS LOCATION, MREM/YR

AGE	PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
INFANT	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEENAGE	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ADULT	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

TOTAL ANNUAL DOSE COMMITMENTS COMPUTED FOR THIS LOCATION, MREM/YR

AGE	PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
INFANT	TOTALS	1.25E-01	3.81E-02	1.74E-02	1.35E-01	6.17E-02	1.72E+00
CHILD	TOTALS	1.23E-01	5.35E-02	2.23E-02	7.45E-02	4.20E-02	1.72E+00
TEENAGE	TOTALS	1.24E-01	9.29E-02	2.58E-02	4.81E-02	3.44E-02	1.72E+00
ADULT	TOTALS	1.25E-01	9.00E-02	3.01E-02	4.88E-02	3.61E-02	1.72E+00

NUMBER 2 NAME=Douglas

X= 22.0KM, Y= -32.0KM, Z= 0.0M, DIST= 38.8KM, IRTYPE= 1

40CFR190 ANNUAL DOSE COMMITMENTS COMPUTED FOR THIS LOCATION, MREM/YR

AGE	PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
INFANT	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEENAGE	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ADULT	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

TOTAL ANNUAL DOSE COMMITMENTS COMPUTED FOR THIS LOCATION, MREM/YR

AGE	PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
INFANT	TOTALS	1.77E-01	4.85E-02	2.38E-02	1.64E-01	7.66E-02	2.47E+00
CHILD	TOTALS	1.74E-01	6.70E-02	2.98E-02	9.20E-02	5.33E-02	2.47E+00
TEENAGE	TOTALS	1.76E-01	1.14E-01	3.39E-02	6.05E-02	4.41E-02	2.47E+00
ADULT	TOTALS	1.77E-01	1.10E-01	3.91E-02	6.13E-02	4.62E-02	2.47E+00

METSET:

DATA: SRHI.MIL

04/13/07

TIME STEP NUMBER 1,

DURATION IN YRS IS... 5.0

NUMBER 3 NAME=Evansville

X= -50.0KM, Y= -22.0KM, Z= 0.0M, DIST= 54.6KM, IRTYPE= 1

40CFR190 ANNUAL DOSE COMMITMENTS COMPUTED FOR THIS LOCATION, MREM/YR

AGE	PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
INFANT	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEENAGE	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ADULT	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

TOTAL ANNUAL DOSE COMMITMENTS COMPUTED FOR THIS LOCATION, MREM/YR

AGE	PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
INFANT	TOTALS	1.34E-01	3.89E-02	1.85E-02	1.35E-01	6.22E-02	1.86E+00
CHILD	TOTALS	1.32E-01	5.42E-02	2.34E-02	7.50E-02	4.29E-02	1.86E+00
TEENAGE	TOTALS	1.33E-01	9.31E-02	2.68E-02	4.89E-02	3.53E-02	1.86E+00
ADULT	TOTALS	1.34E-01	9.03E-02	3.11E-02	4.95E-02	3.70E-02	1.86E+00

NUMBER 4 NAME=Glenrock

X= -16.0KM, Y= -20.0KM, Z= 0.0M, DIST= 25.6KM, IRTYPE= 1

40CFR190 ANNUAL DOSE COMMITMENTS COMPUTED FOR THIS LOCATION, MREM/YR

AGE	PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
INFANT	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEENAGE	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ADULT	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

TOTAL ANNUAL DOSE COMMITMENTS COMPUTED FOR THIS LOCATION, MREM/YR

AGE	PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
INFANT	TOTALS	5.76E-01	8.90E-02	6.21E-02	2.14E-01	1.19E-01	8.51E+00
CHILD	TOTALS	5.73E-01	1.09E-01	6.86E-02	1.36E-01	9.41E-02	8.51E+00
TEENAGE	TOTALS	5.75E-01	1.60E-01	7.31E-02	1.02E-01	8.42E-02	8.51E+00
ADULT	TOTALS	5.76E-01	1.56E-01	7.87E-02	1.03E-01	8.65E-02	8.51E+00

METSET:

DATA: SRHI.MIL

04/13/07

TIME STEP NUMBER 1,

DURATION IN YRS IS... 5.0

NUMBER 5 NAME=Midwest

X= -60.0KM, Y= 41.0KM, Z= 0.0M, DIST= 72.7KM, IRTYPE= 1

40CFR190 ANNUAL DOSE COMMITMENTS COMPUTED FOR THIS LOCATION, MREM/YR

AGE	PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
INFANT	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEENAGE	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ADULT	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

TOTAL ANNUAL DOSE COMMITMENTS COMPUTED FOR THIS LOCATION, MREM/YR

AGE	PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
INFANT	TOTALS	6.11E-02	2.50E-02	9.11E-03	9.95E-02	4.31E-02	8.09E-01
CHILD	TOTALS	5.96E-02	3.69E-02	1.29E-02	5.30E-02	2.80E-02	8.09E-01
TEENAGE	TOTALS	6.05E-02	6.71E-02	1.55E-02	3.27E-02	2.21E-02	8.09E-01
ADULT	TOTALS	6.10E-02	6.50E-02	1.89E-02	3.32E-02	2.35E-02	8.09E-01

NUMBER 6 NAME=Sunquest Ranch neare X= 0.0KM, Y= -1.1KM, Z= 0.0M, DIST= 1.1KM, IRTYPE= 1

40CFR190 ANNUAL DOSE COMMITMENTS COMPUTED FOR THIS LOCATION, MREM/YR

AGE	PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
INFANT	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEENAGE	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ADULT	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

TOTAL ANNUAL DOSE COMMITMENTS COMPUTED FOR THIS LOCATION, MREM/YR

AGE	PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
INFANT	TOTALS	3.14E+00	1.92E-01	1.65E-01	3.21E-01	2.24E-01	4.97E+01
CHILD	TOTALS	3.14E+00	2.13E-01	1.71E-01	2.41E-01	1.98E-01	4.97E+01
TEENAGE	TOTALS	3.14E+00	2.65E-01	1.76E-01	2.06E-01	1.88E-01	4.97E+01
ADULT	TOTALS	3.14E+00	2.61E-01	1.82E-01	2.07E-01	1.90E-01	4.97E+01

METSET:

DATA: SRHI.MIL

04/13/07

TIME STEP NUMBER 1,

DURATION IN YRS IS... 5.0

NUMBER 7 NAME=Vollman Ranch neares X= -1.0KM, Y= -1.0KM, Z= 0.0M, DIST= 1.4KM, IRTYPE= 1

40CFR190 ANNUAL DOSE COMMITMENTS COMPUTED FOR THIS LOCATION, MREM/YR

AGE	PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
INFANT	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEENAGE	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ADULT	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

TOTAL ANNUAL DOSE COMMITMENTS COMPUTED FOR THIS LOCATION, MREM/YR

AGE	PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
INFANT	TOTALS	3.31E+00	1.76E-01	1.53E-01	2.81E-01	2.01E-01	5.26E+01
CHILD	TOTALS	3.30E+00	1.93E-01	1.58E-01	2.15E-01	1.80E-01	5.26E+01
TEENAGE	TOTALS	3.31E+00	2.35E-01	1.62E-01	1.87E-01	1.72E-01	5.26E+01
ADULT	TOTALS	3.31E+00	2.32E-01	1.67E-01	1.87E-01	1.74E-01	5.26E+01

NUMBER 8 NAME=Wright X= 12.0KM, Y= 80.0KM, Z= 0.0M, DIST= 80.9KM, IRTYPE= 1

40CFR190 ANNUAL DOSE COMMITMENTS COMPUTED FOR THIS LOCATION, MREM/YR

AGE	PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
INFANT	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CHILD	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TEENAGE	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ADULT	TOTALS	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

TOTAL ANNUAL DOSE COMMITMENTS COMPUTED FOR THIS LOCATION, MREM/YR

AGE	PATHWAY	EFFECTIV	BONE	AVG.LUNG	LIVER	KIDNEY	BRONCHI
INFANT	TOTALS	8.67E-02	3.23E-02	1.26E-02	1.25E-01	5.50E-02	1.16E+00
CHILD	TOTALS	8.48E-02	4.72E-02	1.73E-02	6.74E-02	3.62E-02	1.16E+00
TEENAGE	TOTALS	8.59E-02	8.50E-02	2.06E-02	4.20E-02	2.88E-02	1.16E+00
ADULT	TOTALS	8.66E-02	8.23E-02	2.47E-02	4.26E-02	3.05E-02	1.16E+00

Program execution time = 2.74 seconds