

ACCEPTANCE REVIEW MEMO (ARM)

Licensee: Valley Hospital, Imaging Dept **License No.:** 50-29059-01
Docket No.: 030-33011 **Mail Control No.:** 471349
Type of Action: Amend **Date of Requested Action:** 04-19-07
Reviewer Assigned: **ARM reviewer(s):** Torres

Response	Deficiencies Noted During Acceptance Review
	[] Open ended possession limits. Limit possession. Submit inventory. [] Submit copies of most recent leak test results. [] Add - delete IC license condition. Add IC paragraph in cover letter. [] Split license from cover letter. Add SUNSI marking to license. [] Ask the licensee if they have any type-amount of EPAct Material.

Reviewer's Initials: _____ **Date:** _____

☐ Yes ☐ No Unrestricted release Group 2 or >: Transfer memo to FCDB within 10 days.
☐ Yes ☐ No Decommissioning notification should be completed within 30 days.
☐ Yes ☐ No Termination request < 90 days from date of expiration
☐ Yes ☐ No Expedite (medical emergency, no RSO, location of use/storage not on license, RAM in possession not on license, other)
☐ Yes ☐ No TAR needed to complete action.

Branch Chief's and/or Sr. HP's Initials: _____ **Date:** _____

SUNSI Screening according to RIS 2005-31

☐ Yes ☒ No **Non-Publicly Available, Sensitive** if any item below is checked

General guidance:

- _____ RAM = or > than Category 3 (Table 1, RIS 2005-31), use Unity Rule
- _____ Exact location of RAM (whether = or > than Category 3 or not)
- _____ Design of structure and/or equipment (site specific)
- _____ Information on nearby facilities
- _____ Detailed design drawings and/or performance information
- _____ Emergency planning and/or fire protection systems

Specific guidance for medical, industrial and academic (above Category 3):

- _____ RAM quantities and inventory
- _____ Manufacturer's name and model number of sealed sources & devices
- _____ Site drawings with exact location of RAM, description of facility
- _____ RAM security program information (locks, alarms, etc.)
- _____ Emergency Plan specifics (routes to/from RAM, response to security events)
- _____ Vulnerability/security assessment/accident-safety analysis/risk assess
- _____ Mailing lists related to security response

Branch Chief's and/or Sr. HP's Initials: RTZ **Date:** 4-26-07

Pre-Licensing Screening

Applicant Information:

Control No. 471349

Name: Valley Hospital, Imaging Dept	Type of Request: Amend Program Code(s):
Location: AK	License No.: 50-29059-01 Docket No.: 030-33011

STEP 1—Radioactive Materials and Quantities Requested:

Instructions for Step 1: Complete Step 1 for all applications. If all your responses in Step 1 are "No" then do not complete Step 2 (Screening Criteria). Sign and date the completed step-sheet and add it as the sensitive and non-publicly available OAR in ADAMS. If a "yes" response is indicated for any item in Step 1, also complete Step 2. If the type of use is subject to a Security Order or the requirements for increased controls, complete Step 3 (Item A or Item B) without delay.		Yes or No
A.	The request is from a new applicant.	No
B.	NUREG-1556, Volume 20, Section 4.9 indicates a licensing site visit is needed for the requested type of use, e.g., (1) Type A broad scope license, (2) panoramic irradiator containing > 10000 curies, (3) manufacturers or distributors using unsealed radioactive material or significant quantities of sealed material, (4) radioactive waste brokers, (5) radioactive waste incinerators, (6) commercial nuclear laundries, and (7) any other application that in the judgement of the reviewer and cognizant supervisor involves complex technical issues, complex safety questions, or unprecedented issues that warrant a site visit.	No
C.	The applicant requested certain radionuclides and quantities that equal or exceed the Risk Significant Quantity (TBq) values in the table, below, that have been "highlighted" by the reviewer	No

Table of Risk Significant Quantities

(Category 2 Quantities, IAEA Safety Guide No. RS-G-1.9, Categorization of Radioactive Sources, August 2005)


Radionuclide	Risk Significant Quantity (TBq) ¹	Risk Significant Quantity (Ci) ¹	Radionuclide	Risk Significant Quantity (TBq) ¹	Risk Significant Quantity (Ci) ¹
Am-241	0.6	16	Pm-147	400	11,000
Am-241/Be	0.6	16	Pu-238	0.6	16
Cf-252	0.2	5.4	Pu-239/Be	0.6	16
Cm-244	0.5	14	Ra-226 ²	0.4	11
Co-60	0.3	8.1	Se-75	2	54
Cs-137	1	27	Sr-90 (Y-90)	10	270
Gd-153	10	270	Tm-170	200	5,400
Ir-192	0.8	22	Yb-169	3	81

¹ The primary values are TBq. The curie (Ci) values are for informational purposes only.

² The Atomic Energy Act, as amended by the Energy Policy Act of 2005, authorizes NRC to regulate Ra-226 and NRC is in the process of amending its regulations for discrete sources of Ra-226.

Calculations of the Total Activity or the Unity Rule are attached to document whether or not the screening criteria in Step 2 were also completed to evaluate the application. NOTE—If an amendment of an existing license is being requested, the calculations will include the previously authorized quantities for the radionuclide(s).	Yes, No, or Not Applicable (NA)
Total Activity—multiple activities are requested for a single radionuclide and the sum of the activities equals or exceeds the quantity of concern for the radionuclide	—
Unity Rule—multiple radionuclides are requested and the sum of the ratios equals or exceeds unity, e.g., [(total activity for radionuclide A) ÷ (risk significant quantity for radionuclide A)] + [(total activity for radionuclide B) ÷ (risk significant quantity for radionuclide B)] ≥ 1.0.	—

Signature and Date for Step 1:


 License Reviewer and Date

MAT-SU REGIONAL
MEDICAL CENTER



April 19, 2007

Nuclear Materials Licensing Branch
United States Nuclear Regulatory Commission
Region IV
Nuclear Materials Safety Branch
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011-8064

RECEIVED
APR 23 2007
DNMS

Re: License 50-29059-01

Dear Sir/Madam:

Please amend our radioactive materials license to include the following sealed sources:

Gadolinium- 153, four sources not to exceed 11.1 GBq (300 millicuries) each,
Eckert & Ziegler Isotope Products, dba Isotope Products Laboratories, inc. Model
NES 8412.


These sources will be used for attenuation correction on our Phillips Forte dual head
gamma camera.

If you require additional information, please call.

Sincerely,

Kiddy Christie
Imaging Director
Mat Su Regional Medical Center
k.Christie@msrmc.com
907.861.6656
907.861.6765 fax

No 4 7 1 3 4 9



RECEIVED

APR 23 2007

DNMS

50-29654-21
636-33611

Nuclear Materials Licensing Branch
United States Nuclear Regulatory Commission
Region IV
Nuclear Materials Safety Branch
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011-8064

76011+4006-00 0001

