DATE: **14 MAR 07**

TO: Nuclear Regulatory Commission
Materials Licensing Branch (Region III)

REF: Materials License Number 24-15095-01

ATTN: Loren J. Hueter and/or Bill Reichhold

FROM: 1LT Kevin S. Mattern
126 Missouri Avenue
ATTN MCXP-PMD-RP (Room 70/Box 1232)
Fort Leonard Wood, MO 65473
(573)596-0449
kevin.mattern@amedd.army.mil

REMARKS: Attached is the NRC Form 313a for an individual that we wish to add to our license as an AU, MAJ MATTHEW HRASTICH D.O., along with documentation of his training (5 pages). Please let me know when you receive this fax and if there is any other documentation or forms that you need from us.

NRC FORM 313A (AUD) (10-2006) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION
(for uses defined under 35.100, 35.200, and 35.500) [10 CFR 35.190, 35.290, and 35.590]

APPROVED BY OMB: NO. 3150-0120
EXPIRES: 10/31/2008

Name of Proposed Authorized User	State or Territory Where Licensed
MATTHEW HRASTICH, D.O.	MO

Requested Authorization(s) *(check all that apply)*

- [x] 35.100 Uptake, dilution, and excretion studies
- [x] 35.200 Imaging and localization studies
- [ ] 35.500 Sealed sources for diagnosis (specify device _____)

PART I – TRAINING AND EXPERIENCE
(Select one of the three methods below)

- Training and Experience, including board certification, must have been obtained within the 7 years preceding the date of application or the individual must have obtained related continuing education and experience since the required training and experience was completed. Provide dates, duration, and description of continuing education and experience related to the uses checked above.

[ ] **1. Board Certification**

a. Provide a copy of the board certification.

b. If using only 35.500 materials, stop here. If using 35.100 and 35.200 materials, skip to and complete Part II Preceptor Attestation.

[ ] **2. Current 35.390 Authorized User Seeking Additional 35.290 Authorization**

a. Authorized user on Materials License _____ meeting 10 CFR 35.390 or equivalent Agreement State requirements seeking authorization for 35.290.

b. Supervised Work Experience.
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

Description of Experience	Location of Experience/License or Permit Number of Facility	Clock Hours	Dates of Experience*
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs			
Total Hours of Experience:			

Supervising Individual	License/Permit Number listing supervising individual as an authorized user
ANTONIO G. BAYNOT, MD	BML 46-02645-03

Supervisor meets the requirements below, or equivalent Agreement State requirements *(check all that apply)*.

[x] 35.290 [ ] 35.390 + generator experience in 32.290(c)(1)(ii)(G)

NRC FORM 313A (AUD) (10-2006) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

☒ **3. Training and Experience for Proposed Authorized User**

a. Classroom and Laboratory Training.

Description of Training	Location of Training	Clock Hours	Dates of Training*
Radiation physics and instrumentation	Madigan Army Medical Center, WA	45	7/01-6/05
Radiation protection	Madigan Army Medical Center, WA	50	7/01-6/05
Mathematics pertaining to the use and measurement of radioactivity	Madigan Army Medical Center, WA	47	7/01-6/05
Chemistry of byproduct material for medical use *(not required for 35.590)*	Madigan Army Medical Center, WA	42	7/01-6/05
Radiation biology	Madigan Army Medical Center, WA	43	7/01-6/05
Total Hours of Training:		227	

b. Supervised Work Experience (completion of this table is not required for 35.590).
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

Description of Experience	Location of Experience/License or Permit Number of Facility	Clock Hours	Dates of Experience*
Ordering, receiving, and unpacking radioactive materials safely and performing the related radiation surveys	Madigan Army Medical Center, WA #46-02645-03	75	7/01-6/05
Performing quality control procedures on instruments used to determine the activity of dosages and performing checks for proper operation of survey meters	Madigan Army Medical Center, WA #46-02645-03	77	7/01-6/05
Calculating, measuring, and safely preparing patient or human research subject dosages	Madigan Army Medical Center, WA #46-02645-03	73	7/01-6/05

NRC FORM 313A (AUD) (10-2006) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. **Training and Experience for Proposed Authorized User (continued)**

b. Supervised Work Experience. (continued)

Description of Experience	Location of Experience/License or Permit Number of Facility	Clock Hours	Dates of Experience*
Using administrative controls to prevent a medical event involving the use of unsealed byproduct material	Madigan Army Medical Center, WA #46-02645-03	70	7/01-6/05
Using procedures to contain spilled byproduct material safely and using proper decontamination procedures	Madigan Army Medical Center, WA #46-02645-03	74	7/01-6/05
Administering dosages of radioactive drugs to patients or human research subjects	Madigan Army Medical Center, WA #46-02645-03	82	7/01-6/05
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs	Madigan Army Medical Center, WA #46-02645-03	68	7/01-6/05
	Total Hours of Experience:	519	

Supervising Individual	License/Permit Number listing supervising individual as an authorized user
Antonio Balingit, MD	46-02645-03

Supervisor meets the requirements below, or equivalent Agreement State requirements *(check one)*.

☒ 35.190 ☒ 35.290 ☒ 35.390 ☐ 35.390 + generator experience in 35.290(c)(1)(ii)(G)

c. For 35.590 only, provide documentation of training on use of the device.

Device	Type of Training	Location and Dates

d. For 35.500 uses only, stop here. For 35.100 and 35.200 uses, skip to and complete Part II Preceptor Attestation.

NRC FORM 313A (AUD) (10-2000) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

PART II – PRECEPTOR ATTESTATION

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each. (Not required to meet training requirements in 35.590)

First Section
Check one of the following for each use requested:

For 35.190

Board Certification

☐ I attest that _____ has satisfactorily completed the requirements in
Name of Proposed Authorized User

10 CFR 35.190(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

OR

Training and Experience

☒ I attest that MATTHEW HRASTICH, DO has satisfactorily completed the 60 hours of training and
Name of Proposed Authorized User

experience, including a minimum of 8 hours of classroom and laboratory training, required by 10 CFR 35.190(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

For 35.290

Board Certification

☐ I attest that _____ has satisfactorily completed the requirements in
Name of Proposed Authorized User

10 CFR 35.290(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

OR

Training and Experience

☒ I attest that MATTHEW HRASTICH, DO has satisfactorily completed the 700 hours of training
Name of Proposed Authorized User

and experience, including a minimum of 80 hours of classroom and laboratory training, required by 10 CFR 35.290(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

Second Section
Complete the following for preceptor attestation and signature:

☒ I meet the requirements below, or equivalent Agreement State requirements, as an authorized user for:

☒ 35.190 ☒ 35.290 ☒ 35.390 ☐ 35.390 + generator experience

Name of Preceptor	Signature	Telephone Number	Date
ANTONIO G. BALINGIT MD	[signature]	253 968 1645	02 MAR 07

License/Permit Number/Facility Name
MADIGAN ARMY MEDICAL CENTER BYM 46-02645-03