

**From:** James Noggle  
**To:** Timothy Rice  
**Date:** 02/23/2007 3:49:30 PM  
**Subject:** Re: Fwd: Split Samples of the Unit 1 Containment Spray Sump

Dear Tim,

I will be conducting an HP inspection + groundwater contamination review next week, so I will do my best to provide chain of custody for the current sampling concern. I will support your sampling needs next week.

Regards,

Jim

>>> "Timothy Rice" <tbrice@gw.dec.state.ny.us> 02/23/2007 2:59 PM >>>

Hello Jim,

We are trying to arrange to collect a split sample at the CSS for PCB's. Is NRC interested in participating in this split, and would one of the residents be able to support the sampling effort? I will check here on staff availability as well. (Se Pat Donahue's message below.)

Thanks,

Tim

>>> "Donahue, Patrick J" <PDonahu@entergy.com> 2/23/07 2:10:13 PM >>>

Greg,

I am in receipt of sample containers from the NYSDOH for capturing split samples of the Unit 1 Containment Spray Sump sample point (sample point U1-CSS).

I have spoken to GZA, who will draw the samples, and they are prepared to perform this sampling on Tuesday 02/27/07. Given the low productivity of this well I imagine that this will be an all day affair to capture volumes required to split amongst the three parties (assuming the NRC does in fact want a split of this sample).

As this is a split sample it will require attendance by either the NRC or the DEC. Please let me know if the NRC will be observing this sample on behalf of the NRC and DEC, and if Tuesday 02/27/07 is a sample date that your schedule can support.

Best,

Patrick Donahue

Sr. HP/Chemistry Specialist

Entergy Nuclear Northeast

Indian Point Energy Center

450 Broadway, Suite 3

Buchanan, NY 10511

[pdonahu@entergy.com](mailto:pdonahu@entergy.com)

(914) 736-8405 Voice

(914) 734-6247 Fax

This e-mail and any attachments thereto are intended only for the use by the addressee(s) named herein and contain proprietary and confidential information. If you are not the intended recipient of this e-mail, you are hereby notified that any dissemination, distribution, or copying of this e-mail, and any attachments thereto, is strictly prohibited. If you have received this e-mail in error, please immediately notify me by telephone and permanently delete the original and any copy of any e-mail and any printout thereof.

B/47