

## John White - Re: Split Samples of the Unit 1 Containment Spray Sump

---

**From:** "Timothy Rice" <tbrice@gw.dec.state.ny.us>  
**To:** "John White" <JRW1@nrc.gov>  
**Date:** 02/26/2007 8:03 AM  
**Subject:** Re: Split Samples of the Unit 1 Containment Spray Sump  
**CC:** <PDonahu@entergy.com>, "James Noggle" <JDN@nrc.gov>

---

Thanks John,  
That is correct.  
A PCB sample is all we are asking for at this time.  
Tim

>>> "John White" <JRW1@nrc.gov> 2/23/07 5:28:20 PM >>>

Pat: If I am correct, NYS wants this sample for PCB assessment vs. radiological assessment. If that is the case, then NRC split is not required

>>> "Donahue, Patrick J" <PDonahu@entergy.com> 02/23/2007 2:10 PM >>>

Greg,  
I am in receipt of sample containers from the NYSDOH for capturing split samples of the Unit 1 Containment Spray Sump sample point (sample point U1-CSS).

I have spoken to GZA, who will draw the samples, and they are prepared to perform this sampling on Tuesday 02/27/07. Given the low productivity of this well I imagine that this will be an all day affair to capture volumes required to split amongst the three parties (assuming the NRC does in fact want a split of this sample).

As this is a split sample it will require attendance by either the NRC or the DEC. Please let me know if the NRC will be observing this sample on behalf of the NRC and DEC, and if Tuesday 02/27/07 is a sample date that your schedule can support.

Best,

*Patrick Donahue*

Sr. HP/Chemistry Specialist  
Entergy Nuclear Northeast  
Indian Point Energy Center  
450 Broadway, Suite 3  
Buchanan, NY 10511

pdonahu@entergy.com

B/49

(914) 736-8405 Voice

(914) 734-6247 Fax

***This e-mail and any attachments thereto are intended only for the use by the addressee(s) named herein and contain proprietary and confidential information. If you are not the intended recipient of this e-mail, you are hereby notified that any dissemination, distribution, or copying of this e-mail, and any attachments thereto, is strictly prohibited. If you have received this e-mail in error, please immediately notify me by telephone and permanently delete the original and any copy of any e-mail and any printout thereof.***