



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
2443 WARRENVILLE ROAD STE 210
LISLE, ILLINOIS 60532-4352
MAY 14 2007

Frederick B. Entwistle, Manager
Corporate Health Physics
3M Company
3M Corporate Health Physics
3M Center, Bldg. 220-3W-06
P.O. Box 33283
St. Paul, MN 55133-3283

Dear Mr. Entwistle:

It has come to our attention that Amendment No. 38 to your NRC Material License No. 22-00057-61, issued on May 9, 2007, contained an error. Upon further review Condition No. 21.C was considered to be unnecessary and a corrected copy reflecting its deletion is enclosed.

We apologize for this error and for any inconvenience this error may have caused you.

NRC's Regulatory Issue Summary (RIS) 2005-31 provides criteria to identify security-related sensitive information and guidance for handling and marking of such documents. This ensures that potentially sensitive information is not made publicly available through ADAMS, the NRC's electronic document system.

Pursuant to NRC's RIS 2005-31 and in accordance with 10 CFR 2.390, the enclosed license document is exempt from public disclosure because its disclosure to unauthorized individuals could present a security vulnerability. The RIS may be located on the NRC Web site at: <http://www.nrc.gov/reading-rm/doc-collections/gen-comm/reg-issues/2005/ri200531.pdf> and the link for frequently asked questions regarding protection of security related sensitive information may be located at: <http://www.nrc.gov/reading-rm/sensitive-info/faq.html>.

A copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

Sincerely,

A handwritten signature in cursive script that reads "Colleen Carol Casey".

Colleen Carol Casey
Materials Licensing Branch

License No. 22-00057-61
Docket No. 030-14999

Enclosure: Corrected copy of
Amendment No. 38