NRC FORM 374	ORY COMMISSION PAGE 1 OF 3 PAGES			
MATERIALS LICENSE				
Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.				
Livensee	In accordance with letter dated			
1 Bernardin Lochmueller & Associates, Inc.	3 License number 13-25890-01 is amended in			
	its entirety to read as follows:			
2. 6200 Vogel Road	4. Expiration date August 31, 2013			
Evansville, IN 47715-4006	5. Docket No. 030-30449			
	Reference No.			
 B. Americium-241 B. Stated sources registered either with an Agreement State and incorporated in A greement State 9. Authorized Use: A. and B. To be used in Troxler Model 3400 Series and Model 3411 moisture/density gauges for measuring physical properties of materials . 				
CONDITIONS 10. Licensed material may be stored at 6200 Vogel Road, Evansville, Indiana, and at 6125 S. East Street , Indianapolis, Indiana, and may be used at temporary job-sites of the licensee any where in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.				

NRC FORM 374A U.S. NUCLEAR REGULATORY COMMISSION PAGE 2 of 3 F		PAGE 2 of 3 PAGES			
			License Number 13-25890-01		
MATERIALS LICENSE SUPPLEMENTARY SHEET		MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 030-30449		
			Amendment No. 09		
11.	11. The Radiation Safety Officer for this license is Daniel Farvardin.				
12.	 Licensed material shall only be used by, or under the supervision and in the physical presence of, individuals who have received the training described in application dated May 20, 2003. 				
13.	A.	Sealed sources shall be tested for leakage and/or con intervals specified in the certificate of registration issu Agreement State.	ntamination at intervals not to exceed the ued by NRC under 10 CFR 32.210 or by an		
	B. In the absence of a certificate from a transferer indicating that a leak test has been made within the intervals specified in the certificate of registration issued by NRC under 10 CFR 32.210 or by an Agreement State prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested.				
	C.	Sealed sources need not be tested if they are in stora they are removed from storage for use or transferred within the required leak test interval, they shall be tes shall be stored for a period of more than 10 years wit contamination.	age and are not being used. However, when to anothe r person, and have not been tested ted befo re use or fransfer. No sealed source how being tested for leakage and/or		
	D.	The leak test shall be capable of detecting one pro- of radioactive material on the test sample. If the (185 becquerels) or more of removable contamina Nuclear Regulatory Commission in accordance in be removed immediately from service and decont accordance with Commission regulational	test reveals the presence of 0.005 migrocurie (185 becquerels) test reveals the presence of 0.005 microcurie tion, streport shall be filed with the U.S. the 10 CFR 30.59(c)(2), and the source shall campated, repaired, or disposed of in		
	E.	The licensee is authorized to collect leak test samples Inc. Alternatively, tests for leakage and r contamina- licensed by the Commission or an Agreement State to	s for analysis by Troxler Electronic Laboratories, ition may be performed by persons specifically o perform such services.		
14.	 Sealed sources or source rods containing licensed material shall not be opened or sources removed or detached from source rods or gauges by the licensee, except as specifically authorized. 				
15.	15. Except for maintaining labeling as required by 10 CFR Part 20 or 71, the licensee shall obtain authorization from NRC before making any changes in the sealed source, device, or source-device combination that would alter the description or specifications as indicated in the respective Certificates of Registration issued either by the Commission pursuant to 10 CFR 32.210 or by an Agreement State.				
16.	Any the Con	cleaning, maintenance, or repair of the gauges that re gauge shall be performed only by the manufacturer or mission or an Agreement State to perform such servi	equires detaching the source or source rod from other persons specifically licensed by the ces.		

17. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by NRC, to account for all sources and/or devices received and possessed under the license.

NRC	C FORM 374A U.S. NUCLEAR REGULATORY COMMISSI	ON PAGE 3 OF 3 PAGES		
		License Number 13-25890-01		
	MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 030-30449		
		Amendment No. 09		
18.	The licensee may transport licensed material in accordant 10 CFR Part 71, "Packaging and Transportation of Rac	ance with the provisions of lioactive Material."		
19.	The licensee shall exchange film badges on a monthly badges on a quarterly basis.	basis and/or thermoluninescent dosimetry (TLD)		
20.	In addition to the possession limits in Condition 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.			
21.	21. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport. A minimum of two independent physical controls that form tangible barriers to secure portable gauges from unauthorized removal whenever the portable gauge is not under the control and constant surveillance of the licensee are required.			
22.	22. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Huslear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures application and correspondence are more restrictive than the regulations			
	A. Application dated May 20, 2003	Self 2		
	B. Letter dated February 6, 2007; and			
	C. Facsimile dated May 2, 2007,	××		
	FOR TH	IE U.S. NUCLEAR REGULATORY COMMISSION		
Date	MAY 1 5 2007 By C	Allen Carel Carey		

Colleen Carol Casey Materials Licensing Branch Region III