



**UNITED STATES  
NUCLEAR REGULATORY COMMISSION**

REGION III  
2443 WARRENVILLE ROAD, SUITE 210  
LISLE, ILLINOIS 60532-4352

**MAY 17 2007**

Maximo V. Bleza, D.O.  
Radiation Safety Officer  
Starke Memorial Hospital  
102 East Culver Road  
Knox, IN 46534

Dear Dr. Bleza:

Enclosed is Amendment No. 03 to your NRC Material License No. 13-15399-02 in accordance with your request dated February 26, 2007. Please note that the changes and corrections made to your license are printed in **bold** font.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

**Please note that in accordance with the instructions of Josephine Klicek, Director of Radiology, on May 10, 2007, Dr. Olthoff was not added to your NRC license at this time. Dr. Olthoff could not be found on NRC license 13-16558-01 as stated in your letter dated February 26, 2007. According to Ms. Klicek, Dr. Olthoff is not currently conducting NRC licensed activity; therefore, should not be listed on your NRC license. In the future, if you wish to add Dr. Olthoff to your NRC license, please provide a copy of an NRC license or Agreement State License that shows Dr. Othoff as an authorized user or provide a complete preceptor form that can be found on the NRC website at [www.nrc.gov](http://www.nrc.gov).**

Please note that we have reformatted Subitem Nos. 6, 7, and/or 9 and Condition No. 12 at this time to remove all references to excluded authorizations, including but not limited to authorizations such as "generators, xenon-133, aerosols, etc."

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

M. V. Bleza, D.O.

2

Sincerely,

  
James R. Mullauer, M.H.S.  
Health Physicist  
Materials Licensing Branch

License No. 13-15399-02  
Docket No. 030-35485

Enclosure: Amendment No. 03