

NMSSB3

NRC FORM 314

(6-2004)
10 CFR 30.36(j)(1); 40.42(j)(1);
70.38(j)(1); and 72.54(j)(1)

U.S. NUCLEAR REGULATORY COMMISSION

APPROVED BY OMB: NO. 3150-0028

EXPIRES: 06/30/2007

CERTIFICATE OF DISPOSITION OF MATERIALS

Estimated burden per response to comply with this mandatory collection request: 30 minutes. This submittal is used by NRC as part of the basis for its determination that the facility is released for unrestricted use. Send comments regarding burden estimate to the Records and FOIA/Privacy Services Branch (T-5 F52), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to infocollects@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0028), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

LICENSEE NAME AND ADDRESS

Georgia-Pacific Wood Products, LLC
PO Box 309
Shippensburg, Va. 23874

LICENSE NUMBER

45-25050-01

DOCKET NUMBER

030-31124

LICENSE EXPIRATION DATE

11/31/2015

- ☐ This license has expired. ☒ **A. LICENSE STATUS (Check the appropriate box)**
This license has not yet expired; please terminate it.

B. DISPOSAL OF RADIOACTIVE MATERIAL

(Check the appropriate boxes and complete as necessary. If additional space is needed, provide attachments)

The licensee, or any individual executing this certificate on behalf of the licensee, certifies that:

- ☐ 1. No radioactive materials have ever been procured or possessed by the licensee under this license.
- ☒ 2. All activities authorized by this license have ceased, and all radioactive materials procured and/or possessed by the licensee under this license number cited above have been disposed of in the following manner.
- ☒ a. Transfer of radioactive materials to the licensee listed below:
Rusty Burratt QSA Global, Inc. of Baton Rouge, LA License # LA-5394-L01
- ☐ b. Disposal of radioactive materials:
- ☐ 1. Directly by the licensee:
- ☐ 2. By licensed disposal site:
- ☐ 3. By waste contractor:
- ☐ c. All radioactive materials have been removed such that any remaining residual radioactivity is within the limits of 10 CFR Part 20, Subpart E, and is ALARA.

2007 JUN 18 AM 10:48
RECEIVED
REGION 1

C. SURVEYS PERFORMED AND REPORTED

- ☐ 1. A radiation survey was conducted by the licensee. The survey confirms:
- ☐ a. the absence of licensed radioactive materials
- ☐ b. that any remaining residual radioactivity is within the limits of 10 CFR 20, Subpart E, and is ALARA.
- ☐ 2. A copy of the radiation survey results:
- ☐ a. is attached; or ☐ b. is not attached (Provide explanation); or ☐ c. was forwarded to NRC on: _____ Date _____
- ☒ 3. A radiation survey is not required as only sealed sources were ever possessed under this license, and
- ☒ a. The results of the latest leak test are attached; and/or ☒ b. No leaking sources have ever been identified.

The person to be contacted regarding the information provided on this form:

NAME Robby Bullock TITLE Technical Director TELEPHONE (Include Area Code) (434) 634-6133 E-MAIL ADDRESS rsbulloc@gapac.com

Mail all future correspondence regarding this license to:

C. CERTIFYING OFFICIAL

I CERTIFY UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT

PRINTED NAME AND TITLE

Randall R. Hobbs / Plant Manager

SIGNATURE

Randy Hobbs

DATE

6/15/07

WARNING: FALSE STATEMENTS IN THIS CERTIFICATE MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECT. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

140678

NMSS/RGN1 MATERIALS-002



QSA GLOBAL

6765 Langley Drive
Baton Rouge, Louisiana 70809
Telephone: 225-751-5893
Fax: 225-756-0365

Date: 6/13/07

Robby Bullock
Georgia Pacific
234 Forest Road
Skippers, VA 23879-9998

Reference: 2007-237

This is to advise that the Radioactive Material as detailed below has been received by QSA Global, Inc as of 6-7-07 and we have taken possession of these sources:

Manufacturer	Model	S/N	Isotope	Activity
Amersham	CLC.D1	1456LM	Cm-244	1000 mci on Date of Manufacture
Amersham	CLC.D1	1455LM	Cm-244	1000 mci on Date of Manufacture
Amersham	CLC.D1	1304LM	Cm-244	1000 mci on Date of Manufacture
Amersham	SIF.D1	1270BC	Sr-90	50 mci on Date of Manufacture

Please retain this record for your files. Should you require further assistance, please contact us at QSA Global, Inc.

Regards,

Rusty Barrett
Technical Service Manager



Radiometric Services & Instruments, LLC
PO Box 637, Buckeystown, MD 21717-0637, USA

GEORGIA PACIFIC
P.O. Box 309
234 Forest Road
Skippers, VA 23879

Attn: Denise Fluharty, Technical Manager

May 24, 2007

Ref: Wipe Tests, Cm 244 and Sr 90 Source Capsules

Please find enclosed copies of the reports of the wipe tests performed on your Cm 244 and Sr 90 sources on May 10, 2007.

Also enclosed are stickers to indicate that the tests were performed and the date the next wipe tests are due. The stickers should be attached to the source holders.

Yours truly,

A handwritten signature in black ink, appearing to read "SJO", with a stylized flourish extending to the right.

Stephen J. Outhwaite
President

Telephone: 301-874-3494
Fax: 301-874-3499

Website: www.rsi-xray.com
e-mail: info@rsi-xray.com

RSO, INC. • LAUREL, MD

5206 Minnick Rd. Laurel, Maryland 20707
P.O. Box 1450 Laurel, Maryland 20725-1450

Washington Exchange (301) 953-2482
Baltimore Exchange (410) 792-7444

Leak Test Report

Contact Name	Mr. Steve Outhwaite	PO # / INVOICE	Net 30 / Invoice #64525
Company	RSI	Company	RSI
Address	4507 Metropolitan Ct	Attn:	Accounts Payable
City, State and Zip	Buckeystown MD 21704	Address	P.O. Box 637
Phone	301-874-3494	City State and Zip	Buckeystown MD 21717-0637
		Phone	

10 kits mailed 3/30/07

INSTRUCTIONS:

KIT EXPIRES - 2 YEARS FROM MAIL DATE

1. Contact your Radiation Safety Officer if there are any questions.
2. Collect the leak test according to the instructions provided. Follow the manufacturer's instructions when applicable.
3. Record the information requisition below. ***Use 1 kit per device or source.***
4. Staple the sample bags to this form. Place this form and the samples in the return envelope.
5. Mail the kit to RSO, Inc. There must be a Purchase Order on file with RSO, Inc. or payment mechanism available.


SOURCE INFORMATION:

Kit #	Device Type or Source Type Make, Model or Description	Device Serial #	Radio- nuclide	Activity (mCi)	Source Serial #	Date Sample Collected	Sample Collected By:
6	EC / CIC.D1	B5968645	Cm 244	1.0	145564	5-10-07	ministry

Shaded areas are for use by RSO, Inc.

Certificate of Leak Test

RSO, Inc. certifies that the leak test sample described above was analyzed by RSO, Inc. with appropriate instruments and compared to known standards for determination of removable radioactive contamination.


Analysis Results
Health Physicist, RSO, Inc.

☒ < 0.005 microCuries (μ Ci)

Radioactive Materials License No. MD 33-021-01

RSO, INC. • LAUREL, MD

5206 Minnick Rd. Laurel, Maryland 20707
P.O. Box 1450 Laurel, Maryland 20725-1450

Washington Exchange (301) 953-2482
Baltimore Exchange (410) 792-7444

Leak Test Report

Contact Name	Mr. Steve Outhwaite	PO # / INVOICE	Net 30 / Invoice #58695
Company	RSI	Company	RSI
Address	4507 Metropolitan Ct	Attn:	Accounts Payable
City, State and Zip	Buckeystown MD 21704	Address	P.O. Box 637
Phone	301-874-3494	City State and Zip	Buckeystown MD 21717-0637
		Phone	

20 kits mailed 1/21/2005

INSTRUCTIONS:

KIT EXPIRES – 2 YEARS FROM MAIL DATE

1. Contact your Radiation Safety Officer if there are any questions.
2. Collect the leak test according to the instructions provided. Follow the manufacturer's instructions when applicable.
3. Record the information requisition below. **Use 1 kit per device or source.**
4. Staple the sample bags to this form. Place this form and the samples in the return envelope.
5. Mail the kit to RSO, Inc. There must be a Purchase Order on file with RSO, Inc. or payment mechanism available.


SOURCE INFORMATION:

Kit #	Device Type or Source Type Make, Model or Description	Device Serial #	Radio- nuclide	Activity (mCi)	Source Serial #	Date Sample Collected	Sample Collected By:
9	CK-D1	1547 B596864	Cm244	37GBq	1547 1456L	5-10-07	m unity

Shaded areas are for use by RSO, Inc.

Certificate of Leak Test

RSO, Inc. certifies that the leak test sample described above was analyzed by RSO, Inc. with appropriate instruments and compared to known standards for determination of removable radioactive contamination.

Analysis Results

Health Physicist, RSO, Inc.

☒ < 0.005 microCuries (μCi)

Radioactive Materials License No. MD 33-021-01

RSO, INC. • LAUREL, MD

5206 Minnick Rd. Laurel, Maryland 20707
P.O. Box 1450 Laurel, Maryland 20725-1450

Washington Exchange (301) 953-2482
Baltimore Exchange (410) 792-7444

Leak Test Report

Contact Name	Mr. Steve Outhwaite	PO # / INVOICE	Net 30 / Invoice #59815
Company	RSI	Company	RSI
Address	4507 Metropolitan Ct	Attn:	Accounts Payable
City, State and Zip	Buckeystown MD 21704	Address	P.O. Box 637
Phone	301-874-3494	City State and Zip	Buckeystown MD 21717-0637
		Phone	

20 kits mailed 11/21/2005

INSTRUCTIONS:

KIT EXPIRES - 2 YEARS FROM MAIL DATE

1. Contact your Radiation Safety Officer if there are any questions.
2. Collect the leak test according to the instructions provided. Follow the manufacturer's instructions when applicable.
3. Record the information requisition below. **Use 1 kit per device or source.**
4. Staple the sample bags to this form. Place this form and the samples in the return envelope.
5. Mail the kit to RSO, Inc. There must be a Purchase Order on file with RSO, Inc. or payment mechanism available.


SOURCE INFORMATION:

Kit #	Device Type or Source Type Make, Model or Description	Device Serial #	Radio- nuclide	Activity (mCi)	Source Serial #	Date Sample Collected	Sample Collected By:
14	EG / CIC.D1	B59863	Cm244	1.0	1304Lm	5-10-07	mminty

Shaded areas are for use by RSO, Inc.

Certificate of Leak Test

RSO, Inc. certifies that the leak test sample described above was analyzed by RSO, Inc. with appropriate instruments and compared to known standards for determination of removable radioactive contamination.

Analysis Results

Health Physicist, RSO, Inc.

☒ < 0.005 microCuries (μCi)

Radioactive Materials License No. MD 33-021-01

Georgia-Pacific

P. O. Box 309
Skippers, Virginia 23879



CERTIFIED MAIL™



7004 1350 0002 1956 7312


RETURN RECEIPT
REQUESTED

Licensing Assistant Section
Nuclear Materials Safety Branch
U.S. Nuclear Regulatory Commission, Region 1
475 Allendale Road
King of Prussia, PA
19406-1415



UNITED STATES POSTAGE
\$05.38⁰
02 1P
0002369124 JUN 15 2007
MAILED FROM ZIP CODE 23879

13406+1431



140673

This is to acknowledge the receipt of your letter/application dated

6/15/2007, and to inform you that the initial processing which includes an administrative review has been performed.

☒ TEAM 45-2550-01
There were no administrative omissions. Your application was assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

☐ Please provide to this office within 30 days of your receipt of this card

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned Mail Control Number 140678.
When calling to inquire about this action, please refer to this control number.
You may call us on (610) 337-5398, or 337-5260.