From: John S Clarke <jsclarke@usgs.gov>
To: "Mark Notich" <mdn@nrc.gov>
Date: 6/8/2007 8:40:26 AM
Subject: GW Flow rates
cc: "Gregory S Cherry" <gccherry@usgs.gov>

Mark--Wanted to clear up an apparent discrepancy regarding the base case flow rates for the GW model at Vogtle. In the statement of work narrative it states that an average rate of 730 gal/min should be used; however in the table listing flow rates during the 1989-2006 period, an average rate of 747.36 gal/min is listed.

Which value should we use? (Seems like the value listed in the table is more appropriate).

Need answer ASAP because it is the basis for all simulations.

Thanks for your help.

Hearing Identifier: Vogtle_Public
Email Number: 436

Mail Envelope Properties (468CE736.HQGWDO01.TWGWPO04.200.2000010.1.9BCE2.1)

Subject: GW Flow rates
Creation Date: 6/8/2007 8:40:26 AM
From: John S Clarke <jsclarke@usgs.gov>

Created By: jsclarke@usgs.gov

Recipients "Gregory S Cherry" <gccherry@usgs.gov>
"Mark Notich" <mdn@nrc.gov>

Post Office	Route
TWGWPO04.HQGWDO01	nrc.gov

Files	Size	Date & Time
MESSAGE	518	6/8/2007 8:40:26 AM
TEXT.htm	708	7/5/2007 12:42:30 PM
Mime.822	2605	7/5/2007 12:42:30 PM

Options
Priority: Standard
Reply Requested: No
Return Notification: None
None

Concealed Subject: No
Security: Standard

Mark--Wanted to clear up an apparent discrepancy regarding the base case flow rates for the GW model at Vogtle. In the statement of work narrative it states that an average rate of 730 gal/min should be used; however in the table listing flow rates during the 1989-2006 period, an average rate of 747.36 gal/min is listed.

Which value should we use? (Seems like the value listed in the table is more appropriate).

Need answer ASAP because it is the basis for all simulations.

Thanks for your help.