

RECEIVED  
REGION I

May 4, 2007 4:07 PM -7 PM 1: 22

Mr. Jim Kottan  
U.S. Nuclear Regulatory Commission  
Region I  
475 Allendale Road  
King of Prussia, PA 19406

**SUBJECT: INTERIM REPORT FOR COMPLETED ANALYSES FOR SAMPLES FROM SET TWENTY-TWO, FROM THE INDIAN POINT POWER STATION, BUCHANAN, NEW YORK [INSPECTION REPORT NO. 050-247/2006-007] [RFTA NO. 06-001]**

Dear Mr. Kottan:

The Oak Ridge Institute for Science and Education (ORISE) received set 22, consisting of three water samples, associated with the Indian Point Power Station on February 16, 2007. Sample analysis was initiated based on your previous direction for handling samples from this licensee. Sample identification and collection data for the samples addressed in this report are presented in Table 1. Gamma spectroscopy, the hard-to-detect betas (iron-55, nickel-63, and tritium), technetium-99, total radiostrontium, alpha spectroscopy, plutonium-241, and carbon-14 data are provided in Tables 2 through 8, respectively. The pertinent procedure references are provided in each specific table.

ORISE's Quality Control (QC) requirements were met for these analyses. The QC files are available for your review upon request. Additional reports will follow after the completion of the requested analyses.

ORISE has removed the Ni-59 data due to problems with the calculation associated with the concentration of this radionuclide. ORISE is discontinuing the reporting of Ni-59 data until this problem can be resolved.

My contact information is listed below. You may also contact Wade Ivey at 865.576.9184 with any questions or comments.

Sincerely,



Dale Condra, Manager  
Laboratory

RDC:WPI:km

Enclosures

c: T. Carter, NRC/FSME/DWMEP 7J8  
E. Knox-Davin, NRC/FSME/TWPN 8A23  
M. Roberts, NRC Region I  
J. White, NRC Region I  
E. Abelquist, ORISE  
S. Kirk, ORISE  
File 1697

Distribution approval and concurrence :	Initials
Technical Management Team Member	SK
Quality Manager	ATP

Voice: 865.241.3242

Fax: 865.241.3248

E-mail: Dale.Condra @orau.org

**TABLE 1**

**SAMPLE IDENTIFICATIONS  
AND COLLECTION DATA  
INDIAN POINT POWER STATION  
BUCHANAN, NEW YORK**

<b>ORISE Sample ID</b>	<b>NRC Region I Sample ID</b>	<b>Collection Date</b>	<b>Collection Time</b>
1697W0135 <sup>a</sup>	MW 48-23-(010)	2/9/2007	10:54
1697M0084 <sup>b</sup>	MW 48-23-(010)	2/9/2007	10:54
1697W0136	MW 48-38-(010)	2/9/2007	10:59
1697M0085	MW 48-38-(010)	2/9/2007	10:59
1697W0137	MW 38-019	2/12/2007	9:58
1697M0086	MW 38-019	2/12/2007	9:58

<sup>a</sup>The W in the ORISE sample identification represents a water matrix.

<sup>b</sup>The M in the ORISE sample identification represents a 100mL filtered fraction of the preceding water sample.

**TABLE 2**

**CONCENTRATIONS OF SELECTED  
GAMMA EMITTING RADIONUCLIDES  
IN WATER SAMPLES  
BY GAMMA SPECTROSCOPY CP1, REVISION 15  
INDIAN POINT POWER STATION  
BUCHANAN, NEW YORK**

ORISE Sample ID	NRC Region I Sample ID	Radionuclide Concentrations <sup>a</sup> (pCi/L)			
		Co-58	Co-60	Cs-134	Cs-137
1697W0135	MW 48-23-(010)	-0.5 ± 2.2 <sup>b</sup> , 3.7	0.7 ± 2.4 , 4.2	-0.5 ± 2.5 , 3.9	0.2 ± 2.1 , 3.6
1697W0136	MW 48-38-(010)	-0.3 ± 1.7 , 2.9	0.2 ± 1.7 , 3.0	0.8 ± 1.8 , 3.1	0.4 ± 1.6 , 2.9
1697W0137	MW 38-019	-0.7 ± 2.4 , 3.9	0.7 ± 2.6 , 4.0	-1.8 ± 2.4 , 3.9	-0.5 ± 2.2 , 3.8

<sup>a</sup>The MDCs are after the commas.

<sup>b</sup>Uncertainties represent the 95% confidence level, based on total propagated uncertainties.

**TABLE 3**

**CONCENTRATIONS OF HARD-TO-DETECT  
BETA EMITTING RADIONUCLIDES  
IN WATER SAMPLES  
BY LIQUID SCINTILLATION ANALYSIS CP4, REVISION 3  
INDIAN POINT POWER STATION  
BUCHANAN, NEW YORK**

ORISE Sample ID	NRC Region I Sample ID	Radionuclide Concentrations <sup>a</sup> (pCi/L)		
		Fe-55 <sup>b</sup>	Ni-63 <sup>c</sup>	H-3 <sup>d</sup>
1697W0135	MW 48-23-(010)	-30 ± 45 <sup>c</sup> , 78	3.5 ± 3.0 , 5.0	430 ± 250 , 390
1697W0136	MW 48-38-(010)	-30 ± 45 , 78	0.1 ± 3.0 , 5.0	80 ± 220 , 390
1697W0137	MW 38-019	-23 ± 45 , 78	3.4 ± 3.0 , 5.0	2,290 ± 350 , 390

<sup>a</sup>The MDCs for each radionuclide are in parentheses.

<sup>b</sup>Fe-55 analyzed using procedure AP13, Revision 4.

<sup>c</sup>Ni-63 analyzed using procedure AP12, Revision 5.

<sup>d</sup>H-3 analyzed using procedure AP2, Revision 15.

<sup>e</sup>Uncertainties represent the 95% confidence level, based on total propagated uncertainties.

TABLE 4

CONCENTRATIONS OF TECHNETIUM-99 (Tc-99)  
IN WATER SAMPLES  
BY LIQUID SCINTILLATION ANALYSIS  
AP5, REVISION 16; CP4, REVISION 3  
INDIAN POINT POWER STATION  
BUCHANAN, NEW YORK

ORISE Sample ID	NRC Region I Sample ID	Tc-99 Concentrations <sup>a</sup> (pCi/L)
1697W0135	MW 48-23-(010)	11.3 ± 7.9 <sup>b</sup> , 13.0
1697W0136	MW 48-38-(010)	6.4 ± 7.8 , 13.0
1697W0137	MW 38-019	7.7 ± 7.8 , 13.0

<sup>a</sup>The MDCs are in parentheses.

<sup>b</sup>Uncertainties represent the 95% confidence level, based on total propagated uncertainties.

**TABLE 5**

**CONCENTRATIONS OF TOTAL RADIOSTRONTIUM  
IN WATER SAMPLES  
BY LOW BACKGROUND BETA COUNTING  
AP4, REVISION 13; CP3, REVISION 2  
INDIAN POINT POWER STATION  
BUCHANAN, NEW YORK**

<b>ORISE Sample ID</b>	<b>NRC Region I Sample ID</b>	<b>Radionuclide Concentrations, TPUs, and MDCs<sup>a</sup> (pCi/L)</b>			
1697W0135	MW 48-23-(010)	0.12	±	0.43 <sup>b</sup>	, 0.76
1697W0136	MW 48-38-(010)	0.39	±	0.45	, 0.76
1697W0137	MW 38-019	0.43	±	0.48	, 0.81

<sup>a</sup>MDCs are after the comma.

<sup>b</sup>Uncertainties represent the 95% confidence level, based on total propagated uncertainties.

TABLE 6

**CONCENTRATIONS OF SELECTED  
ALPHA EMITTING RADIONUCLIDES  
IN SUSPENDED AND DISSOLVED FRACTIONS OF WATER SAMPLES  
AP11, REVISION 3; CP2, REVISION 12  
INDIAN POINT POWER STATION  
BUCHANAN, NEW YORK**

ORISE Sample ID	NRC Region I Sample ID	Radionuclide Concentrations <sup>a</sup> (pCi/g of sediment in 100 mL or pCi/L for water)			
		Am-241	Cm-242	Cm-243/244	Np-237
1697W0135 <sup>b</sup>	MW 48-23-(010)	-0.07 ± 0.22 <sup>c</sup> , 0.44	0.02 ± 0.10 , 0.20	-0.05 ± 0.18 , 0.37	0.02 ± 0.09 , 0.20
1697M0084 <sup>d</sup>	MW 48-23-(010)	0.00 <sup>c</sup> ± 0.02 , 0.04	0.00 ± 0.01 , 0.03	0.00 ± 0.02 , 0.04	0.00 ± 0.01 , 0.02
1697W0136	MW 48-38-(010)	-0.05 ± 0.21 , 0.42	-0.09 ± 0.10 , 0.26	0.13 ± 0.16 , 0.26	-0.11 ± 0.11 , 0.30
1697M0085	MW 48-38-(010)	0.02 ± 0.02 , 0.02	0.01 ± 0.01 , 0.01	-0.01 ± 0.01 , 0.03	-0.01 ± 0.02 , 0.05
1697W0137	MW 38-019	0.14 ± 0.18 , 0.30	-0.03 ± 0.10 , 0.23	-0.02 ± 0.13 , 0.27	0.05 ± 0.09 , 0.17
1697M0086	MW 38-019	0.01 ± 0.02 , 0.04	0.00 ± 0.01 , 0.02	0.00 ± 0.02 , 0.03	-0.03 ± 0.02 , 0.04

TABLE 6 (Continued)

**CONCENTRATIONS OF SELECTED  
ALPHA EMITTING RADIONUCLIDES  
IN SUSPENDED AND DISSOLVED FRACTIONS OF WATER SAMPLES  
AP11, REVISION 3; CP2, REVISION 12  
INDIAN POINT POWER STATION  
BUCHANAN, NEW YORK**

ORISE Sample ID	NRC Region I Sample ID	Radionuclide Concentrations <sup>a</sup> (pCi/g of sediment in 100 mL or pCi/L for water)			
		Pu-238	Pu-239/240	U-234	U-238
1697W0135	MW 48-23-(010)	0.02 ± 0.14 , 0.28	0.04 ± 0.08 , 0.16	1.16 ± 0.32 , 0.23	1.35 ± 0.33 , 0.14
1697M0084	MW 48-23-(010)	0.01 ± 0.01 , 0.02	0.00 ± 0.01 , 0.01	0.24 ± 0.05 , 0.01	0.27 ± 0.05 , 0.02
1697W0136	MW 48-38-(010)	0.15 ± 0.17 , 0.28	0.11 ± 0.11 , 0.16	10.7 ± 1.2 , 0.2	3.94 ± 0.61 , 0.06
1697M0085	MW 48-38-(010)	0.01 ± 0.03 , 0.06	0.02 ± 0.01 , 0.01	0.25 ± 0.05 , 0.02	0.24 ± 0.05 , 0.01
1697W0137	MW 38-019	0.18 ± 0.17 , 0.25	0.00 ± 0.06 , 0.17	0.10 ± 0.11 , 0.16	0.20 ± 0.12 , 0.05
1697M0086	MW 38-019	0.00 ± 0.01 , 0.02	0.00 ± 0.01 , 0.02	0.00 ± 0.01 , 0.02	0.01 ± 0.01 , 0.02

<sup>a</sup>The MDCs are after the comma.

<sup>b</sup>The W in the ORISE sample identification represents a water matrix.

<sup>c</sup>Uncertainties represent the 95% confidence level, based on total propagated uncertainties.

<sup>d</sup>The M in the ORISE sample identification represents a 100mL filtered fraction of the preceding water sample.

<sup>e</sup>Zero values are due to rounding.

TABLE 7

**CONCENTRATIONS OF PLUTONIUM-241  
IN SUSPENDED AND DISSOLVED FRACTIONS OF WATER SAMPLES  
BY LIQUID SCINTILLATION ANALYSIS  
AP10, REVISION 2; CP4, REVISION 3  
INDIAN POINT POWER STATION  
BUCHANAN, NEW YORK**

ORISE Sample ID	NRC Region I Sample ID	Radionuclide Concentrations <sup>a</sup> (pCi/g of sediment in 100 mL or pCi/L for water)			
1697W0135 <sup>b</sup>	MW 48-23-(010)	-7	±	30 <sup>c</sup>	, 52
1697M0084 <sup>d</sup>	MW 48-23-(010)	1.8	±	3.3	, 5.5
1697W0136	MW 48-38-(010)	-14	±	32	, 55
1697M0085	MW 48-38-(010)	0.3	±	3.4	, 5.9
1697W0137	MW 38-019	27	±	32	, 53
1697M0086	MW 38-019	2.1	±	3.3	, 5.5

<sup>a</sup>The MDCs are after the comma.

<sup>b</sup>The W in the ORISE sample identification represents a water matrix.

<sup>c</sup>Uncertainties represent the 95% confidence level, based on total propagated uncertainties.

<sup>d</sup>The M in the ORISE sample identification represents a 100 mL filtered fraction of the preceding water sample.

**TABLE 8**

**CONCENTRATIONS OF CARBON-14  
IN WATER SAMPLES  
BY LIQUID SCINTILLATION ANALYSIS  
AP9, REVISION 3; CP4, REVISION 3  
INDIAN POINT POWER STATION  
BUCHANAN, NEW YORK**

<b>ORISE Sample ID</b>	<b>NRC Region I Sample ID</b>	<b>Radionuclide Concentrations, TPUs, and MDCs<sup>a</sup> (pCi/L)</b>			
1697W0135	MW 48-23-(010)	2.7	±	9.1 <sup>b</sup>	, 15.5
1697W0136	MW 48-38-(010)	2.9	±	9.1	, 15.5
1697W0137	MW 38-019	3.6	±	9.1	, 15.5

<sup>a</sup>The MDCs are after the comma.

<sup>b</sup>Uncertainties represent the 95% confidence level, based on total propagated uncertainties.