



GE Healthcare

101 Carnegie Center
Princeton, NJ 08540
USA

NMSB2

16 July 2007

Nuclear Materials Safety Branch 1
Division of Nuclear Materials Safety
US Nuclear Regulatory Commission, Region I
King of Prussia, PA 19406

03035949

RE: Radioactive Material License 37-30722-01MD

Dear Sir/Madame:

Please allow this letter to serve as notice that Medi-Physics, Inc., dba GE Healthcare wishes to make the following changes to the above referenced license. The request is made pursuant to 10 CFR 35.13.

Medi Physics, Inc., dba GE Healthcare intends to begin utilizing a new pharmacy label on or around 16 July 2007. The changes are made necessary to more efficiently meet increased business needs. The changes can be referenced in Attachment 1.

The licensed activities for Medi-Physics, Inc., dba GE Healthcare, will continue in accordance with the commitments made in the above referenced site's licensed program.

Should you have any additional questions or are in need of additional information, please feel free to contact me at 609-514-6647.

Sincerely,

Richard A Hughes
Corporate Radiation Safety Officer

RECEIVED
REGION 1
2007 JUL 17 AM 10:35

140823

NMSS/RGN1 MATERIALS-002

ATTACHMENT 1

New Pharmacy Label

GE Healthcare Wilkes Barre
1067 Hanover Street
Wilkes Barre, PA, 18706
T: 570-824-4432
Ord Rec: 7/10/2007
3237 S. 16TH STREET, MILWAUKEE, WI, 53215 W1-100
ST. FRANCIS HOSPITAL 100
Nuclear Medicine 9-1-1*
Inorganic Salt / Liquid Inj
Myocardial Perfusion
PT: [REDACTED]
DR: [REDACTED]
Special Instructions:
Injection Only

Tue 711012007
Order# 1427155 RX# [REDACTED]

TI-201 Chloride
0.10 mCi @ 12:00 On 7/10/2007
0.0320 ml (cc)

Control # 1-7/15/2007
ACT DISP: 0.10 mCi 1370 MBq +/- 10%

Substitution Permissible Dispensed as Written No Refills
EXP TIME & DATE: 12:00 On 7/20/2007
Unit Dose
P.O. # 14
ASSAY: 3.13 mCi/ml 1370 MBq +/- 10%
MFR: GE Healthcare LK # 979-1285-01

GE Healthcare Wilkes Barre 1067 Hanover Street
Wilkes Barre, PA, 18706
T: 570-824-4432
PT: KAG
Procedure: Myocardial Perfusion
Control # 1-7/15/2007

Order# 1427155 RX# 1342638
7/10/2007
Inorganic Salt / Liquid
TI-201 Chloride
0.10 mCi @ 12:00



CAUTION
RADIOACTIVE MATERIAL
GE Healthcare Wilkes Barre T: 570-824-4432 /
1067 Hanover Street
Wilkes Barre, PA, 18706

Tue 7/10/2007

TI-201 Chloride
0.11 mCi @ 3:00 On 7/10/2007
0.0320 ml (cc)
Order# 1427155

3237 S. 16TH STREET, MILWAUKEE, WI, 53215 W1-100
Nuclear Medicine 9-1-1*

ST. FRANCIS HOSPITAL 100
TI-201 Chloride
0.10 mCi @ 12:00 On 7/10/2007

Inorganic Salt / Liquid Inj
Myocardial Perfusion
PT: [REDACTED]
DR: [REDACTED]
Special Instructions:
Injection Only
Control # 1-7/15/2007
P.O. It: 14
LC # 979-1285-01

Caution Warning To be used under the direct supervision of a physician. This product is licensed for distribution to persons licensed pursuant to HFS 157.63(2) or under equivalent license of the US NRC, Agreement, or Licensing State.

ASSAY: 3.13 mCi/ml 1370 MBq +/- 10%
MFR: GE Healthcare
Run - 3 Box # 1 fra No Refills Unit Dose
EXP TIME & DATE: 12:00 On 7/20/2007
RX# [REDACTED]

GE Healthcare Wilkes Barre Tue 7/10/2007
1067 Hanover Street Wilkes Barre PA 18706
T: 570-824-4432
ST. FRANCIS HOSPITAL 100
Nuclear Medicine 9-1-1*
3237 S. 16TH STREET, MILWAUKEE, WI, 53215 W1-100
MFR: GE Healthcare

TI-201 Chloride
0.10 mCi @ 12:00 On 7/10/2007
0.0320 ml (cc)

ASSAY: 3.13 mCi/ml 1370 MBq +/- 10%
Inorganic Salt / Liquid Inj
PT: [REDACTED]
DR: [REDACTED]
Myocardial Perfusion
EXP TIME & DATE: 12:00 On 7/20/2007
Control # 1-7/15/2007
Run - 3 Box # 1

RX# [REDACTED] PO It: 14
Order# 1427155 No Refills

GE Healthcare Wilkes Barre
1067 Hanover Street
Wilkes Barre, PA, 18706
T: 570-824-4432
Ord Rec: 7/10/2007
130 SECOND STREET, NEENAH, WI, 54956 W1-580
THEDA CLARK REGIONAL MEDICAL CTR
Nuclear Medicine
Xenon / Inert Gas
Pulmonary Vent Study
PT: [REDACTED]
DR: [REDACTED]
Special Instructions:
For Inhalation Administration Only. This is a test script.

Tue 711012007
Order# 1427156 RX# [REDACTED]

Xe-133 Gas
4.50 mCi @ 12:00 On 7/10/2007
1.0000 Vial

Control # 2-6/28/2007
ACT DISP: 4.50 mCi (166.46 MBq) +/- 10%

Substitution Permissible Dispensed as Written No Refills
EXP TIME & DATE: 11:00 On 7/14/2007
MP TIME & DATE: 11:00 On 7/14/2007
10 mCi
P.O. #: 773883
ASSAY: 4.50 mCi/Vial (166.46 MBq) +/- 10%
MFR: Bristol-Myers Squibb LK #: 087-1014-01

GE Healthcare Wilkes Barre 1067 Hanover Street
Wilkes Barre, PA, 18706
T: 570-824-4432
PT: Hany Zeng
Procedure: Pulmonary Vent Study
Control # 2-6/28/2007

Order# 1427156 RX# 1342639
7/10/2007
Xenon / Inert Gas
Xe-133 Gas
4.50 mCi @ 12:00



CAUTION
RADIOACTIVE MATERIAL
GE Healthcare Wilkes Barre T: 570-824-4432 /
1067 Hanover Street
Wilkes Barre, PA, 18706

Tue 7/10/2007

Xe-133 Gas
1.0000 Vial
Order# 1427156

130 SECOND STREET, NEENAH, WI, 54956 W1-580
Nuclear Medicine

THEDA CLARK REGIONAL MEDICAL CTR
Xe-133 Gas
4.50 mCi @ 12:00 On 7/10/2007

Xenon / Inert Gas
Pulmonary Vent Study
PT: [REDACTED]
DR: [REDACTED]
Special Instructions:
For Inhalation Administration Only. This is a test script.
Control # 2-6/28/2007
P.O. It: 773883
LC #: 087-1014-01

Caution Warning To be used under the direct supervision of a physician. This product is licensed for distribution to persons licensed pursuant to HFS 157.63(2) or under equivalent license of the US NRC, Agreement, or Licensing State.

ASSAY: 4.50 mCi/Vial (166.46 MBq) +/- 10%
MFR: Bristol-Myers Squibb
Run - 3 Box # 1 10'S No Refills 10 mCi
EXP TIME & DATE: 11:00 On 7/14/2007
RX# [REDACTED]

GE Healthcare Wilkes Barre Tue 7/10/2007
1067 Hanover Street Wilkes Barre PA 18706
T: 570-824-4432
THEDA CLARK REGIONAL MEDICAL CTR
Nuclear Medicine
130 SECOND STREET, NEENAH, WI, 54956 W1-580
MFR: Bristol-Myers Squibb

Xe-133 Gas
4.50 mCi @ 12:00 On 7/10/2007
1.0000 Vial

ASSAY: 4.50 mCi/Vial (166.46 MBq) +/- 10%
Xenon / Inert Gas
PT: [REDACTED]
DR: [REDACTED]
Pulmonary Vent Study
EXP TIME & DATE: 11:00 On 7/14/2007
Control # 2-6/28/2007
Run - 3 Box # 1

RX# [REDACTED] P.O. #: 773883
Order# 1427156 No Refills

GE Healthcare Wilkes Barre
1067 Hanover Street
Wilkes Barre, PA, 18706
T: 570-824-4432
Ord Rec: 7/10/2007
130 SECOND STREET, NEENAH, WI, 54956 W1-580
THEDA CLARK REGIONAL MEDICAL CTR
Nuclear Medicine
Xenon / Inert Gas
Pulmonary Vent Study
PT: [REDACTED]
DR: [REDACTED]
Special Instructions:
For Inhalation Administration Only

Tue 711012007
Order# 1427157 RX# [REDACTED]

Xe-133 Gas
4.50 mCi @ 12:00 On 7/10/2007
1.0000 Vial

Control # 2-6/28/2007
ACT DISP: 4.50 mCi (166.46 MBq) +/- 10%

Substitution Permissible Dispensed as Written No Refills
EXP TIME & DATE: 11:00 On 7/14/2007
10 mCi
P.O. #: 773883
ASSAY: 4.50 mCi/Vial (166.46 MBq) +/- 10%
MFR: Bristol-Myers Squibb LK #: 087-1014-01

GE Healthcare Wilkes Barre 1067 Hanover Street
Wilkes Barre, PA, 18706
T: 570-824-4432
PT: LK
Procedure: Pulmonary Vent Study
Control # 2-6/28/2007

Order# 1427157 RX# 1342640
7/10/2007
Xenon / Inert Gas
Xe-133 Gas
4.50 mCi @ 12:00



CAUTION
RADIOACTIVE MATERIAL
GE Healthcare Wilkes Barre T: 570-824-4432 /
1067 Hanover Street
Wilkes Barre, PA, 18706

Tue 7/10/2007

Xe-133 Gas
1.0000 Vial
Order# 1427157

130 SECOND STREET, NEENAH, WI, 54956 W1-580
Nuclear Medicine

THEDA CLARK REGIONAL MEDICAL CTR
Xe-133 Gas
4.50 mCi @ 12:00 On 7/10/2007

Xenon / Inert Gas
Pulmonary Vent Study
PT: [REDACTED]
DR: [REDACTED]
Special Instructions:
For Inhalation Administration Only
Control # 2-6/28/2007
P.O. #: 773883
LC #: 087-1014-01

Caution Warning To be used under the direct supervision of a physician. This product is licensed for distribution to persons licensed pursuant to HFS 157.63(2) or under equivalent license of the US NRC, Agreement, or Licensing State.

ASSAY: 4.50 mCi/Vial (166.46 MBq) +/- 10%
MFR: Bristol-Myers Squibb
Run - 3 Box # 1 10'S No Refills 10 mCi
EXP TIME & DATE: 11:00 On 7/14/2007
RX# [REDACTED]

GE Healthcare Wilkes Barre Tue 7/10/2007
1067 Hanover Street Wilkes Barre PA 18706
T: 570-824-4432
THEDA CLARK REGIONAL MEDICAL CTR
Nuclear Medicine
130 SECOND STREET, NEENAH, WI, 54956 W1-580
MFR: Bristol-Myers Squibb

Xe-133 Gas
4.50 mCi @ 12:00 On 7/10/2007
1.0000 Vial

ASSAY: 4.50 mCi/Vial (166.46 MBq) +/- 10%
Xenon / Inert Gas
PT: [REDACTED]
DR: [REDACTED]
Pulmonary Vent Study
EXP TIME & DATE: 11:00 On 7/14/2007
Control # 2-6/28/2007
Run - 3 Box # 1

RX# [REDACTED] P.O. #: 773883
Order# 1427157 No Refills

This is to acknowledge the receipt of your letter/application dated

7/16/2007, and to inform you that the initial processing which includes an administrative review has been performed.

AMEND. 37-3222-ALMO
There were no administrative omissions. Your application was assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

Please provide to this office within 30 days of your receipt of this card

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned Mail Control Number 140823.
When calling to inquire about this action, please refer to this control number.
You may call us on (610) 337-5398, or 337-5260.

NRC FORM 532 (RI)
(6-96)

Sincerely,
Licensing Assistance Team Leader