

**VOID SHEET**

TO: License Fee Management Branch  
FROM: Region 3  
SUBJECT: VOIDED APPLICATION

Control number: 316288

Applicant: FAIRVIEW RADIOLOGY

License Number: 21-26036-01

Docket Number: 030-32143

Date Voided: July 26, 2007

Reason for Void: The licensee had been authorized for depleted uranium (DU) shielding in the past and requested that the DU be removed from their license. A review of the file showed that the DU has already been removed from the license (amendment 7), so this request may be voided. I discussed this matter with the Chief Technologist Marie Papler by telephone on July 26, 2007.

*W.P. Reichhold*  
*W. P. Reichhold* July 26, 2007  
\_\_\_\_\_  
Signature Date

Attachment:  
Official Record Copy of  
Voided Action

**FOR LFMB USE ONLY**

\_\_\_\_\_ Refund Authorized and processed

\_\_\_\_\_ No Refund Due

\_\_\_\_\_ Fee Exempt or Fee Not Required

Comments \_\_\_\_\_ Log completed \_\_\_\_\_

Processed by: \_\_\_\_\_

Licwater

**MATERIALS LICENSE**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee	In accordance with letter dated <b>March 20, 2007,</b>
1. Fairview Radiology	3. License number 21-26306-01 is amended in its entirety to read as follows:
2. 5245 Schaefer Road Dearborn, MI 48126	4. Expiration date October 31, 2011
	5. Docket No. 030-32143 Reference No.

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license
A. Any byproduct material permitted by 10 CFR 35.100	A. Any	A. As needed
B. Any byproduct material permitted by 10 CFR 35.200	B. Any	B. As needed

9. Authorized Use:

- A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100.
- B. Any imaging and localization study permitted by 10 CFR 35.200.

CONDITIONS

- 10. Locations of Use: 5245 Schaefer Road, Dearborn, Michigan.
- 11. Radiation Safety Officer: Frank M. Fayz, M.D.
- 12. Licensed material is only authorized for use by, or under the supervision of:
  - A. Individuals permitted to work as an authorized user in accordance with 10 CFR 35.13 and 35.14.
  - B. The following individuals are authorized users for medical use as indicated:
 

Frank M. Fayz, M.D.	10 CFR 35.100 and 35.200.
Frank J. Messana, D.O.	10 CFR 35.100 and 35.200.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
21-26306-01Docket or Reference Number  
030-32143

Amendment No. 07

Crystal F. Darling, M.D.

10 CFR 35.100 and 35.200.

13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
14. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

A. Application dated April 17, 2001.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date \_\_\_\_\_

By \_\_\_\_\_  
James R. Mullauer, M.H.S.  
Materials Licensing Branch  
Region III