

August 13, 2007

Mr. Jeffrey T. Gasser
Executive Vice President
Southern Nuclear Operating Company, Inc.
Post Office Box 1295
Birmingham, Alabama 35201-1295

SUBJECT: VOGTLE ELECTRIC GENERATING PLANT, UNIT 2 - COMPLETION OF
ACTIONS FOR CONFIRMATORY ACTION LETTER NRR-07-005
(TAC NO. MD4195)

Dear Mr. Gasser:

On March 12, 2007, the Nuclear Regulatory Commission (NRC) issued Confirmatory Action Letter (CAL) No. NRR-07-005 (Agencywide Documents Access and Management System (ADAMS) Accession No. ML070660103) regarding dissimilar metal welds in the pressurizers at Vogtle Electric Generating Plant (VEGP), Units 1 and 2. This letter acknowledges receipt of your letter dated June 20, 2007 (ADAMS Accession No. ML071710549) informing the NRC of actions taken at VEGP Unit 2 in response to the CAL.

In your letter, you stated that Southern Nuclear Operating Company, Inc. (SNC), submitted an April 13, 2007, letter (ADAMS Accession No. ML071080311) to the NRC providing examination results for the VEGP Unit 2 pressurizer nozzle full structural weld overlays and a discussion of repairs to the overlay material and/or base metal. This information was supplemented by SNC letter dated April 13, 2007 (ADAMS Accession No. ML071030407). You stated that these submittals satisfied the 60-day reporting requirement committed to by SNC letter dated March 6, 2007 (ADAMS Accession No. ML070650572), and that all of the actions and commitments addressed in the CAL with regard to VEGP Unit 2 are complete.

Based on your letter, the NRC staff concluded that all the commitments listed in the CAL and the supporting commitment letters have been met for VEGP Unit 2. With respect to VEGP Unit 2, no further response is required regarding the CAL and it is no longer necessary to implement enhanced inspection and leakage monitoring requirements for the reactor coolant system. This action closes TAC No. MD4195.

Thank you for informing us of the actions documented in your letter. These actions may be examined during a future NRC inspection of your facility.

Since the CAL addressed both VEGP units, it will remain open until all CAL commitments pertaining to VEGP Unit 1 are complete. TAC No. MD4194 for Unit 1 will also remain open.

Current NRC guidance regarding CALs is contained in the NRC Enforcement Policy and the NRC Enforcement Manual, which are available at the NRC web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement.html> (click on Enforcement Policy or Enforcement Guidance) or by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 9:00 p.m. EST, Monday through Friday (except Federal holidays).

J. Gasser

-2-

In accordance with Title 10 of the *Code of Federal Regulations*, Part 2, "Rules of Practice," Section 2.390, a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

/RA/

Catherine Haney, Director
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket No. 50-425

cc: See next page

In accordance with Title 10 of the *Code of Federal Regulations*, Part 2, "Rules of Practice," Section 2.390, a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

/RA/

Catherine Haney, Director
 Division of Operating Reactor Licensing
 Office of Nuclear Reactor Regulation

Docket No. 50-425

cc: See next page

Distribution:

PUBLIC	LPL2-1 R/F	RidsNrrPMSLingam
RidsNrrLAMO'Brien	RidsOgcRp	RidsNrrDorlLpl2-1(EMarinos)
RidsAcrsAcnwMailCenter	RidsNrrOd(JDyer)	RidsRgn2MailCente(CCasto)
RidsNrrDci(MEvans)	RidsNrrDirs(ECollins)	RidsNrrAdes(JGrobe)
RidsOEMailCenter	RidsEdoMailCenter	SCampbell, EDO Region 2
KClark,OPA, Region 2	ESullivan, NRR	RidsNrrDciCpnb(TChan)
TLupold, NRR	RidsNrrPMBMoroney	
RTrojanowski, Region 2 State Liaison Officer		
RidsNrrDorl(CHaney/JLubinski/TMcGinty)		

ADAMS Accession No. ML072120467

OFFICE	DCI/CPNB Lead Eng	DCI/CPNB	LPL2-1/PM	LPL2-1/LA	LPL2-1/BC
NAME	TLupold	TChan	SLingam	MO'Brien	EMarinos
DATE	8/7/07	8/7/07	7/31/07	8/6/07	8/6/07
OFFICE	DCI/D	DRP/D, RGN2	DORL/D		
NAME	MEvans	CCasto	CHaney		
DATE	8/9/07	8/7/07	8/13/07		

OFFICIAL RECORD COPY

Vogtle Electric Generating Plant, Units 1 & 2

cc:

Mr. Tom E. Tynan
Vice President - Vogtle
Vogtle Electric Generating Plant
7821 River Road
Waynesboro, GA 30830

Mr. N. J. Stringfellow
Manager, Licensing
Southern Nuclear Operating Company, Inc.
P.O. Box 1295
Birmingham, AL 35201-1295

Mr. Jeffrey T. Gasser
Executive Vice President
Southern Nuclear Operating Company, Inc.
P.O. Box 1295
Birmingham, AL 35201-1295

Mr. Steven M. Jackson
Senior Engineer - Power Supply
Municipal Electric Authority of Georgia
1470 Riveredge Parkway, NW
Atlanta, GA 30328-4684

Mr. Reece McAlister
Executive Secretary
Georgia Public Service Commission
244 Washington St., SW
Atlanta, GA 30334

Mr. Harold Reheis, Director
Department of Natural Resources
205 Butler Street, SE, Suite 1252
Atlanta, GA 30334

Attorney General
Law Department
132 Judicial Building
Atlanta, GA 30334

Mr. Laurence Bergen
Oglethorpe Power Corporation
2100 East Exchange Place
P.O. Box 1349
Tucker, GA 30085-1349

Arthur H. Domby, Esquire
Troutman Sanders
Nations Bank Plaza
600 Peachtree Street, NE
Suite 5200
Atlanta, GA 30308-2216

Resident Inspector
Vogtle Plant
8805 River Road
Waynesboro, GA 30830

Office of the County Commissioner
Burke County Commission
Waynesboro, GA 30830