





**Draft Environmental Impact  
Statement for License Renewal  
of the National Bureau of  
Standards Reactor**

**Draft Report for Comment**

**U.S. Nuclear Regulatory Commission  
Office of Nuclear Reactor Regulation  
Washington, DC 20555-0001**



## AVAILABILITY OF REFERENCE MATERIALS IN NRC PUBLICATIONS

### NRC Reference Material

As of November 1999, you may electronically access NUREG-series publications and other NRC records at NRC's Public Electronic Reading Room at <http://www.nrc.gov/reading-rm.html>.

Publicly released records include, to name a few, NUREG-series publications; *Federal Register* notices; applicant, licensee, and vendor documents and correspondence; NRC correspondence and internal memoranda; bulletins and information notices; inspection and investigative reports; licensee event reports; and Commission papers and their attachments.

NRC publications in the NUREG series, NRC regulations, and *Title 10, Energy*, in the Code of *Federal Regulations* may also be purchased from one of these two sources.

1. The Superintendent of Documents  
U.S. Government Printing Office  
Mail Stop SSOP  
Washington, DC 20402-0001  
Internet: [bookstore.gpo.gov](http://bookstore.gpo.gov)  
Telephone: 202-512-1800  
Fax: 202-512-2250
2. The National Technical Information Service  
Springfield, VA 22161-0002  
[www.ntis.gov](http://www.ntis.gov)  
1-800-553-6847 or, locally, 703-605-6000

A single copy of each NRC draft report for comment is available free, to the extent of supply, upon written request as follows:

Address: U.S. Nuclear Regulatory Commission  
Office of Administration  
Mail, Distribution and Messenger Team  
Washington, DC 20555-0001

E-mail: [DISTRIBUTION@nrc.gov](mailto:DISTRIBUTION@nrc.gov)

Facsimile: 301-415-2289

Some publications in the NUREG series that are posted at NRC's Web site address <http://www.nrc.gov/reading-rm/doc-collections/nuregs> are updated periodically and may differ from the last printed version. Although references to material found on a Web site bear the date the material was accessed, the material available on the date cited may subsequently be removed from the site.

### Non-NRC Reference Material

Documents available from public and special technical libraries include all open literature items, such as books, journal articles, and transactions, *Federal Register* notices, Federal and State legislation, and congressional reports. Such documents as theses, dissertations, foreign reports and translations, and non-NRC conference proceedings may be purchased from their sponsoring organization.

Copies of industry codes and standards used in a substantive manner in the NRC regulatory process are maintained at—

The NRC Technical Library  
Two White Flint North  
11545 Rockville Pike  
Rockville, MD 20852-2738

These standards are available in the library for reference use by the public. Codes and standards are usually copyrighted and may be purchased from the originating organization or, if they are American National Standards, from—

American National Standards Institute  
11 West 42<sup>nd</sup> Street  
New York, NY 10036-8002  
[www.ansi.org](http://www.ansi.org)  
212-642-4900

Legally binding regulatory requirements are stated only in laws; NRC regulations; licenses, including technical specifications; or orders, not in NUREG-series publications. The views expressed in contractor-prepared publications in this series are not necessarily those of the NRC.

The NUREG series comprises (1) technical and administrative reports and books prepared by the staff (NUREG-XXXX) or agency contractors (NUREG/CR-XXXX), (2) proceedings of conferences (NUREG/CP-XXXX), (3) reports resulting from international agreements (NUREG/IA-XXXX), (4) brochures (NUREG/BR-XXXX), and (5) compilations of legal decisions and orders of the Commission and Atomic and Safety Licensing Boards and of Directors' decisions under Section 2.206 of NRC's regulations (NUREG-0750).





NUREG-1873

# **Draft Environmental Impact Statement for License Renewal Of the National Bureau of Standards Reactor**

## **Draft Report for Comment**

Manuscript Completed: May 2007  
Date Published: June 2007

**Division of License Renewal  
Office of Nuclear Reactor Regulation  
U.S. Nuclear Regulatory Commission  
Washington, DC 20555-0001**



## COMMENTS ON DRAFT REPORT

Any interested party may submit comments on this report for consideration by the NRC staff. Comments may be accompanied by additional relevant information or supporting data. Please specify the report number Draft NUREG-1873 in your comments, and send them by the end of the 60 day comment period specified in the Federal Register notice announcing availability of this draft.

Chief, Rulemaking, Directives and Editing Branch  
Mail Stop: T6-D59  
U.S. Nuclear Regulatory Commission  
Washington, DC 20555-0001

You may also provide comments at the NRC Web site:

<http://www.nrc.gov/public-involved/doc-comment/form.html>

For any questions about the material in this report, please contact:

Dennis Beissel  
Mail Stop: O-11F1  
U.S. Nuclear Regulatory Commission  
Washington, DC 20555-0001  
Phone: (301) 415-2145  
E-mail: [DRB1@nrc.gov](mailto:DRB1@nrc.gov)

# Abstract

1  
2  
3  
4 This draft environmental impact statement (EIS) has been prepared in response to an  
5 application submitted to the U.S. Nuclear Regulatory Commission (NRC) by the National  
6 Institute of Standards and Technology (NIST) to renew the operating license for the National  
7 Bureau of Standards Reactor (NBSR) for a period of an additional 20 years. This is the second  
8 license renewal application for the NBSR. The first license renewal was granted May 16, 1984,  
9 and included a power uprate from 10 megawatts (MW) to 20 MW of thermal power. This draft  
10 EIS includes the NRC staff's analysis that considers and weighs the environmental impacts of  
11 the proposed action, as well as mitigation measures available for reducing or avoiding adverse  
12 impacts. It also includes the staff's recommendation regarding the proposed action.

13  
14 No public comments were received during the scoping process. The staff determined from its  
15 review of the application that no issues having a significant environmental impact exist, and  
16 additional mitigation measures are not likely to be sufficiently beneficial as to be warranted.

17  
18 The NRC staff's recommendation is that the Commission determine the adverse environmental  
19 impacts of license renewal for the NBSR are not so great that license renewal would be  
20 unreasonable. This recommendation is based on (1) the Environmental Report submitted by  
21 NIST; (2) consultation with Federal, State, and local agencies; and (3) the staff's own  
22 independent review.

## Paperwork Reduction Act Statement

23  
24  
25 This draft environmental impact statement does not contain information collection requirements  
26 and, therefore, is not subject to the requirements of the Paperwork Reduction Act of 1995 (44  
27 U.S.C. 3501 et seq.).

## Public Protection Notification

28  
29  
30  
31 The NRC may not conduct or sponsor, and a person is not required to respond to, a request for  
32 information or an information request requirement unless the requesting document displays a  
33 currently valid OMB control number.  
34  
35



# Contents

1		
2		
3		
4	Abstract .....	iii
5		
6	Executive Summary .....	xi
7		
8	Abbreviations/Acronyms .....	xiii
9		
10	1.0 Introduction .....	1-1
11		
12	1.1 Report Contents .....	1-1
13		
14	1.2 Background .....	1-2
15		
16	1.3 The Proposed Federal Action .....	1-3
17		
18	1.4 The Purpose and Need for the Proposed Action .....	1-4
19		
20	1.5 Compliance and Consultations .....	1-5
21		
22	1.6 References .....	1-5
23		
24	2.0 Description of Reactor, Site, and Reactor Interaction with the Environment .....	2-1
25		
26	2.1 Reactor and Site Description and Proposed Reactor Operation During	
27	the License Renewal Term .....	2-1
28	2.1.1 External Appearance and Setting .....	2-2
29	2.1.1.1 Specification and Location .....	2-5
30	2.1.1.2 Access Control and Emergency Planning Zone .....	2-5
31	2.1.1.3 Population Distribution .....	2-7
32	2.1.1.4 Nearby Industrial, Transportation, and Military Facilities .....	2-9
33	2.1.2 Description of Reactor Complex .....	2-10
34	2.1.3 Experimental Facilities .....	2-11
35	2.1.3.1 Neutron Beams .....	2-12
36	2.1.3.2 Thermal Column Facility .....	2-13
37	2.1.3.3 Pneumatic System and In-Core Exposure Facilities .....	2-13
38	2.1.3.4 Cold Neutron Experiments .....	2-13
39	2.1.4 Radioactive Waste Management Systems and Effluent	
40	Control Systems .....	2-13
41	2.1.4.1 Radiation Sources .....	2-14
42	2.1.4.2 Liquid Waste Processing Systems and Effluent Controls .....	2-14

Contents

1	2.1.4.3 Gaseous Waste Processing Systems and Effluent Controls . . . . .	2-17
2	2.1.4.4 Solid Waste Processing . . . . .	2-19
3	2.1.5 Nonradioactive Waste Systems . . . . .	2-22
4		
5	2.2 Interaction of the Reactor with the Environment . . . . .	2-23
6	2.2.1 Land Use . . . . .	2-23
7	2.2.2 Water Use . . . . .	2-24
8	2.2.3 Water Quality . . . . .	2-24
9	2.2.4 Meteorology and Air Quality . . . . .	2-24
10	2.2.5 Aquatic Resources . . . . .	2-26
11	2.2.6 Terrestrial Resources . . . . .	2-27
12	2.2.7 Radiological Impacts . . . . .	2-28
13	2.2.7.1 Environmental Monitoring . . . . .	2-28
14	2.2.7.2 Impacts From Radiological Liquid Emissions . . . . .	2-29
15	2.2.7.3 Impacts From Radiological Air Emissions . . . . .	2-29
16	2.2.7.4 Dose to Workers . . . . .	2-30
17	2.2.8 Socioeconomic Factors . . . . .	2-31
18	2.2.8.1 Housing . . . . .	2-31
19	2.2.8.2 Public Services . . . . .	2-33
20	2.2.8.3 Offsite Land Use . . . . .	2-35
21	2.2.8.4 Visual Aesthetics and Noise . . . . .	2-35
22	2.2.8.5 Demography . . . . .	2-36
23	2.2.9 Historic and Cultural Resources . . . . .	2-39
24	2.2.10 Related Federal Project Activities and Consultations . . . . .	2-39
25		
26	2.3 References . . . . .	2-40
27		
28	3.0 Environmental Impacts of Operation . . . . .	3-1
29		
30	3.1 Cooling System . . . . .	3-1
31		
32	3.2 Radiological Impacts . . . . .	3-2
33		
34	3.3 Socioeconomic Impacts . . . . .	3-3
35	3.3.1 Housing Impacts . . . . .	3-3
36	3.3.2 Public Services: Public Utilities . . . . .	3-4
37	3.3.3 Public Services: Transportation . . . . .	3-5
38	3.3.4 Offsite Land Use . . . . .	3-5
39	3.3.5 Environmental Justice . . . . .	3-5
40		
41		

1	3.4	Historic and Archaeological Resources .....	3-7
2			
3	3.5	Ecology .....	3-8
4	3.5.1	Aquatic Ecology .....	3-8
5	3.5.2	Terrestrial Ecology .....	3-8
6	3.5.3	Threatened and Endangered Species .....	3-8
7			
8	3.6	Cumulative Impacts of Operations During the License Renewal Term .....	3-9
9	3.6.1	Cumulative Impacts Resulting from Operation of the Plant	
10		Cooling System .....	3-9
11	3.6.2	Cumulative Radiological Impacts .....	3-10
12	3.6.3	Cumulative Socioeconomic Impacts .....	3-10
13	3.6.4	Cumulative Impacts on Historic and Archaeological Resources .....	3-10
14	3.6.5	Cumulative Impacts on Ecology Including Threatened and	
15		Endangered Species .....	3-11
16			
17	3.7	Summary of Impacts of Operations During the License Renewal Term .....	3-11
18			
19	3.8	References .....	3-11
20			
21	4.0	Environmental Impacts of Postulated Accidents .....	4-1
22			
23	4.1	Postulated Facility Accidents .....	4-1
24	4.1.1	Design-Basis Accidents .....	4-1
25	4.1.2	Severe Accidents .....	4-3
26			
27	4.2	References .....	4-4
28			
29	5.0	Environmental Impacts of the Uranium Fuel Cycle and Solid Waste	
30		Management .....	5-1
31			
32	5.1	The Uranium Fuel Cycle .....	5-2
33			
34	5.2	References .....	5-5
35			
36	6.0	Environmental Impacts of Decommissioning .....	6-1
37			
38	6.1	Decommissioning .....	6-1
39			
40	6.2	References .....	6-3
41			
42			

## Contents

1	7.0 Environmental Impacts of the Alternatives .....	7-1
2		
3	7.1 No-Action Alternative .....	7-2
4	7.1.1 Land Use .....	7-2
5	7.1.2 Aquatic and Terrestrial Resources .....	7-2
6	7.1.3 Water Use and Quality .....	7-3
7	7.1.4 Air Quality .....	7-3
8	7.1.5 Waste .....	7-4
9	7.1.6 Human Health .....	7-4
10	7.1.7 Socioeconomics .....	7-4
11	7.1.8 Environmental Justice .....	7-4
12	7.1.9 Aesthetics and Noise .....	7-5
13	7.1.10 Historic and Archaeological Resources .....	7-5
14		
15	7.2 Construction of a Replacement Reactor and Associated Facilities .....	7-5
16	7.2.1 Land Use .....	7-6
17	7.2.2 Aquatic and Terrestrial Resources .....	7-7
18	7.2.3 Water Use and Quality .....	7-8
19	7.2.4 Air Quality .....	7-9
20	7.2.5 Waste .....	7-9
21	7.2.6 Human Health .....	7-9
22	7.2.7 Socioeconomics .....	7-10
23	7.2.8 Environmental Justice .....	7-10
24	7.2.9 Aesthetics and Noise .....	7-10
25	7.2.10 Historic and Archaeological Resources .....	7-11
26		
27	7.3 Summary of Alternatives Considered .....	7-11
28		
29	7.4 References .....	7-12
30		
31	8.0 Summary and Conclusions .....	8-1
32		
33	8.1 Environmental Impacts of the Proposed Action – License Renewal .....	8-2
34	8.1.1 Unavoidable Adverse Impacts .....	8-3
35	8.1.2 Irreversible or Irretrievable Resource Commitments .....	8-3
36	8.1.3 Short-Term Use Versus Long-Term Productivity .....	8-3
37		
38	8.2 Relative Significance of the Environmental Impacts of License Renewal	
39	and Alternatives .....	8-4
40		
41		

Contents

1	8.3 Staff Conclusions and Recommendations .....	8-5
2		
3	8.4 References .....	8-5
4		
5	Appendix A - Contributors to the Document .....	A-1
6	Appendix B - Comments Received on the Environmental Review .....	B-1
7	Appendix C - Chronology of NRC Staff Environmental Review Correspondence	
8	Related to National Institute of Standards and Technology's	
9	Application for License Renewal for the National Bureau of	
10	Standards Reactor .....	C-1
11	Appendix D - Organizations Contacted .....	D-1
12		

# Figures

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11

2-1	Regional Map .....	2-2
2-2	Immediate Area .....	2-3
2-3	Photographic View .....	2-4
2-4	NIST Center for Neutron Research .....	2-6
2-5	Major Federal Installations in Montgomery County, Maryland .....	2-38

# Tables

12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33

2-1	Population Estimates .....	2-7
2-2	Montgomery County Population .....	2-8
2-3	Montgomery County Population Forecasts .....	2-8
2-4	Montgomery County Planning Area Forecasts for Population .....	2-8
2-5	NBSR Site Area Census Data .....	2-9
2-6	NBSR Systems and Radiation Sources .....	2-15
2-7	Total Occupied and Vacant (Available) Housing Units by County, 1990 and 2000 .....	2-32
2-8	Population Growth in Montgomery County, Maryland – 1980 to 2020 .....	2-33
2-9	Number of Jobs in Montgomery County and the State of Maryland (2004 to 2010) .....	2-39
7-1	Summary of Environmental Impacts of the No-Action Alternative .....	7-3
7-2	Characterization of Impacts Associated with Construction and Operation of a Replacement Reactor and Associated Support Facilities .....	7-6
8-1	Summary of Environmental Significance of License Renewal, the No-Action Alternative, and Construction and Operation of Alternative Research Facilities .....	8-4

# Executive Summary

1  
2  
3  
4 By letter dated April 9, 2004, the National Institute of Standards and Technology (NIST)  
5 submitted an application to the U.S. Nuclear Regulatory Commission (NRC) to renew the  
6 operating license (OL) for the National Bureau of Standards Reactor (NBSR) for an additional  
7 20-year period. If the OL is not renewed, then the reactor must be shut down.

8  
9 Section 102 of the National Environmental Policy Act (NEPA) (42 USC 4321 et seq.) directs that  
10 an environmental impact statement (EIS) is required for major Federal actions that significantly  
11 affect the quality of the human environment. The NRC has implemented Section 102 of NEPA  
12 in Title 10 of the Code of Federal Regulations (CFR) Part 51. Part 51 identifies licensing and  
13 regulatory actions that require an EIS. In 10 CFR 51.20(b)(2), the Commission requires  
14 preparation of an EIS for renewal of a testing facility (test reactor) OL.

15  
16 Upon acceptance of the NIST application, the NRC began the environmental review process  
17 described in 10 CFR Part 51 by publishing a notice of intent to prepare an EIS and conduct  
18 scoping (70 FR 56935) on September 29, 2005. The staff visited the NIST site in September  
19 2006. In the preparation of this draft EIS for the NBSR, the staff reviewed the NIST  
20 Environmental Report (ER), consulted with other agencies, and conducted an independent  
21 analysis of the issues. No comments were received from the public during the scoping process.

22  
23 This draft EIS includes the NRC staff's preliminary analysis that considers and weighs the  
24 environmental effects of the proposed action, the environmental impacts of alternatives to the  
25 proposed action, and mitigation measures for reducing or avoiding adverse effects. It also  
26 includes the staff's preliminary recommendation regarding the proposed action. When the  
27 45-day comment period on the draft EIS ends, the staff will consider comments received. Any  
28 comments received will be addressed in Appendix B, Part II, of the final EIS.

29  
30 For the evaluation of the NBSR license renewal action, the staff has applied the NRC's three-  
31 level standard of significance – SMALL, MODERATE, or LARGE – developed using the Council  
32 on Environmental Quality guidelines. The following definitions of the three significance levels  
33 are set forth in the footnotes to Table B-1 of 10 CFR Part 51, Subpart A, Appendix B:

34  
35 **SMALL** – Environmental effects are not detectable or are so minor that they will neither  
36 destabilize nor noticeably alter any important attribute of the resource.

37  
38 **MODERATE** – Environmental effects are sufficient to alter noticeably, but not to  
39 destabilize, important attributes of the resource.

40  
41 **LARGE** – Environmental effects are clearly noticeable and are sufficient to destabilize  
42 important attributes of the resource.

## Executive Summary

1 The staff's analysis revealed that all of the environmental impacts considered in this EIS for  
2 continued operation of the NBSR during the term of the renewed OL would be expected to be  
3 SMALL.

4  
5 If the NBSR operating license is not renewed and the unit ceases operation, then the adverse  
6 impacts of the most likely alternative, construction of a replacement facility, will not be smaller  
7 than those associated with continued operation of the NBSR. The impacts may, in fact, be  
8 greater in some areas.

9  
10 The preliminary recommendation of the NRC staff is the Commission determine the adverse  
11 environmental impacts of license renewal for the NBSR are not so great that preserving the  
12 option of license renewal for NIST decisionmakers would be unreasonable. This  
13 recommendation is based on (1) the ER submitted by NIST; (2) consultation with other Federal,  
14 State, and local agencies; and (3) the staff's own independent review. There were no  
15 comments received from the public during the scoping process that would require the NRC to  
16 consider additional environmental issues above those anticipated by the staff to be relevant.

# Abbreviations/Acronyms

1		
2		
3		
4	μCi	microcurie(s)
5		
6	α	alpha
7	ac	acre(s)
8	ADAMS	Agencywide Document Access and Management System
9	ALARA	as low as reasonably achievable
10	AQCR	Air Quality Control Region
11	AQI	Air Quality Index
12		
13	BWI	Baltimore-Washington International Airport
14		
15	°C	degrees Celsius
16	CAM	continuous air monitor
17	CEQ	Council on Environmental Quality
18	CFR	Code of Federal Regulations
19	cfs	cubic feet per second
20	Ci	curie(s)
21	cm	centimeter(s)
22		
23	DAC	derived air concentration
24	DBA	design basis accident
25	DCA	Washington Reagan Airport
26	DOE	U.S. Department of Energy
27		
28	EIS	environmental impact statement
29	EPA	U.S. Environmental Protection Agency
30	EPZ	emergency planning zone
31	ER	Environmental Report
32	ESF	Engineered Safety Features
33		
34	°F	degrees Fahrenheit
35	FES	Final Environmental Statement
36	FR	<i>Federal Register</i>
37	ft	foot/feet
38		
39	γ	gamma
40	gal	gallon
41	GEIS	Generic Environmental Impact Statement for License Renewal of Nuclear Plants, NUREG-1437
42		

## Abbreviations/Acronyms

1	gpd	gallon(s) per day
2	gpm	gallon(s) per minute
3		
4	ha	hectare(s)
5	HEPA	high-efficiency particulate air (filter)
6	HEU	highly enriched fuel
7	HLW	high-level waste
8	hr	hour(s)
9		
10	IAD	Dulles International Airport
11	in.	inch(es)
12		
13	kg	kilogram(s)
14	km	kilometer(s)
15		
16	L	liter(s)
17	lb	pound(s)
18	LEU	low enriched fuel
19	LLW	low-level radioactive waste
20	LWR	light-water reactor
21		
22	m	meter(s)
23	MGD	million gallons per day
24	MHA	maximum hypothetical accident
25	mi	mile(s)
26	min	minute(s)
27	mL	milliliter(s)
28	MLLW	mixed low level waste
29	mm	millimeters
30	mrem	millirem(s)
31	m/s	meters per second
32	mSv	millisievert(s)
33	MTR	materials testing reactor
34	MW	megawatt(s)
35	MWe	megawatt(s) electric
36	MWt	megawatt(s) thermal
37		
38	n	neutron
39	NAAQS	National Ambient Air Quality Standards
40	NBSR	National Bureau of Standards Reactor
41	NEPA	National Environmental Policy Act of 1969, 42 USC 4321, et seq.
42	NHPA	National Historic Preservation Act of 1966, 16 USC 470, et seq.

## Abbreviations/Acronyms

1	NIST	National Institute of Standards and Technology
2	NRC	U.S. Nuclear Regulatory Commission
3	NTSB	National Transportation Safety Board
4	NWS	National Weather Service
5		
6	OL	operating license
7	OSTP	Office of Science and Technology Policy
8		
9	p	proton
10		
11	rem	special unit of dose equivalent, equal to 0.01 Sv
12	REMP	radiological environmental monitoring program
13		
14	s	second(s)
15	SAR	safety analysis report
16	SER	Safety Evaluation Report
17	SRS	Savannah River Site
18	Sv	sievert (special unit of dose equivalent)
19		
20	TLD	thermoluminescent dosimeter
21		
22	USCB	U.S. Census Bureau
23		
24	WSSC	Washington Suburban Sanitary Commission
25		
26	yr	year(s)



# 1.0 Introduction

Under the U.S. Nuclear Regulatory Commission's (NRC's) environmental protection regulations in Title 10 of the Code of Federal Regulations (CFR) Part 51, which implement the National Environmental Policy Act of 1969 (NEPA), renewal of a nuclear test reactor operating license (OL) requires the preparation of an environmental impact statement (EIS). In preparing the EIS, the NRC staff is required first to issue the statement in draft form for public comment, and then issue a final statement after considering public comments on the draft.

The National Institute of Standards and Technology (NIST) operates the National Bureau of Standards Reactor (NBSR) in Gaithersburg, Maryland, under OL No. TR-5, which was issued by the NRC. By letter dated April 9, 2004, NIST submitted an application to the NRC to renew the OL for the NBSR for an additional 20 year period under 10 CFR 51.20(b)(2). Pursuant to 10 CFR 51.53, NIST submitted an Environmental Report (ER) (NIST 2004), which analyzed the environmental impacts associated with the proposed license renewal action and evaluated mitigation measures for reducing adverse environmental effects. The current OL for the NBSR was scheduled to expire on May 16, 2004. However, in accordance with 10 CFR 2.109(a) NIST's application for renewal was received at least 30 days prior to the expiration of an existing license, and therefore, the existing OL will not be considered expired until the application has been finally determined.

This report is the draft EIS for the NIST application for license renewal of the NBSR. The staff will also prepare a separate safety evaluation report.

## 1.1 Report Contents

The following sections of this Introduction (1) describe the background for the preparation of this draft EIS and the process used by the staff to assess the environmental impacts associated with license renewal; (2) describe the proposed Federal action to renew the NBSR OL; (3) discuss the purpose and need for the proposed action; and (4) discuss the NBSR's compliance with environmental quality standards and requirements that have been imposed by Federal, State, regional, and local agencies that are responsible for environmental protection.

The ensuing chapters of this draft EIS include the following information. Chapter 2 describes the site, reactor, and interactions of the reactor with the environment. Chapter 3 discusses the environmental impacts of operation during the renewal term. Chapter 4 contains a summary of the evaluation of potential environmental impacts of plant accidents, including consideration of the maximum hypothetical event. Chapter 5 discusses the environmental impacts of the uranium fuel cycle and solid waste management. Chapter 6 examines the impacts of decommissioning. Chapter 7 discusses the impacts of alternatives to license renewal.

## Introduction

1 Chapter 8 summarizes the findings of the preceding chapters and draws conclusions about the  
2 adverse impacts that cannot be avoided, the relationship between short-term uses of the  
3 environment and the maintenance and enhancement of long-term productivity, and any  
4 irreversible or irretrievable commitment of resources. Chapter 8 also presents the staff's  
5 preliminary recommendation with respect to the proposed license renewal action.  
6

7 Additional information is included in appendixes. Appendix A lists the contributors to the  
8 document. Appendix B addresses the public response to scoping for the environmental review  
9 for license renewal. Appendix C provides a chronology of the NRC staff's environmental review  
10 correspondence related to this draft EIS, and Appendix D identifies the organizations contacted  
11 during the development of this draft EIS.  
12

## 1.2 Background

13  
14  
15 An applicant seeking to renew its OL is required to submit an ER as part of its application. The  
16 NRC license-renewal evaluation process involves careful (1) review of an applicant's ER;  
17 (2) review of records of public comments; (3) review of environmental quality standards and  
18 regulations; (4) coordination with Federal, State, and local environmental protection and  
19 resource agencies; and (5) review of the technical literature to verify the environmental impacts  
20 of the proposed license renewal. Using the NRC's established license renewal evaluation  
21 framework for commercial power reactors ensures a thorough evaluation of the impacts of  
22 renewal of the OL for the NBSR. The *Generic Environmental Impact Statement for License  
23 Renewal of Nuclear Plants (GEIS)*, NUREG-1437, Volumes 1 and 2 (NRC 1996, 1999)<sup>(a)</sup> was  
24 written specifically for use in the renewal of OLs for commercial power reactors. In conducting  
25 the staff review of the NIST application, the NRC staff was informed by certain GEIS features  
26 including the use of the three-level standard of significance.  
27

28 In following the precedent of the GEIS and the site-specific supplemental license renewal EISs,  
29 environmental issues in this draft EIS have been evaluated using a three-level standard of  
30 significance – SMALL, MODERATE, or LARGE – developed by NRC using guidelines from the  
31 Council on Environmental Quality. The definitions of the three significance levels are set forth in  
32 the footnotes to Table B-1 of 10 CFR Part 51, Subpart A, Appendix B, as follows:  
33

34 SMALL – Environmental effects are not detectable or are so minor that they will  
35 neither destabilize nor noticeably alter any important attribute of the resource.  
36

37 MODERATE – Environmental effects are sufficient to alter noticeably, but not to  
38 destabilize, important attributes of the resource.  
39

---

(a) The GEIS was originally issued in 1996. Addendum 1 to the GEIS was issued in 1999. Hereafter, all referenced to the "GEIS" include the GEIS and its Addendum 1.

1           LARGE – Environmental effects are clearly noticeable and are sufficient to  
2           destabilize important attributes of the resource.  
3

4           When the findings in the GEIS are used in this document, there is a description of the finding  
5           and a brief discussion on how the findings can also be applicable to or bound the environmental  
6           effects of a test reactor such as the NBSR.  
7

8           As a part of its review, the NRC prepares an independent analysis of the environmental impacts  
9           of license renewal and compares these impacts with the environmental impacts of alternatives.  
10          The evaluation of the NIST license renewal application began with the publication of a notice of  
11          acceptance for docketing and opportunity for a hearing in the *Federal Register* (69 FR 56462)  
12          on September 21, 2004. The staff issued a notice of intent to prepare a draft EIS and to  
13          conduct scoping (70 FR 56935) on September 29, 2005.  
14

15          The NRC staff and contractors retained to assist the staff visited the NIST site on  
16          September 26, 2006, to gather information and to become familiar with the NBSR, the NIST  
17          site, and its environs. The staff also consulted with Federal, State, regional, and local agencies.  
18          A list of the organizations consulted is provided in Appendix D. Other documents related to the  
19          NBSR were reviewed and are referenced. There were no comments received from the public  
20          related to the NBSR during the scoping period, which ended November 28, 2005.  
21

22          This draft EIS presents the staff's analysis that considers and weighs the environmental effects  
23          of the proposed renewal of the OL for the NBSR, the environmental impacts of alternatives to  
24          license renewal, and mitigation measures available for avoiding adverse environmental effects.  
25          Chapter 8, Summary and Conclusions, provides the staff's preliminary recommendation to the  
26          Commission on whether or not the adverse environmental impacts of license renewal are so  
27          great that preserving the option of license renewal would be unreasonable.  
28

29          As provided by 10 CFR Part 51, a 45-day comment period will begin on the date of publication  
30          of the U.S. Environmental Protection Agency's Notice of Filing of the draft EIS to allow members  
31          of the public to comment on the preliminary results of the NRC staff's review.  
32

### 33           **1.3 The Proposed Federal Action**

34

35          The proposed Federal action is renewal of the OL for the NBSR. This reactor is located on the  
36          NIST campus in upper Montgomery County, Maryland, approximately 32 km (20 mi) northwest  
37          of the District of Columbia. The NBSR is a heavy water-moderated and cooled, enriched-fuel,  
38          tank-type reactor designed to operate at 20 megawatts (MW) of thermal power. It is a  
39          custom-designed variation of the Argonne CP-5 class reactor. The primary coolant system is  
40          closed, recirculating heavy water (D<sub>2</sub>O) in an aluminum and stainless steel system. Heat from  
41          the reactor is transferred to a secondary cooling system of light water, and then to the

## Introduction

1 atmosphere by means of evaporation from a cooling tower located outside the confinement  
2 building (NIST 2004). The current OL for the NBSR expired on May 16, 2004. By letter dated  
3 April 9, 2004, NIST submitted an application to the NRC to renew this OL for an additional  
4 20 years of operation (NIST 2004). Because the license renewal application was filed in a  
5 timely manner under 10 CFR 2.109, the license is not deemed to have expired until a final  
6 determination has been made on the application.  
7

### 8 **1.4 The Purpose and Need for the Proposed Action**

9  
10 Although a licensee must have a renewed license to operate a reactor beyond the term of the  
11 existing OL, the possession of that license is just one of a number of conditions that must be  
12 met for the licensee to continue plant operation during the term of the renewed license.  
13

14 The NIST Center for Neutron Research is a national resource used by up to 2000 engineers  
15 and scientists per year for research in materials science, non-destructive evaluation, chemistry,  
16 biology, trace analysis, neutron standards and dosimetry, nuclear physics, and quantum  
17 metrology. A large cold neutron source (which slows neutrons to speeds of 1000 m/s or less  
18 and produces very low energy neutrons for research purposes) and seven neutron guides  
19 provide the United States with world-class capabilities in cold neutron research. The NBSR is  
20 used by engineers and scientists from all over the country, and is operated 24 hours a day, 7  
21 days a week with routine shutdowns every 5 to 6 weeks for partial refueling and, as needed, for  
22 maintenance. A study by an interagency working group of the Office of Science and  
23 Technology Policy (OSTP 2002) stated that the NIST Center for Neutron Research was the  
24 highest performing neutron facility in the United States at that time.  
25

26 Thus, for this license renewal review, the NRC considers the purpose and need for the  
27 proposed action (renewal of the NIST NBSR operating license) is to provide an option allowing  
28 for neutron research capabilities beyond the term of the current reactor OL to meet national  
29 research and test facility needs, as such needs may be determined by NIST (and other Federal  
30 decisionmakers).  
31

32 This definition of purpose and need reflects the Commission's recognition that, unless there are  
33 findings in the safety review required by the Atomic Energy Act of 1954 or findings in the NEPA  
34 environmental analysis that would lead the NRC to reject this license-renewal application, the  
35 NRC does not have a role in the research-planning decisions as to whether this reactor should  
36 continue to operate. From the perspective of the licensee, the purpose of renewing this OL is to  
37 maintain the availability of specific research capabilities beyond the current term of NIST's OL.  
38  
39

## 1.5 Compliance and Consultations

The NBSR uses municipal water for cooling and discharges into the municipal sewer in accordance with the NIST campus discharge permit. The NIST campus is not within Maryland's coastal zone; therefore, the site is not subject to the Coastal Zone Management Act. NRC staff consulted with the Maryland Historical Trust regarding the potential renewal of the OL for the NBSR and determined, in accordance with 36 CFR 800.3(a)(1), that renewal would be an activity that does not have the potential to cause effects on historic properties.

Section 7(a)(2) of the Endangered Species Act states that Federal agencies are to consult with the U.S. Fish and Wildlife Service (FWS) to ensure that any agency action is not likely to jeopardize the continued existence of any endangered species or threatened species or result in the destruction or adverse modification of habitat of such species. Although no threatened or endangered species are known to occur on the NIST campus, official consultation has been initiated with the FWS.

## 1.6 References

10 CFR Part 51. Code of Federal Regulations, Title 10, *Energy*, Part 51, "Environmental Protection Regulations for Domestic Licensing and Related Regulatory Functions."

69 FR 56462. "Notice of Acceptance for Docketing of the Application and Notice of Opportunity for a Hearing Regarding Renewal of the National Bureau of Standards Reactor (The NBSR) Facility Operating License No. TR5 for an Additional Twenty-Year Period." *Federal Register*, Vol. 69, No. 182, pp. 56,462-56,464. September 21, 2004.

70 FR 56935. "National Institute of Standards and Technology, National Bureau of Standards Reactor; Notice of Intent to Prepare an Environmental Impact Statement and Conduct Scoping Process." *Federal Register*, Vol. 70, No. 188, pp. 56,935-56,936. September 29, 2005.

Atomic Energy Act of 1954 (AEA). 42 USC 2011, et seq.

Coastal Zone Management Act (CZMA). 16 USC 1451, et seq.

Endangered Species Act of 1973. 16 USC 1531, et seq.

National Environmental Policy Act of 1969 (NEPA). 42 USC 4321, et seq.

National Historic Preservation Act of 1966. 16 USC 470, et seq.

National Institute of Standards and Technology (NIST). 2004. *Environmental Report for*

## Introduction

- 1 *License Renewal for the National Institute of Standards and Technology Reactor – NBSR.*  
2 Docket No. 50-184, License No. TR5, Gaithersburg, Maryland. ML041120176.  
3
- 4 National Institute of Standards and Technology (NIST). 2004. Letter dated April 9, 2004 from  
5 Seymore H. Weiss, Chief Reactor Operations and Engineering. Subject: License Renewal  
6 Application for the National Institute of Standards and Technology Reactor. ML041120167.  
7
- 8 Office of Science and Technology Policy (OSTP). 2002. *Report on the Status and Needs of*  
9 *Major Neutron Scattering Facilities and Instruments in the United States.* Washington, D.C.  
10
- 11 U.S. Nuclear Regulatory Commission (U.S.NRC). 1996. *Generic Environmental Impact*  
12 *Statement for License Renewal of Nuclear Plants.* NUREG-1437, Volumes 1 and 2,  
13 Washington, D.C.  
14
- 15 U.S. Nuclear Regulatory Commission (U.S.NRC). 1999. *Generic Environmental Impact*  
16 *Statement for License Renewal of Nuclear Plants, Main Report,* "Section 6.3 – Transportation,  
17 Table 9.1, Summary of findings on NEPA issues for license renewal of nuclear power plants,  
18 Final Report." NUREG-1437, Volume 1, Addendum 1, Washington, D.C.

## **2.0 Description of Reactor, Site, and Reactor Interaction with the Environment**

The National Institute of Standards and Technology (NIST) Center for Neutron Research is a reactor-laboratory complex providing NIST and the nation with a facility for the performance of neutron-based research. The heart of this facility is the National Bureau of Standards Reactor (NBSR). The facility is located on the 234.5-ha (579.5-ac) NIST campus in upper Montgomery County, Maryland, approximately 32 km (20 mi) northwest of the District of Columbia (U.S. NRC 2007). NIST is a non-regulatory Federal agency of the U.S. Commerce Department within the Technology Administration.

The NIST Center for Neutron Research is a national resource used by nearly 2000 engineers and scientists each year. In 2002, researchers came to the center from all areas of the country, including 30 other Federal laboratories, 127 universities, 47 industrial laboratories, and 21 NIST divisions and offices. The major research areas include materials science, non-destructive evaluation, chemistry, biology, trace-element analysis, neutron standards and dosimetry, nuclear physics, and quantum metrology. A large cold neutron source and seven neutron guides provide the United States with capabilities in cold-neutron research, and up to 25 cold and thermal neutron instruments provide neutron scattering capability. As a result, the Center for Neutron Research served over 60 percent of the neutron users in the United States during the period 2000 through 2003. The reactor is operated 24 hours per day, 7 days per week, which allows for the operation of an extensive user program (NIST 2004).

Unless otherwise indicated, information in the following sections was adapted from the Environmental Report (ER) submitted by NIST for renewal of the NBSR operating license (OL) (NIST 2004a) and was independently verified by the staff. Additional information was obtained by the staff during the site audit (U.S. NRC 2007); appropriate citations will be made for other sources. The plant and its environment are described in Section 2.1, interactions of the plant with the environment are presented in Section 2.2, and references are listed in Section 2.3.

### **2.1 Reactor and Site Description and Proposed Reactor Operation During the License Renewal Term**

The NIST Center for Neutron Research reactor-laboratory complex provides NIST and the nation with an extensive facility for neutron-based research in biology, chemistry, engineering, materials science, and physics.

2.1.1 External Appearance and Setting

NIST is located within the Interstate-270 (I-270) Technology Corridor, as shown in Figures 2-1 and 2-2. This corridor is sited strategically in the center of Montgomery County and constitutes the county's primary focus of economic and transportation activity. The corridor straddles I-270 from the I-495 Washington Beltway to the south, to Clarksburg on the north. Figure 2-3 provides an overview of the NIST campus, and Figure 2-5 shows the layout of the NIST Center for Neutron Research reactor-laboratory complex in Building 235.

The site is suitable for the NBSR, given the reactor's characteristics (see Section 2.1.2). In particular, it operates at low power, at near-atmospheric pressure, and at low temperature. Consequently, there is neither a large inventory of radioactive fission products nor stored thermal energy to disperse that inventory to the surrounding area. The NBSR facility also has a confinement building to limit any radiological release to the environment in the unlikely event of an accident.





Figure 2-1. Regional Map



© 2002 MapQuest.com, Inc. © 2002 Navigation Technologies

Figure 2-2. NIST Immediate Area

- 1
- 2
- 3



Figure 2-3. NIST Photographic View

1  
2  
3

### 2.1.1.1 Specification and Location

The NIST Center for Neutron Research is located on the 234.5-hectare (579.5-acre) NIST campus (U.S. NRC 2007) in upper Montgomery County, approximately 32 km (20 mi) northwest of Washington, D.C. (Figure 2-1). The NIST Center for Neutron Research reactor-laboratory complex is located on Center Drive in the southern portion of the NIST campus in Gaithersburg, Montgomery County, Maryland (Figures 2-2, 2-3, and 2-4). There are no prominent natural features in the immediate vicinity of the reactor, and the most prominent man-made feature is I-270 adjacent to the eastern boundary of the NIST campus.


### 2.1.1.2 Access Control and Emergency Planning Zone

Only portions of the Center for Neutron Research facility in Building 235 are directly affected by the U.S. Nuclear Regulatory Commission (NRC) license: those include parts of the confinement building in C-Wing under licensed operations, the Guide Hall and its auxiliary building in the Cold Neutron Guide Hall in G-Wing, the ventilation stack east of the pump house, the emergency control station (ECS) and the fuel storage area (FSA) located in the A-Wing basement area, the heating, ventilation and air conditioning (HVAC) and electrical service equipment in the B-Wing basement, and also the high-bay area located on the main level of the B-Wing immediately adjacent to the east side of the confinement building.

There are a number of access controls related to the reactor:

- The NIST boundary fence, which surrounds the campus – Access is controlled by NIST Security, and access is limited to employees, contractors, and individuals who have business onsite. This includes the NIST Child Care Center, which lies within 1 km (0.6 mi) of the reactor.
- The NBSR site boundary, which is marked by the perimeter fence that surrounds Building 235, including the nearby cooling towers, the chemical building, and Building 418, which includes a radioactive waste storage and shipment building in the H-Wing. Within this area, unescorted access is limited to those individuals on the access list; all others require an escort.
- The reactor operations boundary, which coincides with the building perimeter – This includes the G-Wing and its auxiliary support building (compressor building for cold neutron cryostat in F-Wing and the experiment support space in J-Wing), the office areas and support spaces in E-Wing, and the radioactive waste storage area west of B-Wing.

Reactor and the Environment



1  
2  
3

Figure 2-4. NIST Center for Neutron Research

1 The Emergency Planning Zone (EPZ) is marked by a 400-m (0.25-mi) radius centered on the  
 2 ventilation stack. There is no public access to the EPZ, which is located entirely within the NIST  
 3 campus, and access is limited to individuals having business there. The NIST Child Care  
 4 Center lies outside the EPZ.

### 5 6 **2.1.1.3 Population Distribution**

7  
8 Because the NBSR lies entirely on the NIST campus, the area immediately around the reactor  
 9 contains laboratories and office buildings but no residential buildings and no part-time, transient,  
 10 or seasonal residents. Permanent residences are at least 400 m (0.25 mi) directly to the east  
 11 and the west of the reactor.

12  
13 Populations within the 1-, 2-, 4-, 6-, and 8-km (0.6-, 1.2-, 2.5-, 3.7-, and 5-mi) radii around the  
 14 reactor were estimated from the 2000 Census population counts by jurisdiction for the voting  
 15 districts located within these areas. Table 2-1 provides current populations for the five radii for  
 16 the year 2000, based on the voting district data, as well as projections for the population in 2010  
 17 and in 2025. These values were derived by applying the percentage changes, as determined  
 18 from the Montgomery County planning area forecasts listed in 2000 Census data (USCB 2000).  
 19 For voting districts that cross into more than one of the zones around the NBSR, the percentage  
 20 area located within each ring was estimated, and the population distribution within any one  
 21 district was assumed to be in proportion to the area.

22  
23 NIST and the NBSR lie within Montgomery County, which is the most populous county in the  
 24 State of Maryland. Table 2-2 provides the 1950 to 2000 Census Population and percentage  
 25 changes for the County. Table 2-3 lists population forecasts from 2000 through 2025 for  
 26 Montgomery County, as provided by the National Capital Park and Planning Commission –  
 27 Montgomery County Planning Board, and Table 2-4 provides the Montgomery County Planning  
 28 Area forecasts for 2005 to 2025.

29  
30 **Table 2-1. Population Estimates**

31

32 Circle Radii (km)	2000	2010	2025
33 1	3462	3677	4054
34 2	19,178	20,367	22,457
35 4	73,121	77,654	85,624
36 6	155,402	168,163	180,247
37 8	218,752	237,848	253,100

38  
39

**Table 2-2. Montgomery County Population**

Year	Population	Percentage Change
1950	164,401	n/a
1960	340,928	107.4
1970	522,809	62.0
1980	579,053	10.8
1990	757,027	30.7
2000	873,341	15.4

**Table 2-3. Montgomery County Population Forecasts**

Year	Population	Percentage Change
2000	873,341	n/a
2005	925,000	6.0
2010	975,000	5.4
2015	1,020,000	4.6
2020	1,050,000	2.9
2025	1,070,000	1.9

**Table 2-4. Montgomery County Planning Area Forecasts for Population**

Planning Area	Year				
	2005	2010	2015	2020	2025
Darnestown	12,9000	13,300	13,900	14,600	14,600
Gaithersburg	125,400	127,900	133,300	139,000	141,000
Germantown	81,000	82,300	85,600	86,800	86,800
Potomac	44,800	46,000	47,800	49,600	50,200
Rockville	48,900	52,500	51,000	50,100	50,000

1 Surrounding the NIST campus is the city of Gaithersburg, which encompasses all of the 2-km  
 2 (1.25-mi) radius around the reactor and most of 4-km (2.5-mi) radius. All of the town of  
 3 Washington Grove and much of the city of Rockville lie within the 8-km (5-mi) circle. Other  
 4 unincorporated areas of Montgomery County within an 8-km (5-mi) radius are Germantown,  
 5 Montgomery Village, Darnestown, and North Potomac. According to the 2000 Census, the  
 6 Germantown area was the seventh most populous community in Maryland with 55,419  
 7 residents; Gaithersburg was tenth with 52,613; Rockville was fourteenth at 47,388; and  
 8 Montgomery Village was twenty-first at 38,051. In terms of percentage growth of their  
 9 populations between 1990 and 2000, this represents an increase of 35, 33, 5.7, and 18 percent,  
 10 respectively. Table 2-5 presents the 1990 and 2000 Census Data for these communities.

11  
 12 **Table 2-5. NBSR Site Area Census Data**

	1990 Population	2000 Population
15 Gaithersburg	39,542	52,613
16 Rockville	44,835	47,388
17 Washington Grove	--	515
18 Germantown	41,145	55,419
19 Montgomery Village	32,315	38,051
20 North Potomac	--	23,044
21 Darnestown	--	6378

22  
 23 **2.1.1.4 Nearby Industrial, Transportation, and Military Facilities**

24  
 25 NIST is located between several major roads, with I-270 at the northeast boundary. I-270 is a  
 26 major commuter and truck route between northern Montgomery County, Frederick County, and  
 27 other points north to the employment areas in the Washington, D.C., metropolitan area. The  
 28 I-270 Technology Corridor is also a major research and development center in the State of  
 29 Maryland. Nevertheless, no significant manufacturing plants, such as chemical plants or  
 30 refineries, are located near the reactor, and mining and quarrying operations are limited to those  
 31 associated with constructing new office buildings. A natural gas pipeline lies 3.2 km (2 mi)  
 32 south of the reactor, and a liquid petroleum/gas pipeline is located 1.6 km (1 mi) north.  
 33

34 Three arterial and collector roads about the NIST campus boundaries: West Diamond Avenue  
 35 forms the northern campus boundary; Quince Orchard Road the northwest boundary; and  
 36 Muddy Branch Road the southeast boundary. The arterials and collectors serve the  
 37 Gaithersburg area, providing truck access. Parallel to the northeast boundary of the NIST  
 38 campus is a CSX rail line (CSX Transportation Corporation). At its closest point to the reactor, it  
 39 is approximately 2 km (1.25 mi) away from the NIST boundary. This rail line carries goods and  
 40 commuters through the region, providing service to the Maryland Rail Commuter (MARC) train

## Reactor and the Environment

1 in northern Montgomery County, Frederick County, and other points north for commuters  
2 traveling to Washington, D.C. The nearest MARC station is the Gaithersburg Station, 3 km  
3 (1.75 mi) away; the nearest Metro Station into the Washington, D.C. area is the Shady Grove  
4 Station, 5 km (3 mi) away.

5  
6 Three commercial airports serve the region: Dulles International Airport (IAD) in northern  
7 Virginia is 29 km (18 mi) from the reactor, Ronald Reagan Washington National Airport (DCA) in  
8 Virginia just across the Potomac River from Washington, D.C. is 40 km (25 mi) away, and  
9 Baltimore-Washington International Thurgood Marshall Airport (BWI) near Baltimore, Maryland  
10 is 47 km (29 mi) away. Andrews Air Force Base, the nearest military airbase, is approximately  
11 52 km (32.5 mi) away. No normal air routes, holding patterns, or approach patterns associated  
12 with these airports cross the airspace above the NIST campus.

13  
14 The Montgomery Airpark, a general aviation airport, is approximately 7 km (4.5 mi) northeast of  
15 the reactor and it lies  $140^{\circ}/320^{\circ}$  relative to magnetic north; that is, it is nearly perpendicular to  
16 the line between the reactor and the airfield. Approximately 140,000 annual take-offs and  
17 landings occur at this field, with the typical air traffic consisting of small local aircraft, news  
18 aircraft, and an occasional military helicopter. The National Transportation Safety Board  
19 database (covering 1962 to the present) revealed 6 fatal air accidents and 18 non-fatal  
20 accidents in the Gaithersburg area. All but one of these accidents involved either airplanes or  
21 helicopters (one involved a balloon), and all were within 3 km (2 mi) of the Airpark. Small  
22 planes using the Airpark pose minimal risk to safe operation of the reactor.

23  
24 Although there are a few recreational lakes within the area, the nearest major waterway is the  
25 Potomac River that forms the border between Maryland and Virginia. Its nearest point is 10 km  
26 (6.2 mi) from the reactor.

27  
28 As described in the preceding sections, the NBSR is located in an urban setting with certain  
29 normal risks associated with transporting goods and materials on nearby highways and rail  
30 lines. These risks are regulated by several agencies, primarily by the U.S. Department of  
31 Transportation, to ensure safety. Also, the NIST campus serves as a buffer separating these  
32 transportation corridors from the reactor. The NIST campus also acts as a buffer between the  
33 NBSR and the surrounding community. This provides operators with greater control over the  
34 immediate area should there be an accident at the reactor.

### 35 36 **2.1.2 Description of Reactor Complex**

37  
38 The NBSR is a heavy-water-moderated and -cooled, enriched fuel, tank type reactor designed  
39 to operate at 20-MWt (megawatts thermal power). It is a custom-designed variation of the  
40 Argonne CP-5 class reactor. The NBSR uses  $U_3O_8$  aluminum dispersion fuel enriched to  
41 93 percent. The fuel is aluminum-clad materials-testing-reactor (MTR) plate-type fuel. The core

1 is immersed in heavy water ( $D_2O$ ) to slow the fast-moving neutrons that sustain the nuclear  
2 fission reactor, to dissipate heat created by the reaction, and to function as the first stage of  
3 shielding. Heavy water also allows high neutron fluxes that would not be otherwise achievable  
4 in a facility the size of the NBSR. This type of reactor (using MTR fuel and heavy water coolant)  
5 is similar to those used at a number of other government research facilities.

6  
7 The primary coolant is also heavy water, which is circulated through a closed aluminum and  
8 stainless steel system. The heavy water is pumped through plate-type heat exchangers, where  
9 heat is transferred to a secondary cooling system before returning it to the core. The secondary  
10 system consists of plate-type heat exchangers and a plume suppression cooling tower that  
11 contains about 500,000 L (132,000 gal) of light water ( $H_2O$ ). Heat in the secondary system is  
12 transferred to the atmosphere by evaporation of water from the cooling tower, which is located  
13 outside the confinement building.

14  
15 The design of the NBSR includes many inherent passive safety features. The prompt neutron  
16 lifetime is relatively long as a result of heavy water moderation. The reactivity coefficients of  
17 void and temperature are negative. The reactor operates in a low temperature, unpressurized  
18 condition and does not have a large stored energy content. Two inner structures within the  
19 reactor vessel retain heavy water in the event of a loss of water from the reactor core. In the  
20 event of a loss of cooling water, one of these structures immediately supplies emergency  
21 coolant flow to the fuel elements without any operator intervention, while the other maintains  
22 water around the lower half of the core. An overhead reserve tank can supply heavy water for  
23 emergency cooling either to the top or to the bottom of the elements for extended periods of  
24 time.

25  
26 The NIST laboratory complex includes the NBSR confinement building, which is constructed of  
27 reinforced concrete and situated partially below grade. The complex includes nuclear-science-  
28 related research and other reactor support functions. The confinement building has an  
29 independent ventilation control system, and is capable of operating in isolation mode or dilution  
30 mode to exhaust air to the atmosphere through a 30-m (100-ft) stack.

### 31 32 **2.1.3 Experimental Facilities**

33  
34 The NBSR is used for research, the majority of which uses neutrons to study material  
35 constituents, processes, and structure. The reactor design was chosen because of its  
36 thermalized (low energy) neutron spectrum, its high neutron flux, its flexibility for research, and  
37 its inherent safety. The high neutron fluxes generated by the NBSR are used in five principal  
38 ways:

- 39 • to characterize the structure and dynamics of materials critical to the U.S. economy
- 40 • to image large structures, and to study nuclear and neutron physics
- 41

## Reactor and the Environment

- 1 • to develop material and radiation standards
- 2 • to generate radioisotopes for activation analysis and tracer production
- 3 • to study the effects of radiation on materials through in-core irradiation.

4  
5 Experimental facilities supporting these activities are described in the following sections.

6  
7 The NBSR has a wide range of research capabilities and a large number of experimental beam  
8 lines. The liquid hydrogen cold source provides cold neutrons (neutrons slowed to speeds of  
9 1000 m/s or less) directly to experiments in the confinement building, and through a network of  
10 seven neutron guides, to experiments located in the Cold Neutron Guide Hall. Beam tubes  
11 provide thermal neutrons for experiments located within the confinement area immediately  
12 adjacent to the reactor. A pneumatic "rabbit" system provides researchers with the ability to  
13 automatically inject samples into the core region of the reactor, while vertical thimbles provide  
14 for manual sample loading.

15  
16 Eleven insertion positions are available for experiments within the core structure itself, and  
17 seven positions are available in the reflector. Nine beam tubes are arranged in a radial pattern  
18 within the central plane of the core and "see" the neutron flux in the unfueled gap region. Two  
19 beam tubes run completely through the reactor on either side of the core just below the radial  
20 tubes. The reactor includes a large experimental thimble within which a low temperature liquid  
21 hydrogen moderator or cold source is installed. This moderator increases the intensity of cold  
22 neutrons available to the beams from this neutron source. Seven neutron guide tubes, which  
23 transport cold neutron beams with losses of less than 1 percent per meter into an adjacent  
24 neutron experimental building or neutron guide hall, and one beam port, which does not go to  
25 the Guide Hall, are served by this source. Five pneumatic tubes comprise the rabbit system  
26 that operates using pressurized carbon dioxide (CO<sub>2</sub>). This system allows the rapid insertion  
27 and removal of small samples into various parts of the core, reflector, and thermal column. A  
28 large volume of well-thermalized neutrons is also available in the graphite thermal column.

### 29 30 **2.1.3.1 Neutron Beams**

31  
32 The cross-sectional area of the neutron beams at the NBSR typically have ranges from a  
33 few mm<sup>2</sup> to 200 cm<sup>2</sup>. Beams associated with an in-beam dose rate in excess of 1 mSv/hr  
34 (100 mrem/hr) and are accessible (have an open path in excess of 30 cm) are designated as  
35 High Radiation Areas. A characteristic of neutron beams is the radiation field outside of the  
36 beam is typically less than 0.05 mSv/hr (5 mrem/hr). Occasionally, experimental samples or  
37 equipment, such as collimators or filters, can result in Radiation Area or possibly High Radiation  
38 Area conditions near the beams. These areas are controlled as required by Title 10 of the Code  
39 of Federal Regulations (CFR) Part 20, Sections 1601 and 1902. Non-beam-related and  
40 short-term experiments are shielded and controlled to keep personnel exposures "as low as  
41 reasonably achievable" (ALARA).  
42

### 2.1.3.2 Thermal Column Facility

The Thermal Column Facility provides highly thermalized neutron beams and is typically controlled as a High Radiation Area (per 10 CFR 20.1601). The facility is used to perform experiments requiring large cross-section exposures involving irregular exposure geometries or full-field exposure geometries.

### 2.1.3.3 Pneumatic System and In-Core Exposure Facilities

Experiments using the pneumatic system and in-core exposure facilities are highly variable, frequently producing multi-curie activity sources. ALARA concerns are addressed by shielding the source and by allowing sufficient decay time prior to direct manipulation, processing, or analysis. Technical review and administrative authorization processes are used to control these facilities' activities, usage, disposal, and potential personnel exposures.

### 2.1.3.4 Cold Neutron Experiments

The guides for cold neutron experiments are fully shielded to the point of neutron beam extraction where possible. At the entry wall to the Guide Hall, the unshielded dose rate from a typical guide is 3 mSv/hr (300 mrem/hr) (neutron) and 1 mSv/hr (100 mrem/hr) (gamma) at 1 m (3.3 ft) from the guide. All seven guides in the Guide Hall have primary shutters. These shutters are key-controlled and have status indicators (opened or closed). With the shutter closed, the design allows unrestricted access for disassembly and work on experiments associated with a particular guide.

## 2.1.4 Radioactive Waste Management Systems and Effluent Control Systems

NIST has a structured radiation protection program that supports all aspects of the NBSR operations. The health physics staff is equipped with radiation detection equipment to determine, control, and document all occupational radiation exposures. An environmental monitoring program is in place to determine if potential radiation exposures to members of the public in unrestricted areas surrounding the reactor remain within regulatory standards and guidelines.

The overall radioactive waste management and effluent control programs for the NBSR are described in this section. NIST has established policies that employ the ALARA concept in all operations at the NBSR, and operations at the NBSR and experimental facilities are conducted to minimize radioactive effluents and waste production consistent with ALARA objectives.

1     **2.1.4.1 Radiation Sources**

2  
3     Sources of radiation monitored and controlled by the radiation protection and radioactive waste  
4     management programs are described in this section.

5  
6     Radiation sources at the NBSR can be classified into four general classes:

- 7  
8     • Calibration and check sources
- 9  
10    • Startup sources and other sources used for instrumentation and nuclear support  
11    functions
- 12  
13    • Gaseous, liquid, and solid radiation sources from reactor operations
- 14  
15    • Radiation sources produced within the experimental facilities.

16  
17     Sources of radioactivity that may be found in various reactor and support systems are listed in  
18     Table 2-6.

19  
20     **2.1.4.2 Liquid Waste Processing Systems and Effluent Controls**

21  
22     The dominant radionuclides in liquid effluents at the NBSR are tritium (H-3) and N-16. Other  
23     minor liquid sources are also discussed in subsequent sections.

24  
25     **Reactor Primary Coolant**

26  
27     The NBSR primary coolant consists of high purity heavy water. The radionuclides in liquid  
28     effluents at the NBSR are primarily tritium and N-16.

29  
30     The following reactions produce most of the radioactive materials in the primary coolant:

- 31  
32     • Tritium, a low-energy beta-emitter, produced via  $H-2(n,\gamma)H-3$
- 33  
34     • N-16, a high-energy beta- and gamma-emitter, produced via  $O-16(n,p)N-16$
- 35  
36

**Table 2-6. NBSR Systems and Radiation Sources**

NBSR System	Major Sources of Radioactivity	Minor Sources of Radioactivity
Primary coolant	H-3, N-16, Co-60	Ar-41, Na-24, Mn-54, Mn-56, Cr-51, Sb-122, Sb-124
Primary pipe (internal contamination)	Co-60, H-3	Cr-51, Zn-65
Helium sweep	Ar-41	Kr-85m, Kr-87, Kr-88, Xe-131m, Xe-133, Xe-135, Xe-135m, Xe-138, Cs-138
Thermal Shield Cooling System	Cu-66, Cu-64, Ag-110m, Zn-65	N-16
Reactor shield plug/refueling plug	-----	Al and steel activation products, C-14
Air	Ar-41, H-3	Br-82, Cl-38, Cs-138
CO <sub>2</sub> sweep gas	Ar-41	Br-82, Cl-38, S-35
Storage pool	H-3	Aluminum activation products from fuel cutting
Fuel pieces (6061 aluminum, stainless steel)	Fe-55, Co-60, Zn-65	Ni-63, Mn-54
Resin beds	Co-60, Zn-65	-----
Neutron guides	Zn-65	Co-58, Ni-59
Pneumatic system	Co-60, Ag-110m, Zn-65	-----

- Na-24, a high-energy beta- and gamma-emitter, produced via  $Al-27(n,\alpha)Na-24$
- Al-28, a high-energy beta- and gamma-emitter, produced via  $Al-27(n,\gamma)Al-28$
- Co-60, a low-energy beta- and high-energy gamma-emitter, produced via  $Co-59(n,\gamma)Co-60$
- Cr-51, a low-energy gamma-emitter, produced via  $Cr-50(n,\gamma)Cr-51$ .

Other radionuclides in the primary coolant that contribute minor portions to the total liquid radiation source include Zn-65, Mn-56, Tc-99m, and Sb-122, which are associated with suspended corrosion products activated by neutrons.

Tritium could potentially be a significant source of exposure from airborne contamination because of evaporation of tritiated heavy water. Either inhalation or exposure by direct contact, through skin absorption, could result in significant exposures. Therefore, any work involving potential exposure by these mechanisms requires control measures, such as containment, eye protection, gloves, and protective clothing, to minimize and prevent such an occurrence.

## Reactor and the Environment

1 Individuals who perform this work are required to undergo periodic tritium bioassays. Other  
2 radionuclides are present at such low concentrations they have minimal potential for intake via  
3 inhalation or skin absorption.

4  
5 N-16 is the greatest operational source of external radiation exposure from the primary piping  
6 system. N-16 has a short half-life (7 seconds), so exposure from this source diminishes very  
7 rapidly after the reactor is shut down. At the NBSR, the Process Room and the Monitoring  
8 Room are areas where a potential for exposure from N-16 exists.

9  
10 Na-24 is present in the primary coolant at concentrations on the order of 0.1 mCi/L. It  
11 represents a transient source of external exposure in the process room. Because of its short  
12 half-life (15 hours), work in the process room is limited for the first day following shutdown as an  
13 ALARA measure.

14  
15 Other than tritium, Cr-51 is the highest activity and longest-lived (half-life 27.7 days) primary  
16 system contaminant. Because it is a low-energy gamma emitter, Cr-51 is almost completely  
17 self-shielded by the primary system components. The activity is dominated by Cr-51 in primary  
18 components immediately following removal from the reactor.

19  
20 Because Cr-51 decays relatively quickly, Zn-65 and Co-60 become the dominant sources of  
21 residual contamination after several months. Localized external contamination occurs at valves,  
22 heat exchangers, filters, and resin beds, and ranges from a few hundredths of a mSv/hr (few  
23 mrem/hr) to 0.5 Sv/hr (50 rem/hr). Control of personnel exposure is accomplished through  
24 shielding and posting of areas. Components with higher dose rates, such as primary coolant  
25 filters and resin beds, are shielded to reduce the radiation levels to less than 0.05 mSv/hr  
26 (5 mrem/hr), and exposures from other areas are controlled through local posting. The general  
27 area dose rates in the process room are routinely surveyed because of the cumulative effect of  
28 the longer-lived internal contaminants. Process room survey data are made available for work  
29 planning.

30  
31 Other potential, but unlikely sources of radionuclides from liquid sources include the reactor  
32 secondary coolant system, the thermal column D<sub>2</sub>O tank coolant system, the thermal shield  
33 cooling system, and the fuel storage pool.

### 34 35 **Liquid Waste**

36  
37 The liquid waste collection facility consists of a 3785-L (1000-gal) tank, two 18,900-L (5000-gal)  
38 tanks, various filters, and related pumps and valves. Water is collected, sampled, and analyzed  
39 for its radioactive constituents and then filtered to meet 10 CFR 20.2003 solubility requirements  
40 before being released to the sanitary sewer. Credit is taken for the daily NIST site release  
41 volume of approximately 984,100 L (260,000 gal) to meet the 10 CFR 20.2003 concentration  
42 limits.

1 If unanticipated quantities of radioactive material are accumulated in the system, the  
2 contaminated water can either be circulated through filters or resin beds to reduce the  
3 radionuclide concentration, transferred to containers for offsite processing at a NRC licensed  
4 facility, or stored to allow radioactive decay to reduce the level of activity. When practicable, a  
5 general ALARA operating practice at the NBSR is to collect any higher activity liquid wastes at  
6 the source and to process and dispose of that waste separately.

#### 8 **2.1.4.3 Gaseous Waste Processing Systems and Effluent Controls**

9  
10 Three gaseous waste streams associated with the reactor facility include the normal air,  
11 irradiated air, and process room ventilation systems. Processes that might generate airborne  
12 particulate or gaseous contamination are vented through one of these systems. Gases in these  
13 systems are passed through high efficiency particulate air (HEPA) filters prior to release via the  
14 stack. For an upset or abnormal operating condition, these ventilation systems can be operated  
15 in recirculation mode, and a standby charcoal filter is made operational. Monitoring systems in  
16 the stack and in the building ventilation utilize both installed and periodic sampling. This  
17 provides redundant methods for assessing and controlling both occupational and public  
18 exposure.

#### 19 **Ar-41 Sources**

20  
21 Ar-40 is a natural constituent of air, at about 0.93 percent. Any air volume that is exposed to  
22 neutrons will contain Ar-41 produced by the  $\text{Ar-40}(n,\gamma)\text{Ar-41}$  reaction. Ar-41 is a strong beta-  
23 and gamma-emitter with a half-life of 110 minutes. At the NBSR, engineering and procedural  
24 measures have been established to minimize Ar-41 production.

#### 25 **Tritium**

26  
27 The tritium produced by the heavy water moderator/coolant of the reactor yields a primary  
28 coolant tritium concentration of  $1.1 \times 10^{10}$  Bq/L/yr (0.3 Ci/L/yr). As an ALARA measure, NIST  
29 replaces the heavy water at intervals designed to limit exposure to tritium. All used heavy water  
30 is stored onsite until transfer to authorized processors for recycling. With a maximum tritium  
31 production concentration of  $18.5 \times 10^{10}$  Bq/L (5 Ci/L), the exposures discussed in this section for  
32 the NBSR would increase by no more than a factor of 5.

33  
34 During normal operations, the primary release pathway for tritium results from helium leakage  
35 into the ventilation system. Helium can become saturated with heavy water vapor when used  
36 as a cover gas to minimize air intrusion into the primary cooling system. Activation of heavy  
37 water in the helium cover gas produces tritium. Secondary pathways include refueling or any  
38 maintenance activity that exposes heavy water to the air. Conditions involving an abnormal loss  
39 of coolant, such as a seal failure or a primary coolant boundary failure, would be identified by  
40  
41

1 monitoring and leak detection systems. The airborne tritium monitoring system at the NBSR is  
2 capable of detecting tritium concentrations that can occur by water evaporation following a few  
3 milliliters of leakage.  
4

### 5 **Fission Products**

6

7 Noble gas fission products, including gaseous xenon, krypton, and Cs-138 (a decay product of  
8 Xe-138), can be detected in the helium sweep system over the primary coolant. Based on the  
9 typical make-up rate for the helium system, less than  $3.7 \times 10^9$  Bq (0.1 Ci) of those  
10 radionuclides are released annually, resulting in release concentrations so low that they  
11 represent a negligible contribution to the total gaseous emissions.  
12

### 13 **Air Monitoring**

14

15 Conditions requiring airborne radioactivity monitoring under 10 CFR 20.1502(b) are rarely  
16 present at the NBSR. Two primary airborne radionuclides are detectable at the NBSR: Ar-41  
17 and tritium. Area radiation monitors are used to control personnel radiation exposures to Ar-41,  
18 and Cary ion chambers or gas Marinelli chambers detect airborne activity concentrations with a  
19 sensitivity greater than 0.1 derived air concentration (DAC). For tritium, an installed gas-flow  
20 ion chamber system samples representative areas of the NBSR building and its ventilation  
21 system; it can detect H-3 concentrations of 0.1 DAC and is sensitive to Ar-41. A cold trap also  
22 samples for tritium, with samples analyzed using liquid scintillation at a sensitivity greater than  
23  $10^{-6}$  DAC.  
24

25 In addition to the Ar-41 and tritium monitoring, continuous air monitors (CAMs) are available for  
26 airborne particulate and iodine monitoring on an as-needed basis. For instance, one CAM is  
27 located in the spent fuel storage pool area. Filter and charcoal cartridge samplers may also be  
28 used for iodine and particulate sampling.  
29

### 30 **Effluent Monitors**

31

32 Airborne effluent at NBSR is monitored for Ar-41 using a G-M (Geiger-Mueller) detector located  
33 in the stack. This system is calibrated by comparison to a grab sample that is analyzed in the  
34 radioanalysis laboratory. The nominal monitor sensitivity is  $1.4 \times 10^8$   $\mu$ Ci/m.  
35

36 Tritium in the NBSR stack effluent is continuously monitored by the building tritium monitoring  
37 system. Monthly grab samples from the stack are also collected and analyzed for verification.  
38 More frequent sampling or additional continuous monitoring is implemented when unusual or  
39 non-routine activities involving the potential for additional tritium releases are performed.  
40 Effluent sampling can also be performed with a particulate filter and charcoal cartridge, which  
41 are analyzed on an as-required basis.  
42

## 1 Environmental Monitors

2  
3 Environmental (ambient) monitoring is accomplished in several ways. Ambient gamma-  
4 monitoring is conducted with thermoluminescent dosimeters (TLDs), by a pressurized  
5 tissue-equivalent ion chamber system with sensitivity of 0.1  $\mu\text{rad/hr}$ , by environmental G-M  
6 monitors with data logging, and by a gain-stabilized sodium iodide system (with a sensitivity of  
7 0.01  $\mu\text{rad/hr}$  for Ar-41) for monitoring Ar-41 or other specific gamma-emitters.

### 8 9 2.1.4.4 Solid Waste Processing

10  
11 Solid radioactive waste is any contaminated item having no further usefulness, and for which  
12 further decontamination is not practicable. Radioactive wastes are segregated from  
13 non-radioactive wastes based on knowledge of where the material was used or from which  
14 system it originated. Items that are exposed to neutrons or to sources of contamination are  
15 considered potentially radioactive, including irradiated hardware from experiments or items that  
16 came in contact with primary reactor coolant. On occasion, process knowledge suggests an  
17 item can be decontaminated. If an item is successfully decontaminated, as determined by a  
18 radiation survey and contamination check, it may be released for unrestricted use or disposal.

### 19 20 Solid Radiation Sources

21  
22 Reactor operations include solid sources of radiation at the NBSR, ranging from items having  
23 very low specific activity (e.g., used rubber gloves from handling potentially contaminated  
24 materials) to intermediate activity (e.g., activated foils from experiments), and high activity  
25 (e.g., spent fuel from the reactor).

#### 26 27 Fuel Elements

28  
29 All operations involving movement of irradiated reactor fuel elements are performed underwater  
30 to provide shielding. An underwater saw is used to separate non-fuel portions of the spent fuel  
31 elements from the fueled portions of the elements, and they are disposed of separately. The  
32 dominant radionuclides are Fe-55, Co-60, and Zn-65. Shielding is used to reduce personnel  
33 exposure during spent fuel handling operations.

34  
35 The fission product inventory for one NBSR fuel element includes radionuclides with a total  
36 activity of  $1.5 \times 10^{16}$  Bq ( $3.97 \times 10^5$  Ci). Personnel protection is needed primarily to reduce dose  
37 rates from the fuel elements, and all fuel transfers are performed within a shielded pathway.  
38 The room through which the elements are transferred is controlled as a Very High Radiation  
39 Area during these transfers per 10 CFR 20.1602 requirements. All fuel-handling in the storage  
40 pool is monitored with area monitors or survey instruments to determine that shielding is  
41 adequate.

## Reactor and the Environment

1 New NBSR fuel elements nominally contain 350 g (0.77 lb) of U-235 and are surveyed for  
2 external radiation levels and surface contamination when they are received. Each element  
3 undergoes a quality assurance evaluation before being inserted in the reactor. Dose to  
4 operators when handling new unirradiated fuel is minimal because there are no fission or  
5 activation products present.

### 6 7 Other Radioactive Solids

8  
9 Other radioactive solids that contribute to personnel dose and waste volume include the  
10 following:

- 11
- 12 • Reactor shims
- 13 • Reactor primary resins, replaced once every 10 to 20 years
- 14 • Reactor primary filters, replaced as needed, usually once or twice per year
- 15 • Filters and resins from other systems
- 16 • Shielding plugs and related neutron beam shields
- 17 • Experiments or experimental components removed from high neutron flux locations
- 18 • Activated experiment samples and
- 19 • Miscellaneous contaminated materials, such as laboratory waste.

20  
21 The radioactive material content of these items ranges from barely detectable levels in the bulk  
22 of the waste volume, to curie-quantity material for specific items such as resins. The primary  
23 contributor to personnel external dose rate is the Co-60 in the activated metals, resins, and  
24 much of the other waste. Material contaminated with Co-60 is stored in restricted areas where  
25 access and area dose rates are controlled. Local shielding is used as necessary to limit spaces  
26 to less than Radiation Area conditions. Two storage areas are maintained as restricted areas.  
27 The concrete shield cave facility in the G-Wing is used to store shielded casks. Other items,  
28 such as bulky items with low-level activation (e.g., experiment shields and components), may be  
29 stored in Building 418 adjacent to the reactor building.

### 30 31 Solid Radioactive Waste Characterization and Disposition

32  
33 Solid radioactive waste is characterized by direct assay, which involves sampling and direct  
34 gamma spectroscopy, as well as by process knowledge.

35  
36 Solid radioactive waste is accumulated at the point of production and collected consistent with  
37 keeping exposures ALARA. All accumulation containers are appropriately labeled. Collected  
38 low-level waste is typically transferred to the H-Wing. Records of the origin of the waste and its  
39 radiological contents are kept in preparation for packaging and shipment. Other waste requiring  
40 special handling or containing high levels of radioactivity, such as primary filters and large  
41 neutron beam shields, is stored at other locations.

1 Systems, components, and experiments are designed to minimize the production of mixed  
2 waste (which contains both chemically hazardous and radioactive constituents) to the maximum  
3 extent practicable. Any such waste (e.g., lead or cadmium) that has been exposed to neutrons  
4 is segregated and stored until disposal at an authorized facility is arranged.

5  
6 All radioactive waste is disposed of in accordance with 10 CFR Part 20, Subpart K. Solid waste  
7 is transferred to organizations specifically authorized or licensed to receive the material, such as  
8 permitted commercial treatment and disposal facilities or the U.S. Department of Energy (DOE).  
9 Materials designated as radioactive waste are transferred to the H-Wing of the NBSR for  
10 characterization, packaging, and preparation for transfer to authorized recipients. Annual  
11 radioactive waste volumes during 2001 to 2005 ranged from 12 to 16 m<sup>3</sup> (440 to 574 ft<sup>3</sup>). During  
12 that period, the total radioactivity in waste shipments designated Class A under 10 CFR Part 20  
13 was less than 5.6 x 10<sup>10</sup> Bq (1.5 Ci). Two shipments of Class C waste during the same period  
14 contained a total of about 5.2 x 10<sup>13</sup> Bq (1400 Ci) of radioactive material. Larger quantities of  
15 radioactive waste may be generated in years when unfueled element shipments occur, or when  
16 major facility modifications are performed. Based on past experience, these events occur on  
17 the order of once every 5 or more years. No radioactive waste designated as Greater than  
18 Class C or transuranic waste has been generated at the Center for Neutron Research, nor is  
19 such waste anticipated in the future.

20  
21 All solid radioactive waste is disposed of by transfer to either licensed disposal sites or  
22 processing facilities. It is transported as required by 10 CFR Parts 61 and 71 and by the  
23 applicable licenses issued by states to the receiving facilities. Detailed radioactive waste  
24 characterization documents and manifests are prepared and retained in accordance with  
25 10 CFR 20.2006.

26  
27 Reactor and laboratory operations generate small quantities of mixed low-level waste (MLLW),  
28 which contains both radioactive and chemically hazardous components. Solid MLLW consists  
29 mainly of activated cadmium and lead experimental components or shielding and is generated  
30 at the rate of about 0.06 m<sup>3</sup> (2 ft<sup>3</sup>) per year. Removal of reactivity control blades from the  
31 reactor accounts for an additional 0.06 m<sup>3</sup> (2 ft<sup>3</sup>) of MLLW about every 8 years. The control  
32 blades are stored for 7 years to allow radioactive decay so they can be disposed of as Class A  
33 waste. Liquid MLLW consists of contaminated cleaning solvents or organic assay solutions  
34 generated at the rate of about two 55-gal drums (about 420 L) per year. MLLW is treated as  
35 required prior to disposal at facilities specifically permitted for such waste.

36  
37 Some structural components of the reactor and neutron beam ports also contain lead and will  
38 require disposal as MLLW upon reactor decommissioning. Those components include the  
39 reactor thermal shield, which consists of approximately 114,000 kg (250,000 lb) of lead bonded  
40 to carbon steel. An additional 4.3 m<sup>3</sup> (150 ft<sup>3</sup>) of MLLW consists of neutron beam-port shutters  
41 that contain lead incorporated into stainless steel alloys. Those components have been placed  
42 into long-term storage until decommissioning.

1 Spent fuel is generated at a rate of approximately 28 elements per year and is stored onsite in a  
2 storage pool until it can be cut into sections and shipped. Each element contains two 34.37 x  
3 8.55 x 7.62 cm (13.5 x 3.4 x 3.0 in.) fueled sections, which are shipped to DOE's Savannah  
4 River Site (SRS). Approximately 252 sections with a total volume of about 0.6 m<sup>3</sup> (20 ft<sup>3</sup>) are  
5 shipped to SRS every 4½ years. The unfueled sections of the fuel elements are segregated  
6 and disposed of as low-level radioactive waste.

### 7 8 **Solid Waste Minimization**

9  
10 Because the costs of solid radioactive waste disposal are high, materials with low activation  
11 potential are used wherever practical to minimize the production of radioactive waste. At the  
12 NBSR, experiments are designed to be reusable and to minimize the generation of radioactive  
13 material by neutron activation. Radioactive contamination of materials used in experiments and  
14 processes is also minimized to the extent practicable.

15  
16 Components are disassembled and segregated where possible to minimize quantities of  
17 radioactive waste. To the extent practicable, a commercial, HEPA-filtered compactor is used to  
18 reduce the volume of compressible materials such as laboratory paper waste and contaminated  
19 gloves.

### 20 21 **Long-Term Storage**

22  
23 The policy at the NBSR is to dispose of items identified as waste in a timely manner. There is a  
24 long-term storage area located in the G-Wing of Building 235 to accommodate radioactive  
25 materials that require storage prior to disposal or for potential reuse. The facility contains  
26 33 shielded concrete cavities, each about 3 m (10 ft) deep and varying in diameter. The  
27 shielded facility is used to store items that could produce a significant exposure to workers, but  
28 which have potential future use. It is also used to store some higher-activity items to allow  
29 radioactive decay prior to disposal.

### 30 31 **2.1.5 Nonradioactive Waste Systems**

32  
33 NIST does not dispose of any non-hazardous solid waste onsite. Tree limbs, shrubs, and other  
34 organic matter are chipped, stockpiled, and reused as mulch. During 2005, the NIST site  
35 recycled approximately 760 tonnes (840 tons) of waste materials consisting of scrap metal,  
36 computers, electronics, paper products, cans, glass, plastic, fluorescent light bulbs, lead-acid  
37 batteries, waste oil, mercury, and other chemicals. The remaining non-hazardous solid waste  
38 generated at the NIST site, estimated at about 45 tonnes (50 tons) per year, is sent to  
39 Montgomery County solid waste processing facilities.

## 2.2 Interaction of the Reactor with the Environment

The siting requirements contained in 10 CFR Part 100 apply to applications for site approval for the purpose of operating stationary nuclear power reactors as well as testing reactors. The site evaluation criteria for the NBSR at the NIST Center for Neutron Research within the NIST campus are defined in 10 CFR Part 100, Subpart A, "Evaluation Factors for Stationary Power Reactor Site Applications Before January 10, 1997, and for Testing Reactors."

The following sections provide general descriptions of the environment near NIST as background information. They also provide detailed descriptions where needed to support the analysis of potential environmental impacts of operation during the renewal term, as discussed in Chapter 3. Section 2.2.11 describes possible impacts associated with other Federal project activities. The discussions presented in this chapter are based on reviews of the most recent site-related information, several past reports, and information published since the last application for license renewal and power upgrade that would have an impact on site safety.

### 2.2.1 Land Use

The NBSR is located on the NIST campus in an unincorporated portion of Montgomery County, Maryland. The campus is approximately 32 km (20 mi) northwest of Washington, D.C. The NBSR is part of the NIST Center for Neutron Research.

The NIST campus encompasses 234.5 ha (579.5 ac). The Center for Neutron Research reactor-laboratory complex is located on Center Drive in the southern portion of the NIST campus. The NIST campus is located between several major roads. The northeast boundary of the campus abuts Interstate-270 (I-270), a major commuter artery connecting communities in northern Montgomery County, Frederick County, and other points north to the employment areas in the Washington, D.C., metropolitan area. West Diamond Avenue forms the northern boundary of NIST, with Quince Orchard Road as the northwest boundary, and Muddy Branch Road as the southeast boundary. The closest railway parallels the northeast boundary of the NIST campus at a distance of approximately 2 km (1.25 mi) from the NBSR at its closest point. This line carries goods and commuters through the region. The nearest waterway to the NIST campus is the Potomac River, which forms the border between Maryland and Virginia. Its nearest point is approximately 10.3 km (6.4 mi) from the NBSR.

Montgomery County is not within Maryland's coastal zone for purposes of the Coastal Zone Management Act (MDNR 2002).

1 **2.2.2 Water Use**

2  
3 The NIST reactor uses from 568,000 to 662,000 liters (150,000 to 175,000 gal) per day of water  
4 from the Washington Suburban Sanitary Commission's (WSSC) water supply system. The  
5 primary consumptive use of this water is associated with the cooling towers, which provide  
6 secondary cooling for the reactor. The average loss of 376,000 liters (100,000 gal) per day  
7 from evaporation and drift from the reactor's cooling towers represents less than 0.1 percent of  
8 the WSSC's average capacity. The sources of WSSC's water are the Potomac and Patuxent  
9 Rivers. About 24 percent of the water withdrawn from the WSSC system is returned as  
10 blowdown to the WSSC sanitary system.  
11

12 **2.2.3 Water Quality**

13  
14 The NIST reactor discharges non-radiological liquid effluents to the WSSC sanitary sewer  
15 system. The majority of the effluent is blowdown from the cooling towers. The blowdown  
16 contains zinc from corrosion prevention measures and elevated dissolved solids from  
17 evaporative concentration of existing dissolved solids in the makeup water. NIST operates  
18 under the WSSC Discharge Authorization Permit (05813). The permit was issued by the State  
19 of Maryland on June 1, 2004, and is scheduled to expire on May 31, 2008.  
20

21 **2.2.4 Meteorology and Air Quality**

22  
23 The NIST site is located on the Piedmont Plateau of Maryland, a transitional region between the  
24 Blue Ridge Mountains to the west and the Atlantic Coastal Plain to the east. Because of its  
25 mid-latitude location and elevation of approximately 128 m (420 ft), the site's climate is  
26 classified as continental, with four distinct seasons.  
27

28 The climatology of the NIST site can be described using archived data from two nearby National  
29 Weather Service (NWS) observing stations: Dulles International Airport (IAD) (NCDC 2005a)  
30 and Ronald Reagan Washington National Airport (DCA) (NCDC 2005b). Although an AWS  
31 Convergence Technologies Inc. WeatherNet Weather Station has been installed on the roof of  
32 the NIST confinement building since 2002, there is not a sufficient period of data to develop a  
33 complete climatology of the site from this data set alone (NIST 2004a).  
34

35 Normal daily maximum temperatures for IAD range from a high of 30.8°C (87.4°F) in July to a  
36 low of 5.2°C (41.4°F) in January. Normal daily minimum temperatures range from 17.8°C  
37 (64.0°F) in July to -5.6°C (21.9°F) in January. At DCA, average temperatures are somewhat  
38 greater, especially normal daily minimum temperatures, which is a result of the station's location  
39 in relation to the surrounding city, resulting in a phenomenon called the urban heat island effect.  
40

1 Precipitation is distributed evenly throughout the year, with annual liquid precipitation amounts  
2 averaging 106.17 cm (41.80 in.) at IAD and 99.95 cm (39.35 in.) at DCA. Spring and  
3 summertime precipitation is generally from thunderstorms, whereas the bulk of autumn and  
4 winter precipitation is from large-scale weather systems moving through the region.  
5 Occasionally during the late summer and autumn months, tropical storm remnants can affect  
6 the area, bringing widespread and significant precipitation events. Indeed, the greatest 24-hour  
7 precipitation amounts of 30.18 cm (11.88 in.) at IAD and 18.26 cm (7.19 in.) at DCA were from  
8 hurricane Agnes as it passed east of the region as a tropical storm on June 21-22, 1972  
9 (NCDC 2005a, b).

10  
11 Annual average snowfall amounts for the area range from 53.85 cm (21.2 in.) at IAD to  
12 38.61 cm (15.2 in.) at DCA, where it tends to be slightly warmer. January is usually the  
13 snowiest month, with two days averaging above 2.54 cm (1 in.) of snowfall. Heavy snowfall  
14 events, though rare, do occur and can bring some 50.8 cm (20 in.) of snow in a 24-hour period  
15 to the region.

16  
17 Thunderstorms occur approximately 30 days out of the year, with the majority of the  
18 thunderstorms occurring during the months of May through August (NCDC 2005a, b). On  
19 occasion, these storms are severe, with gusty winds and hail the primary threat. On average,  
20 there are 1.1 high wind events and 2.1 hail events per year in Montgomery County  
21 (NIST 2004a). Tornado climatology statistics from 1950 through 2003 also show that  
22 83 tornadoes have occurred within a 1° box that includes the NIST site (Ramsdell 2005). Of  
23 these, only 13 tornadoes had intensities of F2 or F3 (winds between 113 and 206 mph) on the  
24 Fujita intensity scale, and no reported tornadoes had intensities of F4 or greater. The  
25 probability of a tornado striking the site is expected to be  $8.3 \times 10^{-5}$  per year (Ramsdell 2005).

26  
27 The average wind direction for the region is bimodal, with southerly winds dominating during the  
28 summer and northwesterly winds from mid-autumn through early spring. The change in  
29 direction results from different influencing features: the Bermuda High during the summer  
30 months and large-scale weather systems and associated fronts during the winter months.  
31 Wintertime winds average around 3.8 m/s (8.5 mph), whereas summertime winds tend to be  
32 weaker, averaging around 2.9 m/s (6.5 mph). Occasionally, wind gusts can reach 22.4 to  
33 26.8 m/s (50 to 60 mph) from passing fronts, thunderstorm outflow, or tropical storms  
34 (NCDC 2005a, b).

35  
36 The NIST site is in Montgomery County, Maryland, which is part of the National Capital  
37 Interstate Air Quality Control Region (AQCR) (40 CFR 81.12). This AQCR also includes the  
38 District of Columbia, Prince Georges County in Maryland, and Arlington, Fairfax, Loudoun, and  
39 Prince William Counties in Virginia.

40  
41 With respect to criteria pollutants regulated under the National Ambient Air Quality Standards  
42 (NAAQS), Montgomery County is designated as unclassifiable, in attainment, or better than the

1 national standards for nitrogen dioxide, sulfur dioxide, carbon monoxide, and total suspended  
2 particulates (TSP) (40 CFR 81.321). On March 25, 2003, this County was designated as in  
3 severe nonattainment to the 1-hour ozone standard and more recently (June 15, 2004)  
4 designated as in moderate nonattainment to the newly promulgated 8-hour ozone standard  
5 (40 CFR 81.321). In addition, Montgomery County is in nonattainment for fine particles, which  
6 are particles with a diameter of 2.5 µm or less (PM2.5) (40 CFR 81.321).  
7

8 The Air Quality Index (AQI) is a national standard method for reporting daily air-pollution levels  
9 to the general public (40 CFR Part 58, Appendix G). The AQI is a composite index based upon  
10 the criteria pollutants that are in the NAAQS. Depending on the value of the index, days are  
11 classified as Good, Moderate, Unhealthy for Sensitive Groups, Unhealthy, Very Unhealthy, and  
12 Hazardous. For the 5 years from 2001 through 2005 in which the AQI was calculated,  
13 Montgomery County had 76 percent of the days classified as Good, 21.5 percent were  
14 Moderate, 2.4 percent were Unhealthy for Sensitive Groups, and 0.1 percent were Unhealthy  
15 (U.S. EPA 2005).  
16

17 Emergency power generators and other facilities and activities associated with the NIST site  
18 emit various pollutants, which are regulated under a Title V operating permit (24-030-00323) by  
19 the Maryland Department of the Environment, Air Quality Permits Program, Air and Radiation  
20 Management Administration; the permit is scheduled to expire on April 30, 2008.  
21

### 22 **2.2.5 Aquatic Resources**

23

24 The NBSR is located within the Seneca Creek/Anacostia River sub-watershed of the Middle  
25 Potomac-Catoctin watershed of the Potomac River. The major rivers in this watershed  
26 generally flow in a southerly direction and eventually drain into the Chesapeake Bay. Tributary  
27 A of the Muddy Branch is the closest natural water body to the NBSR and is approximately  
28 305 m (1000 ft) west-northwest of the reactor building. This tributary flows through an onsite  
29 stormwater retention pond and continues into Lake Varuna before entering the Muddy Branch.  
30 There is another unnamed tributary (called Tributary B) to the Muddy Branch some 580 m  
31 (1900 ft) southeast of the site. A topographic rise separates this tributary from the reactor site  
32 (NIST 2005). The Muddy Branch supports a warm-water fish community including Bluntnose  
33 minnow (*Pimephales notatus*), swallowtail shiner (*Notropis procne*), and redbreast sunfish  
34 (*Lepomis auritus*) (Montgomery County Department of Environmental Protection 2006). The  
35 Muddy Branch enters the Potomac River near Katie Island, approximately 10 km (6.2 mi)  
36 southwest of the NBSR (NIST 2005; U.S. NRC 1982).  
37

38 Surface water and groundwater are not used as process water in either the primary or  
39 secondary coolant systems. Water lost through evaporation from the secondary coolant system

1 is replenished by the WSSC via municipal water supply lines, and the blowdown from the  
2 cooling towers is discharged into the sanitary sewer system. Process water is not discharged to  
3 surface water or groundwater (NIST 2005).

4  
5 Water samples are collected from streams and ponds from a minimum of four locations as part  
6 of the Environmental Monitoring Program. Samples are collected all year, depending on  
7 availability. These samples are analyzed for possible activation radionuclides and fission  
8 products as well as assayed for tritium (NIST 2005).

9  
10 There are no Federally listed aquatic species under the Endangered Species Act that occur in  
11 Montgomery County (MDNR 2004).

### 12 13 **2.2.6 Terrestrial Resources**

14  
15 The NIST campus is located on the Maryland Piedmont Plateau about 48 km (30 mi) southeast  
16 of the Blue Ridge Mountains (NIST 2005). Common species that occur on the campus include  
17 Canada geese (*Branta canadensis*) and white-tail deer (*Odocoileus virginianus*). To better  
18 manage its deer population, NIST has partnered for the past decade with the Humane Society  
19 of the United States in the use of an innovative scientific means of birth control for wildlife  
20 (Newman 2005).

21  
22 The NBSR is located in the Center for Neutron Research facility on the southern part of the  
23 NIST campus. The portion of this facility directly under the NRC's license consists of several  
24 buildings or parts of buildings, storage areas, and the cooling towers. There is also a parking  
25 lot, small amount of lawn, and landscaped gardens (NIST 2005).

26  
27 Grass and soil are routinely sampled as part of the Environmental Monitoring Program. Soil  
28 samples are collected during the non-growing season (October through March), and grass  
29 samples are collected during the normal growing season (April through September). The  
30 collected samples are analyzed for possible neutron activation nuclides and fission product  
31 nuclides (NIST 2005).

32  
33 Two Federally listed endangered terrestrial animal species, the bald eagle (*Haliaeetus*  
34 *leucocephalus*) and the small whorled pogonia (*Isotria medeoloides*), are known to occur in  
35 Montgomery County (MDNR 2004). Although there is suitable habitat for both the small whorled  
36 pogonia and bald eagle on the NIST campus, there are no known records of these species  
37 occurring on the NIST campus (U.S. NRC 2007).

38

1     **2.2.7 Radiological Impacts**

2  
3     NIST conducts a radiological environmental monitoring program (REMP) in the vicinity of NBSR.  
4     Through this program, radiological impacts to the public and the environment are monitored,  
5     documented, and compared to the appropriate standards. The objectives of the REMF are as  
6     follows:

- 7
- 8     • Provide representative measurements of radiation and radioactive materials in the  
9        exposure pathways and of the radionuclides that have the highest potential for radiation  
10       exposures to members of the public.
  - 11
  - 12    • Supplement the radiological effluent monitoring program by verifying that the  
13       measurable concentrations of radioactive materials and levels of radiation are not higher  
14       than expected on the basis of the effluent measurements and modeling of the  
15       environmental exposure pathways.
- 16

17     Results of measurements of radiological releases and environmental monitoring are  
18     summarized in annual operations reports to NRC (NIST 2002, 2003, 2004b, 2005, 2006). The  
19     limits for all radiological releases are specified in the NBSR technical specifications  
20     (NIST 2004c), and these limits are designed to meet Federal standards and requirements. The  
21     REMP includes monitoring of the atmospheric environment (airborne radioiodine, gross beta,  
22     and gamma), the terrestrial environment (crops, soil, and milk), and direct radiation.

23

24     **2.2.7.1 Environmental Monitoring**

25

26     The NBSR Environmental Monitoring Program is designed to verify that radiation doses to the  
27     public remain within the limits set out in 10 CFR 20.1301. Through this program, the NIST  
28     Center for Neutron Research staff perform effluent sampling and monitoring, environmental  
29     surveys, and liquid waste release monitoring. Because operational releases normally represent  
30     a negligible fraction of the regulatory limits, the real-time monitoring instruments displayed in the  
31     reactor control room are capable of recognizing a potential elevated release. Reviews of the  
32     recorded release data are also performed quarterly. Estimates of dose to members of the  
33     public are based on measured emissions and are determined by computational models. The  
34     U.S. Environmental Protection Agency (EPA) COMPLY code (U.S. EPA 1989) and other  
35     models are used to estimate doses.

36

37     Environmental surveys include radiation surveys, sampling of grass and soil, and sampling of  
38     water from local streams and ponds. Thermoluminescent dosimeters (TLDs) are used to detect  
39     direct radiation at the NIST site boundary. The collected samples are analyzed for possible  
40     activation and fission-product radionuclides. Water samples are also assayed for tritium.  
41     Samples of water, soil, and grass are collected and analyzed at least quarterly from a minimum

1 of four locations for each type. Soil samples are collected during the non-growing season  
 2 (October through March), and grass samples are collected during the normal growing season  
 3 (April through September). Environmental analysis of soils and grasses typically has a  
 4 sensitivity of better than 1 pCi per sample; liquid scintillation analysis of water samples typically  
 5 has a sensitivity better than 10 pCi/mL.

6  
 7 Review of historical data on releases and the resultant dose calculations indicated the doses to  
 8 maximally exposed individuals in the vicinity of the NBSR site were a small fraction of the limits  
 9 specified in the EPA environmental radiation standards 40 CFR Part 190 as required by 10 CFR  
 10 20.1301(e). Dose estimates are calculated for a hypothetical maximally exposed individual,  
 11 based on monitored liquid and gaseous effluent release data, onsite meteorological data, and  
 12 appropriate exposure pathways.

### 13 **2.2.7.2 Impacts From Radiological Liquid Emissions**

14  
 15  
 16 The maximum annual dose to a member of the public from liquid effluents was less than  
 17 0.01 mSv/yr (1 mrem/yr) based on effluent radionuclide concentrations and values in  
 18 10 CFR Part 20, Appendix B, Table 3. Tritium is the dominant radionuclide in liquid effluents at  
 19 NBSR, with annual releases from 2001 to 2005 on the order of  $9.6 \times 10^{10}$  to  $18.1 \times 10^{10}$  Bq  
 20 (2.6 to 4.9 Ci), which would comply with the limits specified in 10 CFR 20.2003(a)(2) and (3).  
 21 The NIST records for annual releases of other prominent beta-gamma emitters include Co-60,  
 22 Zn-65, and Ag-110m. Liquid releases to the sanitary sewer (under the NIST materials license  
 23 SNM-362) constitute a small fraction of the total NBSR liquid radioactive effluent. The annual  
 24 volume of radioactive effluent released is typically about 1,135,500 L (about 300,000 gal), which  
 25 is diluted by the NIST site sanitary sewer volume of approximately 379-million L (100-million  
 26 gal). The major contributor to the liquid waste volume consists of air-conditioning condensate  
 27 from the confinement building, which has low-level tritium contamination from the building air.  
 28

### 29 **2.2.7.3 Impacts From Radiological Air Emissions**

30  
 31 The principal airborne sources of radioactivity associated with operation of the NBSR are Ar-41  
 32 and tritium. The only release path for air from the various confinement building ventilation  
 33 systems is via the building stack exhaust, which has a nominal flow rate of 30,000 cfm  
 34 ( $14.2 \text{ m}^3/\text{sec}$ ). Between 2001 and 2005, annual emissions of Ar-41 ranged from  $2.96 \times 10^{13}$  to  
 35  $4.4 \times 10^{13}$  Bq (800 to 1200 Ci), tritium ranged from  $2.6 \times 10^{13}$  to  $5.2 \times 10^{13}$  Bq (700 to 1400 Ci),  
 36 and other radionuclides contributed less than  $7.4 \times 10^9$  Bq/yr (0.2 Ci/yr) on average.  
 37

38 The NRC ALARA dose constraint for radionuclides released to the atmosphere is 0.1 mSv/yr  
 39 (10 mrem/yr) to any member of the public (10 CFR 20.1101). The dose to a maximally exposed  
 40 individual from all air pathways during the period from 2001 to 2005 was less than 0.01 mSv/yr  
 41 (1 mrem/yr) to the whole body or any organ other than the thyroid. This represents less than  
 42 10 percent of the NRC public dose constraint for exposure via air pathways. The gaseous

1 exposure pathways included inhalation, ingestion of milk and crops, and direct radiation from  
2 the airborne radioactive material. This analysis was performed with the EPA COMPLY  
3 computer code (U.S. EPA 1989) using local meteorological data. The dose was estimated for  
4 the closest resident in each sector, which constitutes conservative analytical boundary  
5 conditions. These doses are typical of the annual dose for operation of the NBSR, and they are  
6 expected to remain well below NRC and EPA limits during the license renewal term.

7  
8 From a public dose perspective, tritium results in about one-tenth of the dose from Ar-41,  
9 assuming release of equal activities. Conducting operations in a way that minimizes Ar-41  
10 production, even if that results in some increased heavy water loss and minor increases in  
11 tritium exposure, results in minimized collective dose because the increased occupational dose  
12 to the limited number of operational staff is more than offset by the reduced collective dose to  
13 the public. Therefore, ALARA efforts to reduce tritium losses, particularly through ventilation  
14 system modifications, must consider possible related increases in Ar-41 emissions.

#### 15 16 **2.2.7.4 Dose to Workers**

17  
18 Ar-41 is produced at the NBSR primarily by neutron activation of air in the cavity around the  
19 reactor vessel. A secondary source is associated with experiments, which contribute less than  
20 0.1 percent to the total. The external exposure rate from Ar-41 is minimal because the  
21 concentrations of Ar-41 in the building are less than 1 DAC and the building volume represents  
22 a small fraction of a "semi-infinite" cloud; actual dose rates to a person in the building from a  
23 uniform cloud at 1 DAC would be less than 0.2 mrem/hr. Personnel dose rates from typical  
24 Ar-41 levels measured inside the confinement building have been less than  $4 \times 10^{-5}$  mSv/hr  
25 (0.004 mrem/hr). Combined with typical occupancy times and reactor operating frequency, this  
26 would result in personnel exposure less than 0.02 mSv/yr (2 mrem/yr). Direct measurements  
27 have demonstrated that these calculated values are conservative.

28  
29 Levels of tritium in the confinement building, at a nominal primary coolant concentration of  $3.7 \times$   
30  $10^{10}$  Bq/L (1 Ci/L), are typically less than 0.01 DAC. The operating staff is in the building fewer  
31 than 1500 hr/yr, so this represents an individual dose commitment of less than 0.4 mSv/yr  
32 (40 mrem/yr). Bioassay data for the operating staff confirm that most exposures are well below  
33 0.4 mSv/yr (40 mrem/yr). Other personnel are in the confinement building a much smaller  
34 fraction of the time, and their tritium exposures result in doses much less than 1 mrem/yr.  
35 Although reactor operators can be exposed to airborne sources of tritium during activities such  
36 as refueling, their doses would not normally exceed 1 mSv/yr (100 mrem/yr).

37  
38 Airborne tritium levels can also be increased by abnormal or transient conditions. When the  
39 ventilation system for the NBSR was shut down for remediation over a 5-day period, the tritium  
40 levels slowly approached DAC values, and when an auxiliary cooling loop had excessive heavy  
41 water leakage, the local airborne tritium levels increased to 5 percent of the DAC.

1 The average radiation dose to facility workers from external exposure to radiation fields during  
2 2001 to 2005 was less than 0.5 mSv/yr (50 mrem/yr), and the maximum annual exposures  
3 rarely exceed 5 mSv/yr (500 mrem/yr) during routine operations. Over that period, there were a  
4 total of 21 individual exposures that exceeded 5 mSv/yr (500 mrem/yr), and the maximum dose  
5 to an individual in any year ranged from 3.57 to 19.4 mSv (357 to 1940 mrem). Potential  
6 exposures to special populations, such as embryos or declared pregnant women, are very  
7 limited. Where such exposures could potentially exceed regulatory limits, added surveillance is  
8 provided and work is managed to further limit exposure to radiation and to radioactive materials.  
9

10 Total annual exposure for the staff at NBSR over the last 5 years has ranged from 0.1 to  
11 0.25 person-Sv (10 to 25 person-rem) for 676 to 914 monitored workers. Of those workers the  
12 number with measurable exposures (greater than 0.01 mSv [1 mrem]) ranged from 414 to 685.  
13 During a few earlier years that involved high-exposure maintenance and major upgrade  
14 activities, the yearly collective exposure to workers ranged from 0.18 to 0.22 person-Sv/yr (18 to  
15 22 person-rem/yr).  
16

## 17 **2.2.8 Socioeconomic Factors**

18

19 The staff reviewed the ER submitted by NIST and information obtained from county and city  
20 economic development staff. The following information describes the economy, population, and  
21 communities near the NBSR.  
22

### 23 **2.2.8.1 Housing**

24

25 The NBSR is a national resource used by up to 2000 engineers and scientists for some part of  
26 their research every year. In 2002, the researchers came from 30 other Federal laboratories,  
27 127 universities, 47 industrial laboratories, and 21 divisions and offices of NIST, and from all  
28 areas of the U.S. According to a recent study by an interagency working group of the Office of  
29 Science and Technology Policy (OSTP 2002), the NBSR is the highest performing and most  
30 used neutron facility in the United States.  
31

32 Typically, visiting scientists and engineers will stay for 40 days, which corresponds to a reactor-  
33 run cycle. Visiting scientists make their own housing arrangements while using the facility. No  
34 housing facility is provided by NIST for visiting scientists; however, there are over 50 hotels  
35 within 24 km (15 mi) of the site and many more in neighboring cities.  
36

37 Although NIST is certainly a major employer in the Gaithersburg area, the local real estate  
38 market appears to be primarily driven by economic activity in the District of Columbia  
39 metropolitan center. The corridor connecting Washington, D.C., Baltimore, and Northern

Reactor and the Environment

1 Virginia is home to over 8 million people, and it grew over 7 percent between 2000 and 2005.  
 2 The existence of the NBSR within the NIST campus would appear to have little impact on local  
 3 housing prices and rental rates.  
 4

5 Table 2-7 provides the number of housing units and housing unit vacancies for Gaithersburg  
 6 and neighboring metropolitan areas within Montgomery County for 1990 and 2000.  
 7 Gaithersburg, where the NBSR is located, had approximately 20,674 housing units in 2000, with  
 8 a vacancy rate around 5 percent. Germantown, located to the northwest of Gaithersburg, had  
 9 21,568 housing units and a vacancy rate of 2 percent. Rockville and Montgomery Village, with  
 10 a combined housing unit stock of just over 30,000 units, each has a vacancy rate of 3 percent.  
 11

12 In 1997, the Maryland legislature adopted legislation, commonly known as Smart Growth, aimed  
 13 at slowing sprawl development in Maryland. The Smart Growth law targets State spending on  
 14 roads, sewers, schools, and other public infrastructure in designated growth areas or priority  
 15 funding areas. These areas include the land within the Baltimore and Washington  
 16

17 **Table 2-7. Total Occupied and Vacant (Available) Housing Units by County, 1990 and 2000**  
 18

	1990	2000	Approximate Percentage Change
Gaithersburg			
Housing Units	16,059	20,674	29
Occupied Units	15,202	19,621	9
Vacant Units	857	1053	23
Germantown			
Housing Units	17,121	21,568	26
Occupied Units	15,784	20,893	32
Vacant Units	1337	375	-71
Rockville			
Housing Units	16,238	17,786	10
Occupied Units	15,660	17,247	21
Vacant Units	578	539	-7
Montgomery Village			
Housing Units	13,120	14,548	11
Occupied Units	12,284	14,142	15
Vacant Units	836	406	-51
Sources: U.S. Census Bureau (USCB) 2000 and USCB 1990			

37

beltways; established towns, cities, and rural villages; other existing and proposed communities above a minimum density; and industrial and employment areas. Although growth is not necessarily restricted in Montgomery County, the State funnels significant dollars into these designated growth areas, while no State funding is provided to development occurring outside of the designated growth areas. Given the land use and zoning designations in Montgomery County, there is currently a potential for another 241,000 housing units, of which 84 percent is in areas with existing or planned sewerage service (Maryland Department of Housing and Community Affairs 2001).

Table 2-8 contains data on population, estimated population, and annual population growth rates for Montgomery County. The population of Montgomery County has grown significantly in recent years and this level of growth is expected to continue throughout the next decade. This growth pattern is similar to other suburban counties surrounding the District of Columbia and also similar to overall growth rates for the State of Maryland.

**Table 2-8.** Population Growth in Montgomery County, Maryland – 1980 to 2020

	Montgomery County		State of Maryland	
	Population	Percent Change (each decade)	Population	Percent Change (each decade)
1980	579,053		5,296,486	(a)
1990	757,027	10.8	4,781,468	10.9
2000	873,341	15.4	5,296,486	11.0
2010	975,000 (estimated)	11.6	5,907,575 (estimated)	11.5
2020	1,050,000 (estimated)	7.7	6,326,975 (estimated)	7.1

(a) No data available.

Sources: NIST 2004a & MD Dept. of Planning Services & Mont. Cnty Planning Board

**2.2.8.2 Public Services**

Public services include water supply, education, and transportation.

**Water Supply**

The WSSC, a co-op utility, provides potable water to the City of Gaithersburg. The water is drawn from the Potomac River (intake upstream from Great Falls) and the Patuxent River. This water system operates with excess capacity with no expectations of problems in meeting future water demands of Gaithersburg. The average daily water demand on the system is 167 MGD (630,000 m<sup>3</sup>/day) with a peak demand of 267 MGD (1 million m<sup>3</sup>/day). The average demand is less than half the treatment capacity of 355 MGD (1.3 million m<sup>3</sup>/day) (WSSC 2005).

1     **Transportation**

2  
3     As shown on Figure 2-3, I-270 forms the northeast boundary of the NIST campus and is a major  
4     commuter artery for workers in the Washington, D.C., metropolitan area living in Montgomery  
5     County, Frederick County, and other northern points. It is also a major truck route serving the  
6     area. Three arterial and collector roads about the NIST campus (Figure 2-1). West Diamond  
7     Avenue, Quince Orchard Road, and Muddy Branch Road all serve the Gaithersburg area  
8     surrounding the NIST campus, providing truck routes serving the local economy (NIST 2004a).

9  
10    A CSX rail line (CSX Transportation Corp.) parallels the northeast boundary of the NIST  
11    campus. At its closest point to the reactor, it is approximately 2 km (1.25 mi) away. It carries  
12    goods through the region. This line also serves the MARC commuter train service that is used  
13    by people in northern Montgomery County, Frederick County, and other points north traveling to  
14    Washington, D.C. Shady Grove, the northernmost station for the MetroRail system is located  
15    approximately 5 km (3.0 mi) away from the reactor (NIST 2004a).

16  
17    The I-270 Technology Corridor is a major research and development center in the State of  
18    Maryland; while some manufacturing does occur here, there are no significant manufacturing  
19    plants near the reactor, including no chemical plants or refineries. Mining and quarrying  
20    operations are limited to those associated with constructing new office buildings. A natural-gas  
21    pipeline lies 3.2 km (2 mi) to the south of the reactor, and a liquid petroleum/gas pipeline is  
22    located 1.6 km (1 mi) to the north (NIST 2004a).

23  
24    Andrews Air Force Base, the nearest military base, is approximately 52 km (32.5 mi) away. A  
25    retired Nike missile site with its abandoned silos is located just to the south of the NIST campus.  
26    The three commercial airports within the region are IAD in northern Virginia; DCA in Virginia just  
27    across the Potomac River from Washington, D.C.; and BWI near Baltimore, Maryland. No  
28    associated normal air routes, holding patterns, or approach patterns are known to exist above  
29    the NIST campus. Montgomery Airpark is approximately 7 km (4.5 mi) to the northeast of the  
30    reactor. Its runway is oriented 140°/320° relative to magnetic north, that is, it is nearly  
31    perpendicular to the line between the reactor and the airfield. While the airfield can handle an  
32    aircraft as large as the Gulfstream 4, the largest aircraft typically using the field is the Falcon  
33    900. There are approximately 140,000 annual take-offs and landings at this field. The airport  
34    has no known normal approach patterns. The typical air traffic in the general area is local air  
35    traffic, news aircraft, and an occasional military helicopter traversing the area (NIST 2004a).

36  
37    Search of the National Transportation Safety Board database (covering 1962 to January 2007)  
38    revealed eight fatal accidents and 18 nonfatal accidents in the Gaithersburg area. One involved  
39    a hot-air balloon, while the remainder involved either airplanes or helicopters within Montgomery  
40    County. The following is a breakdown of the reported accidents:

- 1 • Fatal
- 2 – three occurred at the Montgomery County Airpark.
- 3 – one occurred 1 km (0.6 mi) to the east of the Montgomery County Airpark.
- 4 – one occurred 3.2 km (2.0 mi) to the northeast of the Montgomery County Airpark.
- 5 – one occurred 8.1 km (5 mi) north of Montgomery County Airpark.
- 6 – one occurred at an unspecified location within Montgomery County.
- 7 – one involved a hot-air balloon.
- 8
- 9 • Non-Fatal
- 10 – 18 non-fatal accidents occurred at the Montgomery County Airpark. The Airpark is
- 11 7 km (4.5 mi) to the northeast of the NBSR. It is unlikely that the small planes flying
- 12 into and out of this airpark pose any accident-related problems to the safe operation
- 13 of the reactor (NTSB 2007).
- 14

### 15 2.2.8.3 Offsite Land Use

16  
17 The NIST campus and general area within the 8-km (5-mi) circle surrounding the NBSR have a  
18 gently rolling topography (see Figure 2-5). There are a few buildings within the area over three  
19 floors high, the closest being the NIST Administration Building (located approximately 1.25 km  
20 (0.75 mi) to the north of the NBSR. Other tall structures include several buildings in the Rio  
21 complex at the interchange of I-270 and I-370; these buildings are approximately 2.4 km  
22 (1.5 mi) to the east of the reactor (NIST 2004a).

23  
24 The NBSR is located within the I-270 Technology Corridor, which is sited in the center of  
25 Montgomery County and constitutes the county's primary focus of economic and transportation  
26 activity. By 2015, 62 percent of the county's job growth and 51 percent of its household growth  
27 is expected to be within this area. The NBSR is surrounded by commercial buildings and  
28 suburban housing developments (Montgomery County 2005).

29  
30 Most of Montgomery County is made up of urban and suburban/residential areas. In 2002,  
31 however, there were approximately 75,000 acres of land (of the 317,000 total county acres)  
32 devoted to agricultural use. Just over 7400 acres of Montgomery County are covered with  
33 water (USDA 2003).

### 34 2.2.8.4 Visual Aesthetics and Noise

35  
36  
37 The NBSR is situated in a suburban metropolitan area that is fairly densely populated. Most of  
38 the immediate area surrounding the NBSR lies on the campus of NIST. This area has  
39 laboratories and office buildings but no residential buildings. The closest permanent residences  
40 are more than 400 meters (0.25 mi) directly to the east and directly to the west of the reactor  
41 (NIST 2004a).

1 There are several parks and recreation sites in close proximity to the NIST campus. Seneca  
2 Creek State Park is located to the northwest of the site and includes 2550 hectares  
3 (6300 acres) along 22.5 km (14 mi) of Seneca Creek. East of the site are the Summit Hall Farm  
4 Park, Maple Lake Park, and Kelly Park. Just a couple miles further east in Derwood along Rock  
5 Creek is the much larger Agricultural History Farm Park, a 166-ha (410-ac) complex that  
6 connects with Rock Creek Regional Park. To the south of the site is the Muddy Branch Park,  
7 which includes an existing stream valley and network of trails beginning in Gaithersburg and  
8 connecting to the Potomac River (MCPPC 2006).

### 9 10 **2.2.8.5 Demography**

11  
12 Demographic factors considered in this review included resident population, workforce, transient  
13 populations who stay temporarily to use NIST facilities, and the tax implications of the  
14 demographics.

#### 15 16 **Resident Population**

17  
18 The city of Gaithersburg surrounds the NIST campus (Figure 2-2). All of the area within the  
19 2-km (1.25-mi) circle about the reactor and most of that within the 4-km (2.5-mi) circle are  
20 located in Gaithersburg. All of the town of Washington Grove and much of the city of Rockville  
21 also lie within the 8-km (5-mi) circle. Other unincorporated areas situated within the 8-km (5-mi)  
22 circle include Germantown, Montgomery Village, Darnestown, and North Potomac. According  
23 to 2000 Census data, the Germantown area was the seventh most populous place in Maryland  
24 with 55,419 residents, Gaithersburg was the tenth most populous with 52,613, Rockville the  
25 fourteenth at 47,388, and Montgomery Village the twenty-first at 38,051. In terms of percentage  
26 growth of their populations between 1990 and 2000, this represents an increase of 34.7, 33.1,  
27 5.7, and 17.8 percent, respectively. Table 2-5 presents the 1990 and 2000 Census data for  
28 these places.

29  
30 Montgomery County is the most populous county in the State of Maryland. Much of this growth  
31 has occurred in the southern half of the county. Table 2-3 gives the 2000 to 2025 Census  
32 population and percentage change figures for the county. The populations within the 1-, 2-, 4-,  
33 6-, and 8-km (0.6-, 1.2-, 2.5-, 3.7-, and 4.9 mi) radii about the reactor were estimated from the  
34 2000 Census Population Counts by jurisdiction for the voting districts located within these  
35 encircled areas. For districts that are sited in more than one of the zones about the reactor, the  
36 percentage area located within each ring was estimated, and the population distribution within  
37 any one district was assumed linear with area. Table 2-1 gives the population estimates for  
38 each of the circles about the reactor for the years 2000, 2010, and 2025 based upon the voting  
39 district data.

1 **Workforce**

2  
3 The service sector is the largest category of employment in the county and exceeds Federal,  
4 State and local government employment combined. This sector includes the following  
5 industries: business and repair, personal services, entertainment and recreation, professional  
6 health services, professional education services, and other miscellaneous services. Over  
7 one-third of all jobs in Montgomery County are in the service industries. The second largest  
8 sector is retail trade and nearly one in five jobs in the county is related to retail trade. The  
9 Federal government is the third largest employment sector in the county as well as the largest  
10 single employer in the county. The locations of Federal installations in the county are provided  
11 in Figure 2-5 (Montgomery County 2005).

12  
13 Major employers in lower Montgomery County include Marriott International, Lockheed Martin  
14 (the country's largest defense contractor), the National Naval Medical Center, and Discovery  
15 Communications, which is building a new headquarters in downtown Silver Spring.


16  
17 An economic recession in the early 1990s resulted in the loss of 20,000 jobs in Montgomery  
18 County. In 1992, a recovery began with employment growth continuing through 2003.  
19 Employment projections for through 2010 are included in Table 2-9.

20  
21 In general, the economic activities taking place at the NIST site, including employment,  
22 contribute only a small share to the overall dynamics of the local economy.

23  
24 **Transient Populations**

25  
26 The NBSR is considered a national user facility, which means that scientists and engineers  
27 come from a number of different research institutions throughout the United States to use the  
28 facility on a temporary basis to complete their research. On average, approximately 1500  
29 visiting scientists and engineers use the facility each year. Typically, visiting scientists and  
30 engineers will stay for 40 days, which corresponds to a reactor-run cycle. These visiting  
31 scientists are typically housed in local hotels (U.S. NRC 2007).

# MONTGOMERY COUNTY MAJOR FEDERAL INSTALLATIONS



1  
2  
3  
4

**Figure 2-5.** Major Federal Installations in Montgomery County, Maryland

**Table 2-9.** Number of Jobs in Montgomery County and the State of Maryland (2004 to 2010)

County/State	2004	2006	2008	2010	Average Annual Percent Change 2004-2010 (projected)	Percent Change, 1990-2001
Montgomery	505,000	530,000	549,000	565,000	0.4%	(-1.1%)
Maryland	2,764,110	2,876,013	--	--	--	14%

Sources: MCPPC 2006; U.S.BLS 2004, 2006

**Taxes**

NIST is a non-regulatory Federal agency of the U.S. Commerce Department within the Technology Administration. It is a tax-exempt research entity; therefore, there are no tax implications associated with the operation of the NIST Center for Neutron Research.

**2.2.9 Historic and Cultural Resources**

Although Maryland is rich in prehistoric and historic resources, according to the Maryland Historical Trust, the Maryland Inventory of Historic Properties does not have any record of known archeological sites or other historical properties within or immediately adjacent to the entire NIST campus (MDP 2006). There are no historic cemeteries surrounding the site. There are no Federally recognized tribes in Maryland, and the State of Maryland does not provide any official designation for tribal members. There are, however, several communities of indigenous people throughout the State who maintain an identity, including the Piscataway, the Nause-Waiwash, the Lenape, and the Lumbee. The closest historic district to the site is in Germantown (Jefferson Patterson Park and Museum 2006).

**2.2.10 Related Federal Project Activities and Consultations**

The staff reviewed the possibility that activities of other Federal agencies might impact the issuance of a renewed operating license for the NBSR to NIST. Any such activities could result in cumulative environmental impacts and the possible need for a Federal agency to become a cooperating agency for preparation of this EIS (10 CFR 51.10(b)(2)).

Given the proximity of the NBSR to the District of Columbia, there are many Federal activities within the region (80 km [50 mi] radius of the NBSR). After considering the Federal activities in the vicinity of the NBSR, the staff determined there were no Federal project activities that would make it desirable for another Federal agency to become a cooperating agency for preparation of this environmental impact statement.

## 2.3 References

10 CFR Part 20. Code of Federal Regulations, Title 10, *Energy*, Part 20, "Standards for Protection Against Radiation."

10 CFR Part 51. Code of Federal Regulations, Title 10, *Energy*, Part 51, "Environmental Protection Regulations for Domestic Licensing and Related Regulatory Functions."

10 CFR Part 61. Code of Federal Regulations, Title 10, *Energy*, Part 61, "Licensing Requirements for Land Disposal of Radioactive Waste."

10 CFR Part 71. Code of Federal Regulations, Title 10, *Energy*, Part 71, "Packaging and Transportation of Radioactive Material."

10 CFR Part 100. Code of Federal Regulations, Title 10, *Energy*, Part 100, "Reactor Site Criteria."

40 CFR Part 58. Code of Federal Regulations, Title 40, *Protection of the Environment*, Part 58, "Ambient Air Quality Surveillance."

40 CFR Part 81. Code of Federal Regulations, Title 40, *Protection of the Environment*, Part 81, "Designations of Areas for Air Quality Planning Purposes."

40 CFR Part 190. Code of Federal Regulations, Title 40, *Protection of the Environment*, Part 190, "Environmental Radiation Protection Standards for Nuclear Power Operations."

Endangered Species Act. 16 USC 1531 et seq.

Jefferson Patterson Park and Museum. Accessed on the Internet [http://www.jefpat.org/diagnostic/Prehistoric\\_Ceramic\\_Web\\_Page/Prehistoric\\_Prehistory.htm](http://www.jefpat.org/diagnostic/Prehistoric_Ceramic_Web_Page/Prehistoric_Prehistory.htm) on January 4, 2006.

Maryland Department of Housing and Community Affairs. 2001. "Technical Supplement to the Montgomery County, Maryland Housing Policy: Montgomery County - The Place to Call Home." Report available upon request at <http://www.co.mo.md.us/hca>, Rockville, Maryland.

Maryland Department of Natural Resources (MDNR). 2002. "Maryland's Coastal Program: What is the Coastal Zone?" Accessed on the Internet at [http://www.dnr.state.md.us/bay/czm/coastal\\_zone.html](http://www.dnr.state.md.us/bay/czm/coastal_zone.html) on December 1, 2006.

Maryland Department of Natural Resources (MDNR). 2004. "Current and Historical Rare,

1 Threatened, and Endangered Species of Montgomery County, Maryland." Accessed on the  
2 Internet at <http://www.dnr.state.md.us/wildlife/index.asp> on January 16, 2006.

3  
4 Maryland Department of Planning (MDP) 2006. Letter, dated February 17, 2006, from Elizabeth  
5 J. Cole, Administrator, Project Review and Compliance. ML070380446.

6  
7 Montgomery County Department of Environmental Protection 2006. "The Muddy Branch  
8 Watershed." Accessed on the Internet at  
9 [http://www.montgomerycountymd.gov/deptmpl.asp?url=/content/dep/csps/watersheds/csps/html](http://www.montgomerycountymd.gov/deptmpl.asp?url=/content/dep/csps/watersheds/csps/html/muddy.asp)  
10 [/muddy.asp](http://www.montgomerycountymd.gov/deptmpl.asp?url=/content/dep/csps/watersheds/csps/html/muddy.asp) on February 6, 2006.

11  
12 Montgomery County Government website and information. 2005. Accessed on the Internet at  
13 <http://www.montgomerycountymd.gov> in December 2005.

14  
15 Montgomery County Parks & Planning Commission (MCPCC). 2006. Accessed on the Internet  
16 at <http://www.mc-mncppc.org/research/index.shtml> in January 2006.

17  
18 National Climatic Data Center (NCDC). 2005a. *2004 Local Climatological Data Annual*  
19 *Summary With Comparative Data - Washington, D.C., Ronald Regan National Airport (DCA).*  
20 Asheville, North Carolina.

21  
22 National Climatic Data Center (NCDC). 2005b. *2004 Local Climatological Data Annual*  
23 *Summary With Comparative Data - Washington, D.C., Dulles International Airport (IAD).*  
24 Asheville, North Carolina.

25  
26 National Environmental Policy Act of 1969 (NEPA). 42 USC 4321, et seq.

27  
28 National Institute of Standards and Technology (NIST). 2002. *National Institute of Standards*  
29 *and Technology Reactor. Operations Report #54. January 1, 2001 to December 31, 2001.*  
30 NIST, Gaithersburg, Maryland.

31  
32 National Institute of Standards and Technology (NIST). 2003. *National Institute of Standards*  
33 *and Technology Reactor. Operations Report #55. January 1, 2002 to December 31, 2002.*  
34 NIST, Gaithersburg, Maryland.


35  
36 National Institute of Standards and Technology (NIST). 2004a. *Environmental Report for*  
37 *License Renewal for the National Institute of Standards and Technology Reactor-NBSR.*  
38 NBSR-16, NISTIR 7105, NIST, Gaithersburg, Maryland.

39  
40 National Institute of Standards and Technology (NIST). 2004b. *National Institute of Standards*  
41 *and Technology Reactor. Operations Report #56. January 1, 2003 to December 31, 2003.*  
42 NIST, Gaithersburg, Maryland.

## Reactor and the Environment

- 1 National Institute of Standards and Technology (NIST). 2004c. *Technical Specifications for*  
2 *License Renewal for the National Institute of Standards and Technology Reactor-NBSR.*  
3 NBSR-15, NISTIR 7104, NIST, Gaithersburg, Maryland.  
4
- 5 National Institute of Standards and Technology (NIST). 2005. *National Institute of Standards*  
6 *and Technology Reactor. Operations Report #57. January 1, 2004 to December 31, 2004.*  
7 NIST, Gaithersburg, Maryland.  
8
- 9 National Institute of Standards and Technology (NIST). 2006. *National Institute of Standards*  
10 *and Technology Reactor. Operations Report #58. January 1, 2005 to December 31, 2005.*  
11 NIST, Gaithersburg, Maryland.  
12
- 13 National Transportation and Safety Board (NTSB). 2007. Accessed on the Internet at  
14 <http://www.nts.gov/ntsb/query.asp> on February 1, 2007.  
15
- 16 Newman, M.E. 2005. "Deer Immunocontraception at NIST." Accessed on the Internet at  
17 [http://www.nist.gov/public\\_affairs/factsheet/deer.htm](http://www.nist.gov/public_affairs/factsheet/deer.htm) on November 3, 2007.  
18
- 19 Office of Science and Technology Policy (OSTP). 2002. *Report on the Status and Needs of*  
20 *Major Neutron Scattering Facilities and Instruments in the United States.* Washington, D.C.  
21
- 22 Ramsdell, J.V. 2005. *Tornado Climatology of the Contiguous United States.*  
23 NUREG/CR-4461, Rev. 1, U.S. Nuclear Regulatory Commission, Washington, D.C.  
24
- 25 U.S. Bureau of Labor Statistics (USBLS). 2004. "Bureau of Labor Statistics Data." Accessed  
26 on the Internet at <http://data.bls.gov/labjava/outside.jsp?survey=1a> on July 22, 2004.  
27
- 28 U.S. Bureau of Labor Statistics (USBLS). 2006. "Site Source." Accessed on the Internet at  
29 <http://www.dlir.state.md.us/lmi/> on October 2006.  
30
- 31 U.S. Census Bureau (USCB). 1990. "U.S. Bureau of Census, 1990 Census of Population and  
32 Housing, Table DP-1." Accessed on the Internet at <http://factfinder.census.gov> on April 19,  
33 2004.  
34
- 35 U.S. Census Bureau (USCB). 2000. "U.S. Bureau of Census, Census 2000, State and County  
36 Quick Facts." Accessed on the Internet at <http://quickfacts.census.gov/qfd/> on April 19, 2004.  
37
- 38 U.S. Department of Agriculture (USDA). 2003. "NASS Fact Finders for Agriculture." Accessed  
39 on the Internet at <http://www.nass.usda.gov/md/Montgomery2003Profile.pdf> in January 2006.  
40
- 41 U.S. Environmental Protection Agency (U.S.EPA). 1989. *User's Guide for the COMPLY Code.*  
42 EPA 520/1-89-003, EPA Office of Radiation and Indoor Air, Washington, D.C.

1 U.S. Environmental Protection Agency (U.S.EPA). 2005. "Air Quality Index Report." Accessed  
2 on the Internet at <http://www.epa.gov/air/data/repst.html?st=MD~Maryland> on January 20,  
3 2006.  
4  
5 U.S. Nuclear Regulatory Commission (U.S.NRC). 1982. *Final Environmental Statement*  
6 *Related to License Renewal and Power Increase for the National Bureau of Standards Reactor.*  
7 NUREG-0877. Washington, D.C.  
8  
9 U.S. Nuclear Regulatory Commission (U.S.NRC). 2007. *Summary of Site Audit to Support the*  
10 *License Renewal Review for the National Bureau of Standards Reactor (NBSR) at the National*  
11 *Institute of Standards and Technology.* ML070370061.  
12  
13 Washington Suburban Sanitary Commission (WSSC). 2005. Accessed on the Internet at  
14 <http://www.wsscwater.com/index.cfm> in December 2005.  
15



## 3.0 Environmental Impacts of Operation

This chapter addresses the environmental impacts related to operation during the license renewal term of the National Bureau of Standards Reactor (NBSR) located on the National Institute of Standards and Technology (NIST) site in Montgomery County, Maryland.

There are substantial differences between the NBSR and commercial power reactors; however the types of environmental issues addressed in this chapter are similar, and in many cases, the environmental impacts from continued operation of the NBSR can be informed by analyses discussed in the *Generic Environmental Impact Statement for License Renewal of Nuclear Plants* (GEIS), NUREG-1437, Volumes 1 and 2 (NRC 1996, 1999)<sup>(a)</sup>. Therefore, where appropriate, the GEIS analyses are used as a basis for evaluating the environmental impacts of continued operation of the NBSR. The environmental impacts of operating the NBSR during the license renewal term are presented in the following sections.

Unless otherwise indicated, information in the following sections was adapted from the Environmental Report (ER) submitted by NIST for renewal of the NBSR operating license (OL) (NIST 2004) and was independently verified by the staff. Additional information was obtained by the staff during the site audit (U.S. NRC 2007); appropriate citations will be made for other sources. Section 3.1 addresses issues applicable to the NBSR cooling system. Section 3.2 addresses the radiological impacts of normal operation, and Section 3.3 addresses issues related to the socioeconomic impacts of normal operation during the license renewal term. Section 3.4 addresses issues related to historic and archaeological resources, while Section 3.5 discusses the impacts of license renewal-term operations on terrestrial and aquatic resources, including threatened and endangered species. Section 3.6 discusses cumulative impacts, and Section 3.7 summarizes the results of the evaluation of environmental issues related to operation during the license renewal term. References are listed in Section 3.8.

### 3.1 Cooling System

The NBSR primary cooling is provided by a closed system containing heavy water (D<sub>2</sub>O). The primary system is connected to a secondary cooling system containing light water (H<sub>2</sub>O) via a plate-type heat exchanger. The secondary system consists of a plume abatement cooling tower that uses make-up water from a municipal utility as needed and discharges blowdown to the sanitary sewer system. The potential for leakage between the primary and secondary systems is carefully monitored, and if contaminants were transferred to the secondary system, they would be removed and managed with other radiological liquid waste, as necessary.

---

(a) The GEIS was originally issued in 1996. Addendum 1 to the GEIS was issued in 1999. Hereafter, all references to the "GEIS" include the GEIS and its Addendum 1.

## Operation

1 The NBSR cooling system does not discharge water to an open body of water, and no impacts  
2 on surface water quality or on biota that would normally inhabit rivers or lakes would be  
3 expected.

4  
5 For all of the following environmental issues associated with cooling tower systems, the staff  
6 concluded the impacts from operation of nuclear power reactors are SMALL, and additional  
7 mitigation measures are not likely to be sufficiently beneficial to be warranted as described in  
8 the GEIS (U.S. NRC 1996):

- 9
- 10 • Discharge of sanitary wastes and minor chemical spills
- 11 • Discharge of chlorine or other biocides
- 12 • Discharge of other metals in wastewater
- 13 • Cooling tower impacts on crops and ornamental vegetation
- 14 • Cooling tower impacts on native plants
- 15 • Bird collisions with cooling towers
- 16 • Microbiological organisms (occupational health)
- 17 • Noise.

18  
19 Other environmental issues associated with cooling system operation evaluated in the GEIS  
20 Section 4.3 are not considered to be applicable to the NBSR. By comparison to power reactors,  
21 the NBSR operates at a substantially lower power level (from a factor of 75 to 150 or more).  
22 The cooling tower technology employed at NBSR is similar in principle to those at power reactor  
23 facilities, but the scale is likewise reduced.

24  
25 In its ER, NIST did not identify any information for cooling system operations indicating potential  
26 for impacts greater than, or different in nature from, those discussed in the GEIS (NIST 2004).  
27 The staff reviewed applicable information related to cooling system impacts during its  
28 independent review of the ER, the staff's site visit, the scoping process, and its evaluation of  
29 other available information. Based on the analysis and findings of the GEIS for similar cooling  
30 system technology and the fact the NBSR operates at a substantially lower power level than  
31 commercial power reactors, the staff concludes the impacts are bounded by the impacts for  
32 commercial power reactors (i.e., SMALL), and no additional mitigation is warranted.

## 34 **3.2 Radiological Impacts**

35  
36 Radiological issues related to impacts at nuclear power plants applicable to the NBSR include  
37 radiation exposures to the public and occupational radiation exposures. For these issues, the  
38 staff concluded in the GEIS Section 4.6 (U.S. NRC 1996) that the impacts from commercial  
39 power reactor operations are SMALL, and additional plant-specific mitigation measures are not  
40 likely to be sufficiently beneficial to be warranted. The staff reviewed applicable information  
41 related to radiological impacts on workers and members of the public during its independent

1 review of the ER, the scoping process, the staff's site visit, and its evaluation of other available  
2 information. Because the NBSR operates at a substantially lower power level than a commercial  
3 power reactor, there is no expectation that radiological impacts of operating the NBSR would  
4 differ from, or exceed, those discussed in the GEIS in Section 4.6 (U.S. NRC 1996). Radiation  
5 exposures to the public as a result of operating the NBSR during the license renewal term are  
6 expected to continue at current levels associated with normal operations, as discussed in  
7 Section 2.2.7 of this draft EIS. This includes exposures to radionuclides in airborne and liquid  
8 effluents as well as direct radiation. Likewise, projected maximum occupational doses during  
9 the license renewal term are within the range of doses experienced during normal operations or  
10 normal maintenance outages, and would continue to be well below regulatory limits.

11  
12 Radiological impacts from ongoing research projects at the NIST Center for Neutron Research  
13 are the only unique activities associated with normal operation of the NBSR. Doses to  
14 members of the public from research activities are included in the radiological impacts of reactor  
15 operation based on monitoring of effluents and various environmental media, and they  
16 represent a small fraction of the dose from reactor operations (NIST 2004). Radiological doses  
17 to research staff working in the laboratories are monitored and are typically lower than those to  
18 reactor operations staff, as discussed in Section 2.2.7 of this draft EIS. Therefore, they would  
19 be well below regulatory standards and within the bounds of the GEIS Section 4.6 analysis  
20 (U.S. NRC 1996). Consequently, the staff concludes the radiological impacts associated with  
21 operation during a renewal term would be SMALL and no additional mitigation measures  
22 beyond the existing control program are warranted.

### 23 24 **3.3 Socioeconomic Impacts**

25  
26 Socioeconomic impacts considered include those on housing availability, public services  
27 (utilities and transportation), land use, and environmental justice.

#### 28 29 **3.3.1 Housing Impacts**

30  
31 SMALL impacts result when no discernible change in housing availability occurs, changes in  
32 rental rates and housing values are similar to those occurring statewide, and no housing  
33 construction or conversion is required to meet new demand. Impacts are considered  
34 MODERATE when there is discernible but short-lived reduction in available housing units  
35 because of project-induced migration. Impacts are considered LARGE when project-related  
36 housing demands result in very limited housing availability and would increase rental rates and  
37 housing values well above normal inflation.

38  
39 Appendix C of the GEIS (U.S. NRC 1996) presents a population characterization method based  
40 on two factors, sparseness and proximity. Sparseness measures population density within  
41 32 km (20 mi) of the site, and proximity measures population density and city size within 80 km

## Operation

1 (50 mi). Each factor has categories of density and size (NRC 1996, Table C.1), and a matrix is  
2 used to rank the population category as low, medium, or high (NRC 1996, Figure C.1).  
3

4 In 2000, the population living in Montgomery County, where the NBSR is located, was estimated  
5 to be approximately 873,341. This total converts to a population density of about  
6 680 persons/km<sup>2</sup> (1775 persons/mi<sup>2</sup>). This concentration falls into the GEIS sparseness  
7 Category 4 (i.e., having greater than or equal to 46 persons/km<sup>2</sup> [120 persons/mi<sup>2</sup>]). In addition,  
8 the District of Columbia metropolitan area has a population of approximately 4.8 million and is  
9 located about 32 km (20 mi) southeast of the site (NIST 2004). Applying the GEIS proximity  
10 measures (U.S. NRC 1996), NBSR is classified as being located in a high-population area.  
11

12 The NRC has concluded the impacts on housing availability are expected to be of SMALL  
13 significance at commercial power reactors located in a high-population area where  
14 growth-control measures are not in effect. The NBSR site is located in a high-population area.  
15 In 1997, the Maryland legislature adopted legislation, commonly known as Smart Growth, aimed  
16 at slowing sprawl development in Maryland. The Smart Growth law targets State spending on  
17 roads, sewers, schools, and other public infrastructure in designated growth areas or priority  
18 funding areas. Growth is not necessarily restricted in Montgomery County; however, the State  
19 funnels significant resources into designated growth areas, while no State funding is provided  
20 for development occurring outside of the designated growth areas. Given the land use and  
21 zoning designations in Montgomery County, there is currently a potential for another 241,000  
22 housing units, of which 84 percent is expected to be in areas with existing or planned sewerage  
23 service (Maryland Department of Housing and Community Affairs 2001); therefore, the growth  
24 control measures in place would not appear to significantly restrict future housing growth around  
25 the site.  
26

27 The demand for housing units in the Montgomery County region could be met with the  
28 construction of new housing. As a result, NRC staff concludes the impacts on housing would  
29 be SMALL, and mitigation measures would not be necessary or effective. Based on this review,  
30 including interviews with local real estate agents, the staff concludes the impact on housing  
31 during the license renewal term would be SMALL and no mitigation is warranted.  
32

### 33 **3.3.2 Public Services: Public Utilities**

34

35 Impacts on public utility services are considered SMALL if there is little or no change in the  
36 ability of the system to respond to the level of demand, and thus there is no need to add capital  
37 facilities. Impacts are considered MODERATE if overtaking of service capabilities occurs during  
38 periods of peak demand. Impacts are considered LARGE if existing levels of service  
39 (e.g., water or sewer services) are substantially degraded and additional capacity is needed to  
40 meet ongoing demands for services. The staff believes the only potential significant impacts on  
41 public utilities are impacts on public water supplies.

1 Analysis of impacts on the public water supply system considered both plant demand and plant-  
2 related population growth. Section 2.2.8.2 describes the NBSR-permitted withdrawal rate and  
3 actual use of water. NIST does not plan to undertake any major change in activities during the  
4 license renewal term at the NBSR, and none of the activities would require staffing that would  
5 exceed the NBSR's current level of staffing, so plant demand would not change beyond current  
6 demands (NIST 2004). Thus, the staff concludes the impact of increased water use resulting  
7 from the potential increase in employment is SMALL and no mitigation is warranted.  
8

### 9 **3.3.3 Public Services: Transportation**

10  
11 As described in Section 2.2.8 of this document, the road network around the NIST campus is  
12 well established and in heavy use by commuters within Montgomery County to and from the  
13 District of Columbia and other surrounding large cities. Operations during the license renewal  
14 term of the NBSR would be expected to have SMALL impacts on transportation and no  
15 mitigation is warranted.  
16

### 17 **3.3.4 Offsite Land Use**

18  
19 Consistent with the definitions from Section 4.7.4 of the GEIS to define the magnitude of land-  
20 use changes as a result of plant operation during the license renewal term, the following terms  
21 are used to analyze land-use impacts:  
22

23 SMALL – Little new development and minimal changes to an area's land-use pattern

24  
25 MODERATE – Considerable new development and some changes to the land-use pattern

26  
27 LARGE – Large-scale new development and major changes in the land-use pattern.  
28

29 There would be no expected population growth as a result of renewing the OL for the NBSR  
30 facility. Consequently, the staff concludes that population changes resulting from license  
31 renewal are likely to result in SMALL offsite land-use impacts and no mitigation is warranted.  
32

### 33 **3.3.5 Environmental Justice**

34  
35 Environmental justice refers to a Federal policy requiring Federal agencies to identify and  
36 address, as appropriate, disproportionately high and adverse human health or environmental  
37 effects of its actions on minority<sup>(a)</sup> or low-income populations. The memorandum accompanying

---

(a) The NRC Guidance for performing environmental justice reviews defines "minority" as American Indian or Alaskan Native, Asian or Pacific Islander, Black not of Hispanic Origin, or Hispanic (U.S. NRC 2004).

## Operation

1 Executive Order 12898 (59 FR 7629) directs Federal executive agencies to consider  
2 environmental justice under the National Environmental Policy Act of 1969 (NEPA). The  
3 Council on Environmental Quality (CEQ) has provided guidance for addressing environmental  
4 justice (CEQ 1997). Although the Executive Order is not mandatory for independent agencies,  
5 the Commission has voluntarily committed to undertake environmental justice reviews; the  
6 Commission has finalized its approach for considering environmental justice reviews in its  
7 Policy Statement (69 FR 52040). Specific guidance is provided in NRC Office of Nuclear  
8 Reactor Regulation Office Instruction LIC-203, Revision 1, "Procedural Guidance for Preparing  
9 Environmental Assessments and Considering Environmental Issues," issued in May 2004  
10 (U.S. NRC 2004).

11  
12 The staff examined the geographic distribution of minority and low-income populations within  
13 Montgomery County and neighboring counties, employing the 2000 Census data (USCB 2000)  
14 for low-income populations and minority populations. For the purpose of the staff's review, a  
15 minority population is defined to exist if the percentage of each minority, or aggregated minority  
16 category within the census tract or block group<sup>(a)</sup> potentially affected by the license renewal of  
17 NBSR exceeds the corresponding percentage of minorities in the entire State of Maryland by  
18 20 percent or if the corresponding percentage of minorities within the census tract or block  
19 group is at least 50 percent. A low-income population is defined to exist if the percentage of  
20 low-income population within a census tract or block group exceeds the corresponding  
21 percentage of low-income population in the entire State of Maryland by 20 percent, or if the  
22 corresponding percentage of low-income population within a census tract or block group is at  
23 least 50 percent. The minority population in the State of Maryland makes up 35 percent of the  
24 population, and the low-income population makes up 8.8 percent of the total population in the  
25 State.

26  
27 Applying the LIC-203 (U.S. NRC 2004) criterion of "more than 20 percent greater," the census  
28 block groups containing low-income populations appeared to be primarily in the urban centers  
29 around the District of Columbia and Baltimore, Maryland, with only two block groups identified in  
30 Montgomery County and two more identified in Frederick County to the north.

31  
32 Minority population block groups are present in Montgomery County and all adjacent counties;  
33 however, the concentrations of these minority populations are found in the urban centers within  
34 and surrounding Baltimore and the District of Columbia.

---

(a) A census block group is a combination of census blocks, which are statistical subdivisions of a census tract. A census block is the smallest geographic entity for which the U.S. Census Bureau (USCB) collects and tabulates decennial census information. A census tract is a small, relatively permanent statistical subdivision of counties delineated by local committees of census data users in accordance with USCB guidelines for the purpose of collecting and presenting decennial census data. Census block groups are subsets of census tracts (USCB 2001).

1 With the locations of minority and low-income populations identified, the staff proceeded to  
2 evaluate whether any of the environmental impacts of the proposed action could affect these  
3 populations in a disproportionately high and adverse manner. Based on staff guidance  
4 (U.S. NRC 2004), air, land, and water resources within and around the NBSR site were  
5 examined. The pathways through which the environmental impacts associated with NBSR  
6 license renewal can affect human populations are discussed in each associated section. The  
7 staff found no unusual resource dependencies or practices such as subsistence agriculture,  
8 hunting, or fishing through which minority and/or low-income populations could be  
9 disproportionately highly and adversely affected. In addition, the staff did not identify any  
10 location-dependent, disproportionately high and adverse impacts affecting these minority and  
11 low-income populations. The staff concludes offsite impacts from NBSR to minority and low-  
12 income populations would be SMALL, and no mitigation is warranted.  
13

### 14 **3.4 Historic and Archaeological Resources**

15  
16 Section 106 of the National Historic Preservation Act requires Federal agencies to take into  
17 account the effects of their undertakings on historic properties. The Section 106 historic  
18 preservation review process is covered in regulations issued by the Advisory Council on Historic  
19 Preservation at 36 CFR Part 800. As a starting point, renewal of the OL for the NBSR could  
20 potentially affect historic properties that may be located at the site. However, the Maryland  
21 Inventory of Historic Properties does not have any records of known archaeological sites or  
22 other historic properties within or immediately adjacent to the NBSR or the entire NIST campus  
23 (MDP 2006). NRC staff consulted the Maryland Historic Trust regarding the potential renewal of  
24 the OL for the NBSR because the staff ultimately determined, in accordance with 36 CFR  
25 800.3(a)(1), that renewal would be an activity that does not have the potential to cause effects  
26 on historic properties. Operation of the NBSR, as planned under the application for license  
27 renewal, would protect undiscovered historic or archaeological resources on the NIST site  
28 because the undeveloped natural landscape and vegetation would remain undisturbed, and  
29 access to the site would remain restricted. Therefore, the staff concludes the environmental  
30 impacts on cultural resources associated with operation during a renewal term would be  
31 SMALL, and no additional mitigation measures are warranted. As a Federal agency, activity  
32 that could result in disturbing land on the NIST campus would conform with the requirements of  
33 the National Historic Preservation Act.  
34

## 3.5 Ecology

Ecological impacts considered include those for aquatic and terrestrial resources, as well as threatened and endangered species.

### 3.5.1 Aquatic Ecology

The closed-cycle secondary cooling system has its intake via municipal-water supply lines, and blowdown is discharged to the sanitary sewer system. Surface water and groundwater are not used as process water and process water is not discharged to the surface or groundwater. Therefore, no impacts on aquatic biota as a result of impingement, entrainment, heat, or chlorination are expected to occur.

Overall impacts to the aquatic biota are expected to be SMALL and no mitigation is warranted.

### 3.5.2 Terrestrial Ecology

The NBSR and associated facilities are located in an industrial complex on the NIST campus. Because of the highly industrialized nature of the facility, it is not expected that terrestrial biota will be impacted from continued operation. Fogging and icing as a result of cooling tower drift and evaporation are not expected other than in the immediate vicinity of the cooling towers. Bird collisions are not expected to occur on either the cooling towers or at the buildings housing these facilities. There have been no visible impacts to vegetation from cooling tower drift recorded in the last 20 years (U.S. NRC 2007). The average annual precipitation of 104 cm (41 in.) is distributed more or less evenly throughout the year, and it is expected that it will wash the deposited drift from vegetative surfaces and prevent accumulation of high salt levels in the soil (NOAA 2006). Impact on surrounding terrestrial vegetation from the cooling tower drift is expected to be small.

Overall impacts to the terrestrial biota are expected to be SMALL and no mitigation is warranted.

### 3.5.3 Threatened and Endangered Species

Section 7(a)(2) of the Endangered Species Act states that Federal agencies are to consult with the U.S. Fish and Wildlife Service (FWS) to ensure any agency action is not likely to jeopardize the continued existence of any endangered species or threatened species or result in the destruction or adverse modification of habitat of such species. Although no threatened or endangered species are known to occur on the NIST campus, official consultation has been initiated with the FWS. Results of the consultation will be presented in the final EIS.

### *Aquatic*

There are no known threatened and endangered aquatic species in the vicinity of the NIST campus. No impacts to threatened and endangered aquatic species are expected; therefore, the impacts on aquatic threatened and endangered species are expected to be SMALL, and no mitigation is warranted.

### *Terrestrial*

There is suitable habitat for the bald eagle (*Haliaeetus leucocephalus*) and the small whorled pogonia (*Isotria medeoloides*) on the NIST campus. The bald eagle is a candidate for delisting under the Endangered Species Act (USFWS 2007), but will continue to be Federally protected under the Bald and Golden Eagle Protection Act. The NBSR and associated facilities are located within an industrial complex on the campus. There are no planned construction activities as part of license renewal requiring any additional habitat removal (U.S. NRC 2007). Because of the highly industrialized nature of the facility and the fact no construction is planned, it is not expected the small whorled pogonia or the bald eagle would be impacted from continued operation. Overall, impacts to terrestrial threatened and endangered species is expected to be SMALL and no additional mitigation is warranted.

## **3.6 Cumulative Impacts of Operations During the License Renewal Term**

The cumulative effects of impacts were considered for operation of the cooling system, radiological doses, socioeconomics, historic and archaeological resources, and ecology.

### **3.6.1 Cumulative Impacts Resulting from Operation of the Plant Cooling System**

The geographic area affected by operation of the NBSR cooling system is confined largely to the NIST site. The plume abatement cooling tower minimizes the potential for substantial offsite impacts; therefore, the opportunity for cumulative impacts on nearby facilities is small. Effluents released to the municipal sanitary sewer system from cooling tower operations represent a small fraction of the site's total volume, and they are monitored to maintain concentrations of radiological or hazardous materials well within regulatory limits for discharges to public treatment facilities. NRC and EPA regulatory standards were established at levels that account for contributions from multiple sources to releases of radiological or hazardous materials, thereby minimizing the potential for cumulative adverse impacts to public facilities that process the effluents. Therefore, the staff concludes the cumulative impacts resulting from continued operation of the NBSR cooling system would be SMALL and no additional mitigation is warranted.

1       **3.6.2 Cumulative Radiological Impacts**

2  
3       The EPA and NRC established radiological dose limits for protection of the public and workers  
4       from both near-term and cumulative impacts of exposure to radiation and radioactive materials.  
5       Those dose limits are codified in 40 CFR Part 190 and 10 CFR Part 20. For the purpose of this  
6       analysis, the area within an 80-km (50-mi) radius of the NIST site was considered. NIST  
7       conducts a radiological environmental monitoring program (REMP) around the NBSR site to  
8       measure radiation and radioactive materials from all sources, including the reactor and  
9       associated research facilities (NIST 2006). Historically, these measurements have remained at  
10       relatively constant low levels and provide no indication of cumulative effects over time. Other  
11       laboratories within the NIST campus may also use radioactive materials. Radiological  
12       exposures to workers at NIST are monitored to ensure they do not exceed regulatory standards.  
13       Additionally, the staff concluded that impacts of radiation exposure to the public and workers  
14       (occupational) from operation of the NBSR during the license renewal term are small. The NRC  
15       and the State of Maryland would regulate any future actions in the vicinity of the NIST site that  
16       could contribute to cumulative radiological impacts; none are contemplated at this time.

17  
18       Therefore, the staff concludes that cumulative radiological impacts of continued operations of  
19       the NBSR would be SMALL, and no additional mitigation is warranted.

20  
21       **3.6.3 Cumulative Socioeconomic Impacts**

22  
23       The analyses of socioeconomic impacts presented in Section 3.3 already incorporate  
24       cumulative impact analysis. For instance, the impact of the total number of additional housing  
25       units that may be needed can only be evaluated with respect to the total number that will be  
26       available in the affected area. Given that all license renewal socioeconomic impacts associated  
27       with NBSR are SMALL, the staff concluded these impacts would not result in significant  
28       cumulative impacts on potentially affected socioeconomic resources and no mitigation is  
29       warranted.

30  
31       **3.6.4 Cumulative Impacts on Historic and Archaeological Resources**

32  
33       The Maryland Inventory of Historic Properties does not have any record of known  
34       archaeological sites or other historic properties within or immediately adjacent to the NBSR or  
35       the entire NIST campus. Given that all license renewal historical and archaeological impacts  
36       associated with NBSR are deemed to be SMALL, the staff concluded these impacts would not  
37       result in significant cumulative impacts on historic and archaeological resources and no  
38       mitigation is warranted.

### 3.6.5 Cumulative Impacts on Ecology Including Threatened and Endangered Species

There are no known threatened and endangered aquatic species in the vicinity of the NIST campus. There is suitable habitat for two Federally listed terrestrial species on the NIST campus; the NBSR and associated facilities are located within an industrial complex on the NIST campus and no new construction is planned as part of license renewal within the industrial complex or elsewhere on the NIST campus. Therefore, the staff determined continued operation at the plant site will not have a detectable contribution to the cumulative, regional impacts on threatened or endangered aquatic and terrestrial species. The effects are SMALL and no mitigation is warranted.

## 3.7 Summary of Impacts of Operations During the License Renewal Term

The NBSR is a small, non-power test reactor located in a wing of a building within the industrial complex on the NIST campus. It uses municipal water for make-up water, and blowdown is discharged directly to the sanitary sewer system. The number of employees is small in relation to the population of the surrounding community. Radiological impacts are minimized by meeting applicable regulations for releases, monitoring, and doses to workers and the public, including implementing an ALARA program. Therefore, the staff concludes the potential environmental impact of renewal-term operations of the NBSR would be SMALL, and no additional mitigation is warranted.

## 3.8 References

10 CFR Part 20. Code of Federal Regulations, Title 10, *Energy*, Part 20, "Standards for Protection Against Radiation."

10 CFR Part 51. Code of Federal Regulations, Title 10, *Energy*, Part 51, "Environmental Protection Regulations for Domestic Licensing and Related Regulatory Functions."

36 CFR Part 800. Code of Federal Regulations, Title 36, *Parks, Forests, and Public Property*, Part 800, "Protection of Historic Properties."

40 CFR Part 190. Code of Federal Regulations, Title 40, *Protection of Environment*, Part 190, "Environmental Protection Standards for Nuclear Power Operations."

59 FR 7629. Executive Order 12898, "Federal Actions to Address Environmental Justice in Minority and Low-Income Populations." *Federal Register*. Vol. 59, No. 32. February 16, 1994.

## Operation

1 69 FR 52040. "Policy Statement on the Treatment of Environmental Justice Matters in the NRC  
2 Regulatory and Licensing Actions." *Federal Register*. Vol. 69, No. 163. August 24, 2004.

3  
4 Council on Environmental Quality (CEQ). 1997. *Environmental Justice: Guidance Under the*  
5 *National Environmental Policy Act*. Executive Office of the President, Washington, D.C.

6  
7 Endangered Species Act. 16 USC 1531 et seq.

8  
9 Maryland Department of Housing and Community Affairs. 2006. "Technical Supplement to the  
10 Montgomery County, Maryland Housing Policy: Montgomery County – The Place to Call  
11 Home," Report available upon request at [www.co.mo.md.us/hca](http://www.co.mo.md.us/hca). July 2001. Rockville,  
12 Maryland.

13  
14 Maryland Department of Planning (MDP) 2006. Letter, dated February 17, 2006, from Elizabeth  
15 J. Cole, Administrator, Project Review and Compliance.

16  
17 National Historic Preservation Act of 1966 (NHPA). 16 USC 470, et seq.

18  
19 National Institute of Standards and Technology (NIST). 2004. *Environmental Report for*  
20 *License Renewal for the National Institute of Standards and Technology Reactor-NBSR*.  
21 NBSR-16, NISTIR 7105, NIST, Gaithersburg, Maryland.

22  
23 National Institute of Standards and Technology (NIST). 2006. *National Institute of Standards*  
24 *and Technology Reactor. Operations Report #58. January 1, 2005 to December 31, 2005*.  
25 NIST, Gaithersburg, Maryland.

26  
27 National Oceanic and Atmospheric Administration. 2006. "Climate at a Glance." Accessed on  
28 the Internet at <http://climvis.ncdc.noaa.gov/cgi-bin/cag3/hr-display3.pl> on February 6, 2006.

29  
30 U.S. Census Bureau (USCB). 2000. "Census 2000 Summary File 1 (SF-1) 100 Percent Data."  
31 Accessed on the Internet at  
32 [http://factfinder.census.gov/servlet/DatasetMainPageServlet?\\_ds\\_name=DEC\\_2000\\_SF3\\_U&](http://factfinder.census.gov/servlet/DatasetMainPageServlet?_ds_name=DEC_2000_SF3_U&_program=DEC&_lang=en)  
33 [\\_program=DEC&\\_lang=en](http://factfinder.census.gov/servlet/DatasetMainPageServlet?_ds_name=DEC_2000_SF3_U&_program=DEC&_lang=en) in January 2003.

34  
35 U.S. Census Bureau (USCB). 2001. "Glossary – Definition and Explanations – decennial  
36 census terms." Accessed on the Internet at  
37 <http://landview.census.gov/dmd/www/advGLOSSARY.html> in January 2003.

38  
39 U.S. Fish and Wildlife Service (USFWS). 2007. "Division of Migratory Bird Management - Bald  
40 Eagle." Accessed on the Internet at <http://www.fws.gov/migratorybirds/BaldEagle.htm> in  
41 January 2007.

42

- 1 U.S. Nuclear Regulatory Commission (U.S.NRC). 1996. *Generic Environmental Impact*  
2 *Statement for License Renewal of Nuclear Plants*. NUREG-1437, Volumes 1 and 2,  
3 Washington, D.C.  
4
- 5 U.S. Nuclear Regulatory Commission (U.S.NRC). 1999. *Generic Environmental Impact*  
6 *Statement for License Renewal of Nuclear Plants, Main Report*, "Section 6.3 – Transportation,  
7 Table 9.1, Summary of findings on NEPA issues for license renewal of nuclear power plants,  
8 Final Report." NUREG-1437, Volume 1, Addendum 1, Washington, D.C.  
9
- 10 U.S. Nuclear Regulatory Commission (U.S.NRC). 2004. "Procedural Guidance for Preparing  
11 Environmental Assessments and Considering Environmental Issues." LIC-203, Revision 1,  
12 May 24, 2004. ML033550003.  
13
- 14 U.S. Nuclear Regulatory Commission (U.S.NRC). 2007. *Summary of Site Audit to Support the*  
15 *License Renewal Review for the National Bureau of Standards Reactor (NBSR) at the National*  
16 *Institute of Standards and Technology*. ML070370061.



## 4.0 Environmental Impacts of Postulated Accidents

The potential impacts of accidents at the National Bureau of Standards Reactor (NBSR) located at the National Institute of Standards and Technology (NIST) during the license renewal term are presented in the following sections. Environmental issues associated with postulated accidents at nuclear power reactors are discussed in the *Generic Environmental Impact Statement for License Renewal of Nuclear Plants (GEIS)*, NUREG-1437, Volumes 1 and 2 (U.S. NRC 1996, 1999).<sup>(a)</sup> There are substantial differences between the NBSR and commercial power reactors; however, the types of environmental issues addressed in this chapter are similar, and in many cases the environmental impacts from continued operation of the NBSR can be informed by analysis discussed in the GEIS. Therefore, where appropriate, the GEIS analyses are used as a basis for evaluating the environmental impacts of continued operation of the NBSR. The GEIS includes a determination of whether the analysis of a particular environmental issue could be applied to all commercial power reactors and whether additional mitigation measures would be warranted.

This chapter describes the environmental impacts from postulated accidents at the NBSR considered for the license renewal term. Section 4.1 presents postulated accidents, Section 4.2 addresses severe accident mitigation alternatives, and references are listed in Section 4.3.

Unless otherwise indicated, information in the following sections was adapted from the Environmental Report (ER) (NIST 2004a) and the Final Safety Analysis Report (SAR) (NIST 2004b) submitted by NIST for renewal of the NBSR operating license (OL), and was independently verified by the staff. Additional information was obtained by the staff during the site audit (U.S. NRC 2007); appropriate citations will be made for other sources.

### 4.1 Postulated Facility Accidents

Two classes of accidents are evaluated for commercial power plants in the GEIS. These are referred to as design-basis accidents (DBAs) and severe accidents. Corresponding accidents evaluated for the NBSR are discussed in the following sections.

#### 4.1.1 Design-Basis Accidents

To receive U.S. Nuclear Regulatory Commission (U.S.NRC) approval to operate a nuclear reactor, an applicant must submit a SAR as part of the application. The SAR presents the design criteria and design information for the proposed reactor and comprehensive data on the

---

(a) The GEIS was originally issued in 1996. Addendum 1 to the GEIS was issued in 1999. Hereafter, all references to the "GEIS" include the GEIS and Addendum 1.

## Postulated Accidents

1 proposed site. The SAR also discusses hypothetical accident scenarios as well as the safety  
2 features present in the facility to prevent and mitigate accidents. The NRC staff reviews the  
3 application to determine whether the facility design meets the Commission's regulations and  
4 requirements. The facility design includes, in part, the reactor design and its anticipated  
5 response to an accident.  
6

7 DBAs are postulated and evaluated to ensure the reactor can withstand normal and abnormal  
8 transient conditions and a broad spectrum of postulated accidents, without undue hazard to the  
9 health and safety of the public. A number of the postulated accidents are not expected to occur  
10 during the life of the facility but are evaluated to establish the design basis for the preventive  
11 and mitigative safety systems of the facility. The acceptance criteria for DBAs are described in  
12 Title 10 of the Code of Federal Regulations (CFR) Part 50 and 10 CFR Part 100.  
13

14 The environmental impacts of DBAs were evaluated during the initial licensing process for the  
15 NBSR, and the ability of the facility to withstand these accidents was demonstrated to be  
16 acceptable before NRC issued the OL. The results of these evaluations are found in license  
17 documentation such as the staff's Safety Evaluation Report (SER), the licensee's updated Final  
18 SAR, and this environmental impact statement (EIS). The licensee is required to maintain the  
19 acceptable design and performance criteria throughout the life of the facility, including the  
20 license renewal period. The consequences of accidents are evaluated for the hypothetical  
21 maximally exposed individual, and as such, changes in the facility environment would not affect  
22 these evaluations. Renewal of the operating license requires accident consequences remain  
23 acceptable and aging management programs are in effect. Therefore, the environmental  
24 impacts as calculated for DBAs over the life of the facility, including the license renewal period,  
25 should not differ significantly from initial licensing assessments. Accordingly, the design of the  
26 facility relative to DBAs during the license renewal period is considered to remain acceptable,  
27 and the environmental impacts of those accidents were not examined further in the GEIS.  
28

29 The NBSR includes many inherent, passive safety features, some of which would preclude the  
30 types of reactor accidents commonly evaluated for nuclear power plants. The prompt neutron  
31 lifetime is relatively long as a result of heavy water moderation, and the reactivity coefficients of  
32 void and temperature are negative. The reactor operates in a low-temperature, unpressurized  
33 condition and does not have a large stored energy content. The cooling system is designed to  
34 retain coolant in the event of a loss of water from the reactor vessel and to supply emergency  
35 coolant flow to the fuel elements and the reactor core without operator intervention. DBAs  
36 evaluated in the NBSR Final SAR (NIST 2004b) included start-up, maximum reactivity insertion,  
37 loss of flow, fuel-handling, and loss of coolant. The evaluations demonstrate that none of these  
38 accidents would result in a safety hazard to the public or to the environment.  
39

40 The NIST ER (NIST 2004a) did not identify any information relevant to accident impacts  
41 associated with the renewal of the NBSR OL. In addition, the staff has not identified any  
42 concerns during the staff's independent review of the ER, the scoping process, the staff's site

1 visit, and its evaluation of other available information. With respect to nuclear power reactors,  
 2 the Commission determined the environmental impacts of DBAs are of SMALL significance for  
 3 all plants because the plants are designed to successfully withstand these accidents. The  
 4 power levels of commercial power reactors are of the order of 100 times greater than that of the  
 5 NBSR and are expected to bound the environmental impacts of the DBAs for the NBSR.  
 6 Therefore, the staff concludes there are no impacts of DBAs during the license renewal term  
 7 that exceed or differ substantially from those discussed in the GEIS and further mitigation is not  
 8 warranted.

9  
 10 **4.1.2 Severe Accidents**

11  
 12 Severe nuclear accidents include events that could result in damage to the reactor core,  
 13 whether or not there are serious offsite consequences, and they are considered separately from  
 14 DBAs. The GEIS assessed the impacts of severe accidents at commercial power reactors  
 15 during the license renewal period, using the results of existing analyses and site-specific  
 16 information to conservatively predict the environmental impacts of severe accidents for each  
 17 plant during the license renewal period.

18  
 19 The only severe accident identified for the NBSR is discussed in the facility Final SAR  
 20 (NIST 2004b). That event, designated the maximum hypothetical accident (MHA), is one in  
 21 which all coolant flow through a single fuel element is blocked while the reactor is operating at  
 22 full power. Such an event is highly unlikely because the NBSR is a closed system with upward  
 23 flow. However, if the flow in an element is blocked during full power operation, it is possible  
 24 some melting of the cladding could occur with a resultant release of fission products into the  
 25 primary coolant. In evaluating the consequences of the MHA, it was conservatively assumed  
 26 the entire blocked element's cladding would melt and release fission products into the primary  
 27 cooling system. Analysis of consequences following the MHA in the NBSR Final SAR estimated  
 28 the total whole body gamma dose to a person standing at the site boundary 24 hours a day for  
 29 30 days would be 7 mrem and the iodine dose to the thyroid would be negligible. Those  
 30 consequences would be well below limits specified for DBAs in 10 CFR Part 100.

31  
 32 The staff reviewed information concerning severe accidents during its independent review of the  
 33 ER, the scoping process, the site visit, and its evaluation of other available information and  
 34 concludes that the impacts of severe accidents at commercial power reactors as discussed in  
 35 the GEIS would bound any potential accidents at the NBSR.

36  
 37 As part of the GEIS analysis, the probability weighted consequences of atmospheric releases,  
 38 fallout onto open bodies of water, releases to groundwater, and societal and economic impacts  
 39 from severe accidents were determined to be SMALL and further mitigation is not warranted.  
 40 The power levels of commercial power reactors are of the order of 100 times greater than that of  
 41 the NBSR and are expected to bound the environmental impacts of severe accidents for the

## Postulated Accidents

1 NBSR. No design changes are proposed for the NBSR and no severe accident mitigation  
2 analysis is required  
3

## 4 **4.2 References**

5  
6 10 CFR Part 50. Code of Federal Regulations, Title 10, *Energy*, Part 50, "Domestic Licensing of  
7 Production and Utilization Facilities."

8  
9 10 CFR Part 51. Code of Federal Regulations, Title 10, *Energy*, Part 51, "Environmental  
10 Protection Regulations for Domestic Licensing and Related Regulatory Functions."

11  
12 10 CFR Part 100. Code of Federal Regulations, Title 10, *Energy*, Part 100, "Reactor Site  
13 Criteria."

14  
15 National Institute of Standards and Technology (NIST). 2004a. *Environmental Report for*  
16 *License Renewal for the National Institute of Standards and Technology Reactor-NBSR.*  
17 NBSR-16, NISTIR 7105, NIST, Gaithersburg, Maryland.

18  
19 National Institute of Standards and Technology (NIST). 2004b. *Safety Analysis Report (SAR)*  
20 *for License Renewal for the National Institute of Standards and Technology Reactor-NBSR.*  
21 NBSR-14, NISTIR 7102, NIST, Gaithersburg, Maryland.

22  
23 U.S. Nuclear Regulatory Commission (U.S.NRC). 1996. *Generic Environmental Impact*  
24 *Statement for License Renewal of Nuclear Plants.* NUREG-1437, Vols. 1 and 2, Washington,  
25 D.C.

26  
27 U.S. Nuclear Regulatory Commission (U.S.NRC). 1999. *Generic Environmental Impact*  
28 *Statement for License Renewal of Nuclear Plants, Main Report,* "Section 6.3 – Transportation,  
29 Table 9.1, Summary of findings on NEPA issues for license renewal of nuclear power plants,  
30 Final Report." NUREG-1437, Volume 1, Addendum 1, Washington, D.C.

## 5.0 Environmental Impacts of the Uranium Fuel Cycle and Solid Waste Management

This chapter addresses the environmental impacts related to the nuclear fuel cycle and solid waste management related to operating the National Bureau of Standards Reactor (NBSR) at the National Institute of Standards and Technology (NIST) site during the license renewal term. In many cases, the impacts resulting from renewal of the NBSR operating license can be extrapolated from previous analyses for commercial power reactors in the *Generic Environmental Impact Statement for License Renewal of Nuclear Plants (GEIS)*, NUREG-1437, Volumes 1 and 2 (U.S. NRC 1996, 1999).<sup>(a)</sup> For power reactors, environmental impacts from the supporting uranium fuel cycle were evaluated based on a model 1000-MWe (megawatts of electric power) light-water cooled reactor (LWR) operating at an annual capacity factor of 80 percent. Accounting for the efficiency of producing electric power from thermal power and the capacity factor of 80 percent, the power level of a commercial reactor is on the order of 100 times greater than the NBSR. The results of the analyses are listed in 10 CFR 51.51(b), Table S-3, "Table of Uranium Fuel Cycle Environmental Data," and in 10 CFR 51.52(c), Table S-4, "Environmental Impact of Transportation of Fuel and Waste to and from One Light-Water-Cooled Nuclear Power Reactor." The staff's analysis of the radiological impact from radon-222 and technetium-99 releases are addressed separately from those listed in the tables (U.S. NRC 1996, 1999). The principal radon releases occur during uranium mining and milling operations and as emissions from mill tailings, whereas the principal technetium-99 releases occur from gaseous diffusion uranium enrichment facilities.

The NBSR differs from a commercial power reactor in several respects: 1) it uses highly enriched uranium (HEU) fuel compared to the low enriched uranium (LEU) fuel used in commercial power reactors, 2) the reactor core is cooled and moderated by heavy water ( $D_2O$ ) rather than light water ( $H_2O$ ), and 3) it operates at a much lower power level (20 MWt [megawatts of thermal power] compared to about 3000 MWt for a typical power reactor). Therefore, the impacts from the uranium fuel cycle for the NBSR could differ from those for a commercial power reactor, particularly those resulting from use of HEU rather than LEU fuel. However, the staff's conclusion for most types of environmental impacts would not be altered if the analysis were to be based on the operation of the NBSR after applying appropriate scaling factors for the power output (of the order of 100 times smaller) compared to a model LWR.

There are substantial differences between the NBSR and commercial power reactors; however, the types of environmental issues addressed in this chapter are similar, and in many cases, the environmental impacts from continued operation of the NBSR can be informed by analyses

---

(a) The GEIS was originally issued in 1996. Addendum 1 to the GEIS was issued in 1999. Hereafter, all references to the "GEIS" include the GEIS and its Addendum 1.

## Uranium Fuel Cycle

1 discussed in the GEIS. Environmental impacts from the NBSR uranium fuel cycle are  
2 discussed in the following section.  
3

### 4 **5.1 The Uranium Fuel Cycle**

5  
6 The Environmental Report (ER) submitted by NIST (NIST 2004) did not specifically address  
7 environmental impacts from the uranium fuel cycle related to the renewal of the NBSR operating  
8 license. The staff performed an independent review of the ER, the scoping process, and  
9 conducted a site visit.  
10

11 A brief description of the staff's review, the conclusions, and a discussion of their applicability to  
12 the NBSR for each of the issues follows:  
13

- 14 • Offsite radiological impacts (individual effects from other than the disposal of  
15 spent fuel and high level waste)  
16

17 Offsite impacts of the uranium fuel cycle have been considered by the  
18 Commission in Table S-3 of 10 CFR 51.51(b). Accounting for the differences  
19 between the model LWR and the NBSR, including the differences in power level  
20 and fuel enrichment, radiological environmental impacts on individuals from  
21 radioactive gaseous and liquid releases (including radon-222 and technetium-99)  
22 are expected to be small.  
23

- 24 • Offsite radiological impacts (collective effects)  
25

26 Offsite impacts (collective effects) of the uranium fuel cycle have been considered by the  
27 Commission in Table S-3 of 10 CFR 51.51(b). Accounting for the differences between  
28 the model LWR and the NBSR, including the differences in fuel power level and  
29 enrichment, collective radiological environmental impacts on populations from  
30 radioactive gaseous and liquid releases (including radon-222 and technetium-99) are  
31 expected to be small.  
32

- 33 • Offsite radiological impacts (spent fuel and high level waste [HLW] disposal)  
34

35 The fuel used for the NBSR is owned by the U.S. Department of Energy (DOE),  
36 and DOE is responsible for its storage, processing, and disposal. The  
37 radiological impacts from management of spent fuel and high level waste,  
38 including interim storage and disposal of highly enriched test reactor fuel, have  
39 also been evaluated separately (U.S.DOE 1995, 2002).  
40

41 Despite the current uncertainty with respect to licensing of a HLW repository, some judgment as  
42 to the implications of offsite radiological impacts of spent fuel and high-level waste disposal

1 should be made. The staff concludes these impacts would be sufficiently small that the option  
2 of extending the NBSR operating license should be preserved. Based on the volume of spent  
3 fuel generated during the license renewal period at the NBSR and its total radionuclide content,  
4 the impacts from disposal of NBSR spent fuel relative to those from a commercial power reactor  
5 are considered to be small.  
6

7 At this time, there are no facilities for permanent disposal of high-level radioactive wastes  
8 (HLW). The Nuclear Waste Policy Act of 1982 defined the goals and structure of a program for  
9 permanent, deep geologic repositories for HLW and unprocessed spent fuel. Under this Act,  
10 the DOE is responsible for developing permanent disposal capacity for the spent fuel and other  
11 high-level nuclear wastes. At the present time, DOE, as directed by Congress, is investigating a  
12 site in Yucca Mountain, Nevada, for a possible disposal facility. A HLW repository would be  
13 built and operated by DOE and licensed by the NRC. The Commission believes (10 CFR  
14 51.23(a)) there is reasonable assurance at least one mined geological repository will be  
15 available in the first quarter of the 21st Century and that, within 30 years beyond the licensed  
16 life of operation for any reactor, sufficient repository capacity will be available to dispose of the  
17 reactor's HLW and spent fuel generated up to that time.  
18

19 The Commission has independently, in a separate proceeding (i.e., the Waste Confidence  
20 Proceeding), made a finding that there is:

21  
22 ...reasonable assurance that, if necessary, spent fuel generated in any  
23 reactor can be stored safely and without significant environmental  
24 impacts for at least 30 years beyond the licensed life for operation (which  
25 may include the term of a revised license) of that reactor at its spent fuel  
26 storage basin, or at either onsite or offsite independent spent fuel storage  
27 installations (54 FR 39767).  
28

29 The Commission has committed to review this finding at least every 10 years. In its most recent  
30 review, the Commission concluded that experience and developments since 1990 were not  
31 such that a comprehensive review of the Waste Confidence Decision was necessary at this time  
32 (64 FR 68005). Accordingly, the Commission reaffirmed its findings of insignificant  
33 environmental impacts cited above. This finding is codified in the Commission's regulations at  
34 10 CFR 51.23(a). The staff relies on the Waste Confidence Rule, but for completeness has  
35 elected to include in this draft EIS information related to the storage and maintenance of fuel in  
36 a spent fuel pool.  
37

38 As stated earlier, the spent fuel from the NBSR is stored at NIST and then shipped to the DOE  
39 Savannah River Site for reprocessing or shipment to a permanent repository. By comparison to  
40 power reactors, the NBSR operates at substantially lower power levels (by a factor of 75 to 150

## Uranium Fuel Cycle

1 or more) and the quantity of fuel for the NBSR reactor is likely be to smaller by the same factor.  
2 Therefore, the staff concludes the relatively small quantities involved in the extended period of  
3 operation do not bring into question the Commission's Waste Confidence Decision.  
4

- 5 • Nonradiological impacts of the uranium fuel cycle  
6

7 Based on the relative quantities of fuel and total fissile material required for the  
8 NBSR relative to those for a model LWR, the nonradiological impacts of the  
9 uranium fuel cycle resulting from the renewal of an operating license for NBSR  
10 are considered to be small.  
11

- 12 • Low-level waste storage and disposal  
13

14 The comprehensive regulatory controls in place and the low public doses being  
15 achieved at reactors ensure the radiological impacts to the environment will  
16 remain small during the term of a renewed license. Because low-level waste is  
17 transported regularly for treatment as necessary and disposal, the maximum  
18 additional onsite land required for low-level waste storage during the term of a  
19 renewed license and associated impacts will be small. Nonradiological impacts  
20 on air and water will be negligible. The radiological and nonradiological  
21 environmental impacts of long-term disposal of low-level waste from any reactor  
22 are small. In addition, the staff concludes that there is reasonable assurance  
23 sufficient low-level waste disposal capacity will be made available when needed  
24 for facilities to be decommissioned consistent with U.S. Nuclear Regulatory  
25 Commission decommissioning requirements.  
26

- 27 • Mixed waste storage and disposal  
28

29 The comprehensive regulatory controls and the facilities and procedures in place  
30 ensure proper handling and storage, as well as negligible doses and exposure to  
31 toxic materials for the public and the environment for all reactors. License  
32 renewal will not increase the small risk to human health and the environment  
33 posed by mixed waste at all reactors. The radiological and nonradiological  
34 environmental impacts of long-term disposal of mixed waste from any reactor are  
35 small. In addition, the staff concludes there is reasonable assurance sufficient  
36 mixed waste disposal capacity will be made available when needed for facilities  
37 to be decommissioned consistent with NRC decommissioning requirements.  
38  
39

1 • Onsite spent fuel

2  
3 The onsite radiological impacts from interim storage of NBSR spent fuel are considered  
4 small. The fuel used for the NBSR is owned by the DOE, and DOE is responsible for its  
5 storage, processing, and disposal. Because the NBSR regularly ships spent fuel offsite  
6 for storage, the onsite impacts of managing it are expected to remain small.

7  
8 • Nonradiological waste

9  
10 No changes to nonradiological waste generation are anticipated for NBSR during  
11 the license renewal period. Facilities and procedures are in place to ensure  
12 continued proper handling and disposal, and the impacts from managing the  
13 wastes are considered to be small.

14  
15 • Transportation

16  
17 The impacts of transporting spent fuel from the model LWR to a single repository, such  
18 as Yucca Mountain, Nevada were found to be consistent with the impact values  
19 contained in 10 CFR 51.52(c), Summary Table S-4. The fuel used for the NBSR is  
20 owned by the DOE, and DOE is responsible for its processing and disposal. Spent fuel  
21 from the NBSR is transported from the NIST site to the DOE Savannah River Site for  
22 storage. The radiological impacts from management of spent fuel and HLW, including  
23 transportation of highly enriched test reactor fuel, have also been evaluated separately  
24 (U.S. DOE 1995, 2002). Based on the volume of spent fuel generated during the license  
25 renewal period at the NBSR and its total radionuclide content, the impacts from  
26 transporting NBSR spent fuel relative to those from a commercial power reactor are  
27 considered to be small.

28  
29 Based on the foregoing, the staff concludes there are no significant environmental impacts  
30 related to the uranium fuel cycle; therefore, the impacts are SMALL and no mitigation is  
31 warranted.

32  
33 **5.2 References**

34  
35 10 CFR Part 51. Code of Federal Regulations, Title 10, *Energy*, Part 51, "Environmental  
36 Protection Regulations for Domestic Licensing and Related Regulatory Functions."

37  
38 54 FR 39767. "Proposed Waste Confidence Decision." *Federal Register*, Vol. 54, pp. 39,767.  
39 September 28, 1989.

40  
41 64 FR 68005. "Waste Confidence Decision Review: Status." *Federal Register*, Vol. 64,  
42 No. 233, pp. 68,005-68,007. December 6, 1999.

## Uranium Fuel Cycle

- 1 National Institute of Standards and Technology (NIST). 2004. *Environmental Report for*  
2 *License Renewal for the National Institute of Standards and Technology Reactor-NBSR.*  
3 NBSR-16, NISTIR 7105, NIST, Gaithersburg, Maryland.  
4
- 5 U.S. Department of Energy (U.S.DOE). 1995. *Department of Energy Programmatic Spent*  
6 *Nuclear Fuel Management and Idaho National Engineering Laboratory Environmental*  
7 *Restoration and Waste Management Programs Final Environmental Impact Statement.*  
8 DOE/EIS-0203-F, U.S. Department of Energy, Office of Environmental Management, Idaho  
9 Operations Office, Idaho Falls, Idaho.  
10
- 11 U.S. Department of Energy (U.S.DOE). 2002. *Final Environmental Impact Statement for a*  
12 *Geologic Repository for the Disposal of Spent Nuclear Fuel and High-Level Radioactive Waste*  
13 *at Yucca Mountain, Nye County, Nevada.* DOE/EIS-0250F, U.S. Department of Energy,  
14 Washington, D.C.  
15
- 16 U.S. Nuclear Regulatory Commission (U.S.NRC). 1996. *Generic Environmental Impact*  
17 *Statement for License Renewal of Nuclear Plants.* NUREG-1437, Vols. 1 and 2, Washington,  
18 D.C.  
19
- 20 U.S. Nuclear Regulatory Commission (U.S.NRC). 1999. *Generic Environmental Impact*  
21 *Statement for License Renewal of Nuclear Plants, Main Report, "Section 6.3 – Transportation,*  
22 *Table 9.1, Summary of findings on NEPA issues for license renewal of nuclear power plants,*  
23 *Final Report."* NUREG-1437, Volume 1, Addendum 1, Washington, D.C.

## 6.0 Environmental Impacts of Decommissioning

Environmental impacts from decommissioning research and test reactors are addressed in the *Final Generic Environmental Impact Statement on Decommissioning of Nuclear Facilities*, NUREG-0586, published in August 1988 (U.S. NRC 1988). A supplement to NUREG-0586 was published to update information regarding commercial power reactors (U.S. NRC 2002). Although information in the original NUREG would be most directly applicable to estimating decommissioning impacts for the National Bureau of Standards Reactor (NBSR), updated information in Supplement 1 to NUREG-0586 regarding waste management, transportation, or other areas is useful for this analysis.

The incremental environmental impacts associated with decommissioning activities resulting from continued operation of commercial power reactors during the license renewal term were evaluated in the *Generic Environmental Impact Statement for License Renewal of Nuclear Plants (GEIS)*, NUREG-1437, Volumes 1 and 2 (U.S. NRC 1996, 1999).<sup>(a)</sup>

There are substantial differences between the NBSR and commercial power reactors; however, the types of environmental issues addressed in this chapter are similar, and in many cases the environmental impacts from continued operation of the NBSR can be informed by analyses discussions in the GEIS. Therefore, where appropriate, the GEIS analyses are used as a basis for evaluating the environmental impacts of continued operation of the NBSR. The environmental impacts related to decommissioning from operating the NBSR during the license renewal term are presented in the following sections.

### 6.1 Decommissioning

Decommissioning issues related to the NBSR following the renewal term are discussed in the following sections. The Environmental Report (ER) submitted by the National Institute of Standards and Technology (NIST 2004) did not identify information associated with impacts of decommissioning of the NBSR. In addition, the staff has not identified any additional relevant information concerning impacts during its independent review of the ER, the scoping process, the staff's site visit, or its evaluation of other available information. Therefore, the staff concludes there are no impacts related to these issues beyond those discussed in either the GEIS for license renewal (U.S. NRC 1996, 1999) or NUREG-0586 and Supplement 1 (U.S. NRC 1988, 2002).

---

(a) The GEIS was originally issued in 1996. Addendum 1 to the GEIS was issued in 1999. Hereafter, all references to the "GEIS" include the GEIS and its Addendum 1.

## Decommissioning

1 A brief description of the staff review, the GEIS conclusions, and a discussion of their  
2 applicability to the NBSR for each of the issues follows:  
3

- 4 • Radiation doses. Based on information in the GEIS, the Commission found that  
5 doses to the public will be well below applicable regulatory standards regardless  
6 of which decommissioning method is used. Occupational doses would increase  
7 no more than 1 person-rem (0.01 person-Sv) caused by buildup of long-lived  
8 radionuclides during the license renewal term.  
9
- 10 • Waste management. Based on information in the GEIS, the Commission found  
11 that decommissioning at the end of a 20-year license renewal period would  
12 generate no more solid wastes than at the end of the current license term. No  
13 increase in the quantities of Class C or greater than Class C wastes would be  
14 expected.  
15
- 16 • Air quality. Based on information in the GEIS, the Commission found that air  
17 quality impacts of decommissioning are expected to be negligible either at the  
18 end of the current operating term or at the end of the license renewal term.  
19
- 20 • Water quality. Based on information in the GEIS, the Commission found that the  
21 potential for significant water quality impacts from erosion or spills is no greater  
22 whether decommissioning occurs after a 20-year license renewal period or after  
23 the original 40-year operation period, and measures are readily available to avoid  
24 such impacts.  
25
- 26 • Ecological resources. Based on information in the GEIS, the Commission found  
27 that decommissioning after either the initial operating period or after a 20-year  
28 license renewal period is not expected to have any direct ecological impacts.  
29
- 30 • Socioeconomic Impacts. Based on information in the GEIS, the Commission  
31 found that decommissioning would have some short-term socioeconomic  
32 impacts. The impacts would not be increased by delaying decommissioning until  
33 the end of a 20-year relicense period, but they might be decreased by population  
34 and economic growth.  
35

36 For all of these issues, the staff concluded that the impacts from decommissioning reactors are  
37 SMALL, and additional mitigation measures are not likely to be sufficiently beneficial to be  
38 warranted. Because the NBSR is expected to contain smaller quantities of radioactive and  
39 hazardous materials than commercial power reactors at the end of its license renewal term, the  
40 impacts from decommissioning the NBSR would be well within the range of those discussed for  
41 commercial power reactors (U.S. NRC 1996, 1999, 2002).  
42

1 For the subjects discussed above, the staff has not identified any relevant information during its  
2 independent review of the ER, the staff's site visit, the scoping process, or its evaluation of other  
3 available information. Therefore, the staff concludes radiation dose, waste management, air  
4 quality, water quality, ecological resource, and socioeconomic impacts associated with  
5 decommissioning the NBSR following the license renewal term are bounded by those discussed  
6 in the GEIS.  
7

## 8 **6.2 References**

9  
10 10 CFR Part 51. Code of Federal Regulations, Title 10, *Energy*, Part 51, "Environmental  
11 Protection Regulations for Domestic Licensing and Related Regulatory Functions."


12  
13 National Institute of Standards and Technology (NIST). 2004. *Environmental Report for*  
14 *License Renewal for the National Institute of Standards and Technology Reactor-NBSR.*  
15 NBSR-16, NISTIR 7105, NIST, Gaithersburg, Maryland.

16  
17 U.S. Nuclear Regulatory Commission (U.S.NRC). 1988. *Final Generic Environmental Impact*  
18 *Statement on Decommissioning of Nuclear Facilities.* NUREG-0586, Washington, D.C.

19  
20 U.S. Nuclear Regulatory Commission (U.S.NRC). 1996. *Generic Environmental Impact*  
21 *Statement for License Renewal of Nuclear Plants.* NUREG-1437, Vols. 1 and 2,  
22 Washington, D.C.

23  
24 U.S. Nuclear Regulatory Commission (U.S.NRC). 1999. *Generic Environmental Impact*  
25 *Statement for License Renewal of Nuclear Plants, Main Report*, "Section 6.3 – Transportation,  
26 Table 9.1, Summary of findings on NEPA issues for license renewal of nuclear power plants,  
27 Final Report." NUREG-1437, Volume 1, Addendum 1, Washington, D.C.

28  
29 U.S. Nuclear Regulatory Commission (U.S.NRC). 2002. *Generic Environmental Impact*  
30 *Statement on Decommissioning of Nuclear Facilities. Supplement 1 Regarding the*  
31 *Decommissioning of Nuclear Power Reactors. Final Report.* NUREG-0586, Supplement 1,  
32 Vols. 1 and 2. Office of Nuclear Reactor Regulation, Washington, D.C.



## 7.0 Environmental Impacts of the Alternatives

This chapter examines the potential environmental impacts associated with alternatives to the proposed action. The alternatives considered are (1) denying the renewal of the operating license (OL) (i.e., the no-action alternative) for the National Bureau of Standards Reactor (NBSR) at the National Institute of Standards and Technology (NIST), (2) constructing a new reactor and associated support facilities to replace the capabilities of the NBSR, and (3) performing work currently conducted at the NBSR at alternative existing research facilities. For the third alternative, the staff determined that comparable alternative facilities do not exist in the United States. The NBSR is the nation's only cold neutron source with the range of instrumentation that can meet the needs of the U.S. neutron-scattering science program. Additionally, the NBSR has the only very high inelastic cold neutron spectrometer, spin echo, and backscattering instruments in the United States. In addition, it is very difficult for U.S. scientists to secure research time at potentially suitable foreign facilities, such as the Institut Laue-Langevin facility in France; the Paul Scherrer Institut laboratory in Switzerland; or the Forschungsreaktor Munchen reactor in Germany. For these reasons, the staff did not consider these foreign research facilities to be viable alternatives to the NBSR. Consequently, the third alternative was not considered further.

Using the U.S. Nuclear Regulatory Commission's established license renewal evaluation framework for commercial power reactors ensures a thorough evaluation of the impacts of renewal of the OL for the NBSR. The *Generic Environmental Impact Statement for License Renewal of Nuclear Plants (GEIS)*, NUREG-1437, Volumes 1 and 2 (U.S. NRC 1996, 1999)<sup>(a)</sup> was written specifically for use in the renewal of operating licenses for commercial power reactors. In conducting the staff review of the NIST application, the NRC was informed by certain GEIS features including the use of the three-level standard of significance. In following the precedent of the GEIS and site-specific supplemental license renewal environmental impact statements (EISs), environmental issues have been evaluated using a three-level standard of significance – SMALL, MODERATE, or LARGE – developed using the Council on Environmental Quality guidelines and set forth in the footnotes to Table B-1 of 10 CFR Part 51, Subpart A, Appendix B:

SMALL – Environmental effects are not detectable or are so minor that they will neither destabilize nor noticeably alter any important attribute of the resource.

MODERATE – Environmental effects are sufficient to alter noticeably, but not to destabilize important attributes of the resource.

---

(a) The GEIS was originally issued in 1996. Addendum 1 to the GEIS was issued in 1999. Hereafter, all references to the "GEIS" include the GEIS and its Addendum 1.

## Alternatives

1           LARGE – Environmental effects are clearly noticeable and are sufficient to destabilize  
2           important attributes of the resource.  
3

### 4       **7.1 No-Action Alternative**

5  
6       NRC's regulations implementing National Environmental Policy Act of 1969 (NEPA) specify the  
7       no-action alternative be discussed in an NRC EIS (10 CFR Part 51, Subpart A, Appendix A(4)).  
8       For license renewal, the no-action alternative refers to a scenario in which NRC would not  
9       renew the OL for the NBSR. NIST would then decommission the NBSR and the associated  
10       facilities covered under the OL at some future time.  
11

12       NIST would be required to comply with NRC decommissioning requirements whether or not the  
13       NBSR OL is renewed. If the OL is renewed, decommissioning activities could be postponed for  
14       up to an additional 20 years. If the OL is not renewed, NIST would conduct decommissioning  
15       activities according to the requirements in 10 CFR 50.82(b).  
16

17       The environmental impacts of the no-action alternative are summarized in Table 7-1 and are  
18       discussed in the following sections. Implementation of the no-action alternative would also have  
19       certain positive impacts in that adverse environmental impacts associated with current operation  
20       of the NBSR, however small they may be, would be eliminated.  
21

#### 22       **7.1.1 Land Use**

23  
24       Temporary changes in onsite land use could occur during decommissioning, including addition  
25       or expansion of staging and laydown areas or construction of temporary buildings and parking  
26       areas. No offsite land-use changes are expected as a result of decommissioning. Following  
27       decommissioning, the land occupied by the NBSR would likely be retained by NIST for other  
28       purposes. The staff concludes the impacts of the no-action alternative on land use would be  
29       SMALL.  
30

#### 31       **7.1.2 Aquatic and Terrestrial Resources**

32  
33       Land disturbance during decommissioning is expected to be minimal and would result in  
34       relatively short-term ecological impacts that could be mitigated using best management  
35       practices. The land is expected to recover naturally. No impacts to threatened or endangered  
36       species as a result of decommissioning activities are anticipated. Overall, the staff concludes  
37       the impacts to aquatic and terrestrial resources associated with the no-action alternative would  
38       be SMALL.  
39  
40

**Table 7-1. Summary of Environmental Impacts of the No-Action Alternative**

Impact Category	Impact	Comment
Land Use	SMALL	Onsite impacts expected to be temporary. No offsite impacts expected.
Aquatic and Terrestrial Resources	SMALL	Impacts are expected to be minimal, temporary, and largely mitigatable using best management practices.
Water Use and Quality	SMALL	Water use will decrease. Water quality unlikely to be adversely affected during decommissioning.
Air Quality	SMALL	Greatest impact is likely to be from fugitive dust; impact can be mitigated by good management practices.
Waste	SMALL	LLW will be disposed of at DOE or licensed facilities. A permanent disposal facility for HLW is not currently available.
Human Health	SMALL	Radiological doses to workers and members of the public are expected to be within regulatory limits. Occupational injuries are possible, but injury rates at nuclear reactors are below the U.S. average industrial rate.
Socioeconomics	SMALL	Slight decrease in employment.
Aesthetics	SMALL	Small positive impact from eventual removal of buildings and structures. Some noise impact during decommissioning operations.
Historic and Archaeological Resources	SMALL	Minimal impact on land utilized during reactor operations. Land occupied by the NBSR would likely be retained by NIST for other purposes.
Environmental Justice	SMALL	Minimal impact.

**7.1.3 Water Use and Quality**

Cessation of plant operations would result in a reduction in water use because reactor cooling would no longer be required. As plant staff size decreases, the demand for potable water would be expected to decrease as well. Overall, the staff concludes that the water use and quality impacts of decommissioning would be SMALL.

**7.1.4 Air Quality**

Decommissioning activities that can adversely affect air quality include dismantlement of systems and equipment, demolition of buildings and structures, and operation of internal combustion engines. The most likely adverse impact would be the generation of fugitive dust. Best management practices, such as seeding and wetting, can be used to minimize the generation of fugitive dust. Overall, the staff concludes the air quality impacts associated with decommissioning activities would be SMALL.

## Alternatives

### 7.1.5 Waste

Decommissioning activities would result in the generation of radioactive and nonradioactive waste. Low-level radioactive waste (LLW) would be transferred to the U.S. Department of Energy (DOE) or disposed of in a facility licensed by NRC or a state with authority delegated by the NRC. Recent advances in volume reduction and waste processing have significantly reduced waste volumes. A permanent repository for high-level radioactive waste (HLW) is not currently available. The NRC has made a generic determination that, if necessary, spent fuel generated in any reactor can be stored safely and without significant environmental impacts for at least 30 years beyond the licensed life for operation (which may include the term of a revised or renewed license) of that reactor at its spent fuel storage basin or at either onsite or offsite independent spent fuel storage installations [10 CFR 51.23(a)]. Disposal of nonradioactive waste would be at offsite disposal facilities with appropriate permits. Overall, the staff concludes the waste impacts associated with the no-action alternative would be SMALL.

### 7.1.6 Human Health

Radiological doses to occupational workers during decommissioning and collective doses to members of the public and to the maximally exposed individual as a result of decommissioning activities would be well below the limits in 10 CFR Part 20. Occupational injuries to workers engaged in decommissioning activities are possible; however, historical injury and fatality rates at nuclear reactors have been lower than the average U.S. industrial rates. Overall, the staff concludes the human health impacts associated with the no-action alternative would be SMALL.

### 7.1.7 Socioeconomics

If the NBSR ceases operation, there would be a decrease in employment. However, impacts would be minimal because NBSR employment levels are relatively small and numerous other employers are in the Washington, D.C., metropolitan area. The no-action alternative would result in the loss of NBSR payrolls approximately 20 years earlier than if the OL were renewed. Overall, the staff concludes the socioeconomic impacts resulting from implementation of the no-action alternative would be SMALL.

### 7.1.8 Environmental Justice

Current operations at NBSR have no disproportionate impacts (adverse or otherwise) on the minority and low-income populations of Montgomery County and the surrounding counties, and no environmental pathways have been identified that would cause disproportionate impacts. Closure of the NBSR could result in a small decrease in employment opportunities with possible slight negative and disproportionate impacts on minority or low-income populations that would be temporarily offset by the labor needed to support decommissioning activities. However, the

1 small number of employees working at the NBSR is negligible when compared to the number of  
2 employment opportunities in the surrounding area. Overall, the staff concludes the  
3 environmental justice impacts under the no-action alternative would be SMALL.  
4

### 5 **7.1.9 Aesthetics and Noise**

6  
7 Decommissioning would result in the eventual dismantlement of buildings and structures at the  
8 NIST site, resulting in a positive aesthetic impact. Noise that may be detectable offsite from the  
9 NIST campus would be generated during decommissioning operations; however, the impact is  
10 not likely to destabilize or alter any important attribute of the resource. Overall, the staff  
11 concludes the aesthetic and noise impacts associated with the no-action alternative would be  
12 SMALL.  
13

### 14 **7.1.10 Historic and Archaeological Resources**

15  
16 The amount of undisturbed land needed to support the decommissioning process would be  
17 relatively small. Decommissioning activities conducted on the NIST campus would not be  
18 expected to have a detectable effect on important cultural resources. The Maryland Inventory  
19 of Historic Properties does not have any records of known archaeological sites or other historic  
20 properties within or immediately adjacent at the NBSR or the entire NIST campus (MDP 2006).  
21 Nevertheless, in the event that any historic and archaeological resources on the NIST campus  
22 were discovered, these resources would not be expected to be adversely affected during  
23 decommissioning. It is likely that the NBSR wing of the 235 Building would be retained by NIST  
24 following decommissioning. The staff concludes the impacts of the no-action alternative on  
25 historic and archaeological resources would be SMALL.  
26

## 27 **7.2 Construction of a Replacement Reactor and Associated** 28 **Facilities**

29  
30 The alternative of constructing a replacement reactor and associated support facilities for the  
31 NBSR is discussed in this section. Under this alternative, it is assumed the OL for the NBSR  
32 would not be renewed and a new replacement reactor and associated support facilities would  
33 be constructed, perhaps, at another site. The support facilities are assumed to include a  
34 cooling tower, fuel storage area, a ventilation and exhaust stack, a facility comparable to the  
35 existing Cold Neutron Guide Hall, an office building, and a building for service equipment. The  
36 analysis is based on construction of a replacement reactor and associated facilities at some  
37 alternate location east of the Mississippi River; no specific site for new construction is assumed.  
38

39 Some of the estimated impact information in Section 7.2 is adapted from a DOE EIS (U.S.  
40 DOE 2000). Section 4.6 of the DOE EIS evaluated the construction of a new research reactor  
41 at a generic DOE site for the production of plutonium-238, isotopes for medical and industrial

## Alternatives

1 uses, and materials testing for civilian nuclear energy research and development.

2  
3 DOE currently supplies the uranium fuel used by the NBSR (NIST 2004). It is assumed DOE  
4 would also supply the fuel for a new replacement reactor.

5  
6 The staff's characterizations of the impacts associated with construction and operation of a  
7 replacement reactor at an alternate location are shown in Table 7-2.

8  
9 **Table 7-2.** Characterization of Impacts Associated with Construction and Operation of a  
10 Replacement Reactor and Associated Support Facilities  
11

12	Impact Category	Construction	Operation
13	Land Use	SMALL	SMALL
14	Aquatic and Terrestrial Resources	SMALL	SMALL
15	Water Use and Quality	SMALL	SMALL
16	Air Quality	SMALL	SMALL
17	Waste	SMALL	SMALL
18	Human Health	SMALL	SMALL
19	Socioeconomics	SMALL	SMALL
20	Aesthetics and Noise	SMALL	SMALL
21	Historic and Archaeological Resources	SMALL	SMALL
22	Environmental Justice	SMALL	SMALL

### 23 24 **7.2.1 Land Use**

25  
26 The construction of a new reactor and support facilities would disturb as much as approximately  
27 4 ha (10 ac). It is assumed siting would be conducted so construction would be compatible with  
28 local zoning and the Coastal Zone Management Program if such a program is applicable in the  
29 hosting state. Clearing and grading operations could result in the loss of wetlands, although  
30 proper placement of the reactor and support facilities would eliminate or reduce the potential for  
31 such loss. Potential impacts on wetlands would be mitigated by the implementation of best  
32 management practices.

33  
34 Overall, the staff concludes impacts on land use from constructing and operating a replacement  
35 reactor and associated support facilities would be SMALL.  
36

**7.2.2 Aquatic and Terrestrial Resources**

During construction, impacts on aquatic resources could result from stormwater runoff. Runoff could alter flow rates, increase turbidity, and lead to sedimentation of streambeds. These impacts could, in turn, cause temporary and permanent changes in species composition and density and alter breeding habitats. Implementation of erosion and sediment control procedures would lessen construction impacts. Operational impacts on aquatic resources could occur as a result of water withdrawal and discharge. Water withdrawal could lead to the loss of aquatic organisms through impingement or entrainment. Discharge of cooling water could result in alterations in aquatic communities. Alterations could include changes in aquatic vegetation and the loss of fish and benthic macroinvertebrates. Additionally, radionuclides and chemicals in the discharge water have the potential to impact aquatic organisms. The extent of potential impacts on the aquatic environment would depend upon site- and facility-specific design information.

Construction of a replacement reactor and support facilities would likely result in the loss of woodland habitat at the alternate location. Land-clearing activities would affect animal populations. Less mobile animals within the project area, such as reptiles and small mammals, might not be expected to survive. Construction activities and noise would cause larger mammals and birds in the construction and adjacent areas to move to similar habitat nearby. If the area to which they moved was below its carrying capacity, these animals would be expected to survive. However, if the area were already supporting the maximum number of individuals, the additional animals would compete for limited resources that could lead to habitat degradation and eventual loss of the excess population. Nests and young animals living within the disturbed area might not survive. Activities associated with operations could affect wildlife living adjacent to the research reactor and support facilities. Emissions to the air and water, both nonradiological and radiological, could impact both plants and animals. Plants and animals could be exposed to pollutants via a number of pathways, including direct exposure, contact with contaminated soil, ingestion, and inhalation. Bioaccumulation could affect species that consume exposed plants or animals.

Construction and operation of a replacement reactor and support facilities could have the potential to impact threatened and endangered species. Consultations with the Fish and Wildlife Service, the Fisheries Service, and appropriate State agencies would be conducted at the site-specific level, as appropriate, to minimize adverse impacts.

Although the impacts on aquatic and terrestrial resources cannot be known with certainty given the assumption of siting at some alternate location, the staff estimates the aquatic and terrestrial resource impacts of constructing and operating a replacement reactor and associated support facilities at some alternate location east of the Mississippi River would be SMALL.

## Alternatives

### 7.2.3 Water Use and Quality

1  
2  
3 During construction of a replacement reactor and support facilities, water is expected to be  
4 required for such uses as concrete mixing, dust control, washing activities, and potable and  
5 sanitary needs. The impact of these withdrawals on the resource would depend on the water  
6 source (surface water or groundwater) and its relative abundance. Impacts would be expected  
7 to be small because of the relatively small volumes of water required for construction compared  
8 to expected water availability. Nearby wastewater treatment facilities would be used to the  
9 extent possible and would be supplemented by portable or temporary facilities during  
10 construction as necessary. All wastewater would be disposed of in accordance with applicable  
11 regulatory requirements with discharges to surface waters in accordance with National Pollutant  
12 Discharge Elimination System (NPDES) effluent requirements. Ground disturbance and runoff  
13 from cleared areas could potentially impact surface water quality near construction areas.  
14 However, appropriate spill prevention practices and soil erosion and sediment control measures  
15 (e.g., use of silt fences and mulching and seeding disturbed areas) would be employed during  
16 construction to minimize water quality impacts.

17  
18 During operation, water would be required to support such uses as process cooling and potable  
19 and sanitary needs. The single largest system use would be for cooling tower operation and  
20 associated evaporative losses. The impact of these withdrawals on the resource would depend  
21 on the water source (i.e., surface water or groundwater) and its relative abundance. For surface  
22 water, a dedicated surface water intake might have to be constructed if the site's existing  
23 distribution system is inadequate to meet the increased demands of the facilities. For  
24 groundwater, additional wells might have to be developed to supply the facilities directly or to  
25 provide increased production capacity for the site's existing supply system. It is expected that  
26 process effluent would mainly consist of cooling tower blowdown. There would be no  
27 radiological liquid effluent discharge to the environment under normal operations. Wastewater  
28 would be generated as a result of staff use of lavatories, showers, kitchens, and experimental  
29 facilities, and from miscellaneous potable and sanitary uses. Process and sanitary wastewater  
30 would be discharged to either existing site wastewater treatment facilities or to new facilities  
31 constructed specifically to serve the new reactor and support operations. All wastewater would  
32 be disposed of in accordance with applicable regulatory requirements with discharges to  
33 surface waters in accordance with NPDES effluent limitations.

34  
35 Although the impacts on water use and quality cannot be known with certainty, assuming some  
36 alternate location east of the Mississippi River, the staff estimates the water use and quality  
37 impacts of constructing and operating a replacement reactor and associated support facilities  
38 would be SMALL.  
39

1 **7.2.4 Air Quality**

2  
 3 Construction of a new reactor and support facilities would result in an increase in vehicle traffic  
 4 with associated emissions. Some construction equipment would have emissions, and fugitive  
 5 dust emissions from the construction process would also occur. During operation, emissions  
 6 from the stack exhaust would be comparable to those for the NBSR and associated facilities.  
 7 All construction and operation activities would be conducted in compliance with applicable  
 8 regulatory requirements for air emissions.

9  
 10 Although the impacts on air quality cannot be known with certainty, assuming some alternate  
 11 location east of the Mississippi River, the staff estimates the air quality impacts of constructing  
 12 and operating a replacement reactor and associated support facilities would be SMALL  
 13 provided the region is in attainment for National Ambient Air Quality Standards.

14  
 15 **7.2.5 Waste**

16  
 17 During construction, nonhazardous waste and debris would be generated. These materials  
 18 would be disposed of offsite in disposal facilities with appropriate permits.

19  
 20 During operation, waste impacts would be comparable to those for the NBSR and associated  
 21 facilities, as discussed in Chapter 5 of this EIS.

22  
 23 Overall, the staff estimates the waste impacts from constructing and operating a replacement  
 24 reactor and associated facilities at a generic eastern site would be SMALL, but could be larger  
 25 than continuing use of the current facility.

26  
 27 **7.2.6 Human Health**

28  
 29 During construction of a replacement reactor and associated facilities, it is anticipated there  
 30 would be no radiological health impacts beyond exposure to natural background levels in the  
 31 construction area. Construction workers could experience industrial accidents that are possible  
 32 at any construction activity.

33  
 34 During operation, human health impacts would be comparable to those for the NBSR, as  
 35 discussed in Chapters 3, 4, and 5 of this draft EIS.

36  
 37 Overall, the staff estimates the human health impacts from constructing and operating a  
 38 replacement reactor and associated facilities, assuming some alternate location east of the  
 39 Mississippi River, would be SMALL, but could be larger than continuing operation of the current  
 40 facility due to construction impacts.

## Alternatives

### 1     **7.2.7 Socioeconomics**

2  
3     It is estimated that on the order of 100 workers would be needed for a time period of 2 to  
4     3 years to construct a replacement reactor and associated support facilities. The  
5     socioeconomic impacts of this workforce would be limited unless the site selected was in a  
6     remote, rural area.

7  
8     During operation, socioeconomic impacts would be comparable to those of the NBSR,  
9     assuming location of the replacement reactor in an urban area. For location in a rural area,  
10    socioeconomic impacts could be somewhat greater although they would still be small given the  
11    limited workforce required to operate the reactor.

12  
13    Although impacts cannot be known with certainty, assuming some alternate location east of the  
14    Mississippi River, the staff estimates the socioeconomic impacts of construction and operation  
15    of a replacement reactor and associated support facilities would be SMALL.

### 16 17    **7.2.8 Environmental Justice**

18  
19    Construction and operation of a replacement reactor and associated support facilities would be  
20    unlikely to have disproportionately high and adverse health or environmental impacts on  
21    minority or low-income populations because radiological and nonradiological risks to persons  
22    residing in potentially affected areas would not be significant.

23  
24    Overall, the staff estimates the environmental justice impacts from constructing and operating a  
25    replacement reactor and associated facilities at some alternate location east of the Mississippi  
26    River would be SMALL.

### 27 28    **7.2.9 Aesthetics and Noise**

29  
30    Construction and operation of a replacement reactor and associated support facilities would  
31    have an aesthetic impact. The extent of the impact would depend on the location chosen and  
32    the surrounding land and land uses. The NBSR facility is housed in a building that is low to the  
33    ground; the staff assumes a replacement reactor would be similarly unobtrusive. The staff also  
34    assumed the cooling system for a replacement reactor would have a plume suppression cooling  
35    tower similar to that used for the NBSR (NIST 2004).

36  
37    Construction of a replacement reactor and support facilities would result in some increase in  
38    noise levels from the use of earthmoving, materials-handling and impact equipment, employee  
39    vehicles, and truck traffic. Noise from construction activities, especially impulsive noise  
40    (e.g., jack hammers) would be temporary but could disturb wildlife in the immediate area of the  
41    construction site. The change in noise levels in areas outside the site would depend on the  
42    location selected and the exact nature of the construction location and activities required.

1 Operation of a replacement reactor and support facilities would result in some increase in noise  
 2 levels from equipment (e.g., cooling systems, vents, motors, generators, compressors, pumps,  
 3 and material-handling equipment), employee vehicles, and truck traffic. Noise from operation  
 4 activities could disturb wildlife outside the facility fence line. The change in noise levels in areas  
 5 outside the site would depend on the location selected, the size of the site, and the equipment  
 6 used.

7  
 8 Overall, the staff estimates the aesthetic and noise impacts from constructing and operating a  
 9 replacement reactor and associated facilities at some alternate location east of the Mississippi  
 10 River would be SMALL.

11  
 12 **7.2.10 Historic and Archaeological Resources**

13  
 14 Because the exact nature of the site for a replacement reactor and associated support facilities  
 15 is not known, potential effects of construction and operation on cultural resources cannot be  
 16 determined. In general, if the alternate location had been previously developed, impacts on  
 17 cultural resources might not occur. However, if an undisturbed location were chosen, cultural  
 18 resources could be impacted. Historic and archaeological resources, including those that are or  
 19 may be eligible for listing on the National Register of Historic Places, would be identified through  
 20 site surveys and consultation with the State Historic Preservation Officer. Specific concerns  
 21 about the presence, type, and location of Native American resources would be addressed  
 22 through consultation with the potentially affected tribes in accordance with the National Historic  
 23 Preservation Act, the Native American Graves Protection and Repatriation Act, and the  
 24 American Indian Religious Freedom Act.

25  
 26 Although the impacts of construction and operation of a replacement reactor and associated  
 27 support facilities on historic and archaeological resources cannot be known with certainty,  
 28 assuming some alternate location east of the Mississippi River, the staff estimates the impacts  
 29 would be SMALL.

30  
 31 **7.3 Summary of Alternatives Considered**

32  
 33 The adverse environmental impacts resulting from either of the alternatives considered by the  
 34 staff if the NBSR ceases operation upon final determination of the license renewal application  
 35 will not be smaller than those associated with continued operation, and they may be greater for  
 36 some environmental issues in some locations.

## 7.4 References

10 CFR Part 20. Code of Federal Regulations, Title 10, *Energy*, Part 20, "Standards for Protection Against Radiation."

10 CFR Part 50. Code of Federal Regulations, Title 10, *Energy*, Part 50, "Domestic Licensing of Production and Utilization Facilities."

10 CFR Part 51. Code of Federal Regulations, Title 10, *Energy*, Part 51, "Environmental Protection Regulations for Domestic Licensing and Related Regulatory Functions."

American Indian Religious Freedom Act. 42 USC 1996, et seq.

Maryland Department of Planning (MDP). 2006. Letter dated February 17, 2006 from Elizabeth J. Cole, Administrator, Project Review and Compliance. ML070380446.

National Environmental Policy Act of 1969 (NEPA). 42 USC 4321, et seq.

National Institute of Standards and Technology (NIST). 2004. *Environmental Report for License Renewal for the National Institute of Standards and Technology Reactor*. NISTIR 7105, NIST, Gaithersburg, Maryland.

National Historic Preservation Act of 1966 (NHPA). 16 USC 470, et seq.

Native American Graves Protection and Repatriation Act. 25 USC 3001, et seq.

U.S. Department of Energy (U.S.DOE). 2000. *Final Programmatic Environmental Impact Statement for Accomplishing Expanded Civilian Nuclear Energy Research and Development and Isotope Production Missions in the United States, Including the Role of the Fast Flux Test Facility*. DOE/EIS-0310, Washington, D.C. Online at: <http://www.eh.doe.gov/nepa/eis/eis0310/eis0310.html>.

U.S. Nuclear Regulatory Commission (U.S.NRC). 1996. *Generic Environmental Impact Statement for License Renewal of Nuclear Plants*. NUREG-1437, Volumes 1 and 2, Washington, D.C.

U.S. Nuclear Regulatory Commission (U.S.NRC). 1999. *Generic Environmental Impact Statement for License Renewal of Nuclear Plants, Main Report*, "Section 6.3 – Transportation, Table 9.1, Summary of findings on NEPA issues for license renewal of nuclear power plants, Final Report." NUREG-1437, Volume 1, Addendum 1, Washington, D.C.

## 8.0 Summary and Conclusions

1  
2  
3  
4 By letter dated April 9, 2004, the National Institute of Standards and Technology (NIST)  
5 submitted an application to the U.S. Nuclear Regulatory Commission (NRC) to renew the  
6 operating license (OL) for the National Bureau of Standards Reactor (NBSR) for an additional  
7 20-year period (NIST 2004). If the OL is renewed, NIST and other decisionmakers will  
8 ultimately decide whether the reactor will continue to operate. If the OL is not renewed, then the  
9 reactor must be shut down upon NRC's determination of the application. The current OL for the  
10 NBSR was scheduled to expire on May 16, 2004. However, in accordance with  
11 10 CFR 2.109(a), NIST's application for renewal was received at least 30 days prior to the  
12 expiration of the current license, and therefore, the existing OL will not be considered expired  
13 until the application has been finally determined.  
14

15 Section 102 of the National Environmental Policy Act of 1969 (NEPA) (42 USC 4321, et seq.)  
16 directs that an environmental impact statement (EIS) is required for major Federal actions that  
17 significantly affect the quality of the human environment. The NRC has implemented  
18 Section 102 of NEPA in Title 10 of the Code of Federal Regulations (CFR) Part 51. Part 51  
19 identifies licensing and regulatory actions that require an EIS. In 10 CFR 51.20(b)(2), the  
20 Commission requires preparation of an EIS for renewal of a testing facility (test reactor) OL.  
21

22 Upon acceptance of the NIST application, the NRC began the environmental review process  
23 described in 10 CFR Part 51 by publishing a notice of intent to prepare an EIS and conduct  
24 scoping (70 FR 56935) on September 29, 2005. The staff visited the NIST site in  
25 September 2006. The staff reviewed the Environmental Report (ER) submitted by NIST  
26 (NIST 2004), consulted with other agencies, and conducted an independent analysis of the  
27 issues. No comments were received from the public during the scoping process in advance of  
28 the preparation of this draft EIS.  
29

30 This draft EIS includes the NRC staff's analysis that considers and weighs the environmental  
31 effects of the proposed action, the environmental impacts of alternatives to the proposed action,  
32 and mitigation measures available for reducing or avoiding adverse effects. It also includes the  
33 staff's preliminary recommendation regarding the proposed action.  
34

35 With the issuance of this draft EIS, a 75-day comment period will commence. When the  
36 comment period ends, the staff will consider any comments received. These comments will be  
37 addressed in Appendix B, Part II, of the final EIS.  
38

39 For this license renewal review, the NRC considers the purpose and need for the proposed  
40 action (renewal of the NBSR OL) is to provide an option allowing for neutron research  
41 capabilities beyond the term of the current reactor operating license to meet future national  
42 research and test facility needs, as such needs may be determined by NIST.

## Summary and Conclusions

1 There may be factors, in addition to NRC's license renewal determination, that will ultimately  
2 determine whether the NIST test reactor continues to operate beyond the determination of this  
3 license renewal action.

4  
5 For the evaluation of the NBSR license renewal action, the staff has applied the NRC's three-  
6 level standard of significance – SMALL, MODERATE, or LARGE – developed using the Council  
7 on Environmental Quality guidelines. The following definitions of the three significance levels  
8 are set forth in the footnotes to Table B-1 of 10 CFR Part 51, Subpart A, Appendix B:

9  
10 SMALL – Environmental effects are not detectable or are so minor that they will  
11 neither destabilize nor noticeably alter any important attribute of the resource.

12  
13 MODERATE – Environmental effects are sufficient to alter noticeably, but not to  
14 destabilize, important attributes of the resource.

15  
16 LARGE – Environmental effects are clearly noticeable and are sufficient to  
17 destabilize important attributes of the resource.

18  
19 The staff considered the environmental impacts associated with alternatives to license renewal  
20 and compared the environmental impacts of license renewal and the alternatives. The  
21 alternatives to license renewal that were considered include the no-action alternative (not  
22 renewing the OL for the NBSR) and replacement of the capabilities of the NBSR.  
23

### 24 **8.1 Environmental Impacts of the Proposed Action –** 25 **License Renewal**

26  
27 The staff has established an independent process for identifying and evaluating the  
28 environmental impacts associated with license renewal. Neither the scoping process, NIST  
29 staff, nor the NRC staff has identified any issue applicable to the NBSR that would have a  
30 significant environmental impact. Measures were considered for mitigation of the environmental  
31 impacts of plant operation. The existing mitigation measures were found to be adequate, and  
32 no additional mitigation measures were deemed sufficiently beneficial to be warranted.

33  
34 The following sections discuss unavoidable adverse impacts, irreversible or irretrievable  
35 commitments of resources, and the relationship between local short-term use of the  
36 environment and long-term productivity.  
37  
38

1 **8.1.1 Unavoidable Adverse Impacts**

2  
3 An environmental review conducted at the license-renewal stage differs from the review  
4 conducted in support of a construction permit or initial OL because the plant is in existence at  
5 the license-renewal stage and has operated for a number of years. As a result, adverse  
6 impacts associated with the initial construction have been avoided, have been mitigated, or  
7 have already occurred. The environmental impacts to be evaluated for license renewal are  
8 those associated with continued operation during the renewal term; NIST did not consider that  
9 major refurbishment activities would be necessary for the continued operation of the NBSR.

10  
11 The adverse impacts of continued operation identified are considered to be of SMALL  
12 significance, and none warrants implementation of additional mitigation measures. The staff  
13 concludes adverse impacts of likely alternatives if the NBSR ceases operation upon final  
14 determination of the licence renewal application will not be smaller than those associated with  
15 continued operation, and they may be greater for some environmental issues in some locations.

16  
17 **8.1.2 Irreversible or Irretrievable Resource Commitments**

18  
19 The commitment of resources related to construction and operation of the NBSR during the  
20 current license period was made when the plant was built. The resource commitments to be  
21 considered in this draft EIS are associated with continued operation of the plant for an additional  
22 20 years. These resources include materials and equipment required for plant maintenance  
23 and operation, the nuclear fuel used by the reactor and, ultimately, disposition of the spent fuel  
24 assemblies.

25  
26 The most significant resource commitments related to operation during the renewal term are the  
27 fuel and the permanent spent fuel disposition. NIST replaces 4 of the 30 fuel elements every  
28 refueling outage, which occurs at 5- to 6-week intervals.

29  
30 If the NBSR ceases operation upon final determination of the current application, the likely  
31 alternative would require a commitment of resources for construction of a replacement reactor  
32 and test facility as well as for fuel to operate such a reactor.

33  
34 **8.1.3 Short-Term Use Versus Long-Term Productivity**

35  
36 An initial balance between short-term use and long-term productivity of the environment at the  
37 NIST site was set when construction of the NBSR was approved and construction began. That  
38 balance is now well established. Renewal of the OL for NBSR and continued operation of the  
39 reactor will not alter the existing balance, but may postpone the availability of that portion of the

## Summary and Conclusions

1 building complex housing the reactor for other uses. Denial of the application to renew the OL  
2 would lead to shutdown of the reactor and would alter the balance in a manner that would  
3 depend on subsequent uses of the building or the site.  
4

## 5 8.2 Relative Significance of the Environmental Impacts of 6 License Renewal and Alternatives

7  
8 The proposed action is renewal of the OL for the NBSR. Chapter 2 describes the site, reactor,  
9 and interactions of the reactor with the environment. As noted in Chapter 3, no refurbishment  
10 and no refurbishment impacts are expected at the NBSR. Chapters 3 through 6 discuss  
11 environmental issues associated with renewal of the OL. Environmental issues associated with  
12 the no-action alternative and alternatives involving construction and operation of a replacement  
13 facility are discussed in Chapter 7.  
14

15 The significance of the environmental impacts from the proposed action (approval of the  
16 application for renewal of the OL), the no-action alternative (denial of the application), and  
17 construction of new research capabilities at some alternate eastern location are listed in  
18 Table 8-1. Construction of facilities similar to the NBSR is assumed for the alternate location.  
19

20 Table 8-1 shows the significance of the environmental effects of the proposed action are  
21 SMALL for all impact categories. The alternative actions, including the no-action alternative,  
22 may have environmental effects in at least some impact categories that, although considered  
23 SMALL, could be larger than the impacts of license renewal of the existing NBSR.  
24

25 **Table 8-1.** Summary of Environmental Significance of License Renewal, the No-Action  
26 Alternative, and Construction and Operation of Alternative Research Facilities  
27

Impact Category	Proposed Action	No-Action Alternative	
	License Renewal	Denial of Renewal	Replacement Facility
Land Use	SMALL	SMALL	SMALL
Ecology	SMALL	SMALL	SMALL
Water Use and Quality-Surface Water	SMALL	SMALL	SMALL
Water Use and Quality-Groundwater	SMALL	SMALL	SMALL
Air Quality	SMALL	SMALL	SMALL
Waste	SMALL	SMALL	SMALL
Human Health	SMALL	SMALL	SMALL
Socioeconomics	SMALL	SMALL	SMALL
Aesthetics	SMALL	SMALL	SMALL
Historic and Archaeological Resources	SMALL	SMALL	SMALL
Environmental Justice	SMALL	SMALL	SMALL

1 **8.3 Staff Conclusions and Recommendations**

2  
3 Based on the ER submitted by NIST (NIST 2004); consultation with Federal, State, and local  
4 agencies; the staff's independent analysis; and the opportunity to consider public comments  
5 during the scoping process, the preliminary recommendation of the staff is that the Commission  
6 determine the adverse environmental impacts of license renewal for NBSR are not so great that  
7 preserving the option of license renewal for Federal decision-makers would be unreasonable.  
8


9 **8.4 References**

10  
11 10 CFR Part 51. Code of Federal Regulations, Title 10, *Energy*, Part 51, "Environmental  
12 Protection Regulations for Domestic licensing and Related Regulatory Functions."

13  
14 70 FR 56935. "National Institute of Standards and Technology, National Bureau of Standards  
15 Reactor; Notice of Intent to Prepare an Environmental Impact Statement and Conduct Scoping  
16 Process." *Federal Register*. Vol. 70, No. 188, pp. 56,935-56,936. September 29, 2005.


17  
18 National Environmental Policy Act of 1969 (NEPA). 42 USC 4321, et seq.

19  
20 National Institute of Standards and Technology (NIST). 2004. *Environmental Report for*  
21 *License Renewal for the National Institute of Standards and Technology Reactor*. NISTIR 7105,  
22 NIST, Gaithersburg, Maryland.



## **Appendix A**

### **Contributors to the Document**




**Appendix A**

**Contributors to the Document**

The overall responsibility for the preparation of this environmental impact statement was assigned to the Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission (NRC). The statement was prepared by members of the Office of Nuclear Reactor Regulation with assistance from other NRC organizations and the Pacific Northwest National Laboratory.

<b>Name</b>	<b>Affiliation</b>	<b>Function or Expertise</b>
<b>Nuclear Regulatory Commission</b>		
James Wilson	Nuclear Reactor Regulation	Project Management
Dennis Beissel	Nuclear Reactor Regulation	Project Management
Barry Zalzman	Nuclear Reactor Regulation	Project Management
<b>Pacific Northwest National Laboratory<sup>(a)</sup></b>		
Beverly Miller		Task Leader
Eva Eckert Hickey		Deputy Task Leader
Jeremy Rishel		Air Quality
Katherine Cort		Socioeconomics and Cultural Resources
Amanda Stegen		Aquatic and Terrestrial Ecology
Kathleen Rhoads		Radiation Protection
Paul Hendrickson		Land Use, Related Federal Programs, Alternatives
Lance Vail		Water Use, Hydrology
James Weber		Technical Editor
Cary Counts		Technical Editor
Lila Andor		Document Production
Susan Tackett		Document Production
(a)	Pacific Northwest National Laboratory is operated for the U.S. Department of Energy by Battelle Memorial Institute.	



## **Appendix B**

### **Comments Received on the Environmental Review**



1 **Appendix B**

2  
3 **Comments Received on the Environmental Review**

4  
5  
6 **Part I – Comments Received During Scoping**

7  
8 On September 29, 2005, the U.S. Nuclear Regulatory Commission (NRC) published a Notice of  
9 Intent in the *Federal Register* (70 FR 56935) to notify the public of the staff's intent to prepare a  
10 plant-specific environmental impact statement (EIS) to consider the renewal application for the  
11 National Institute of Standards and Technology National Bureau of Standards Reactor operating  
12 license and to conduct scoping. This draft EIS has been prepared in accordance with the  
13 National Environmental Policy Act of 1969, and Title 10 of the Code of Federal Regulations  
14 (CFR) Part 51. As outlined by 10 CFR Part 51, the NRC initiated the scoping process with the  
15 issuance of the *Federal Register* Notice. The NRC invited the applicant; Federal, State, Native  
16 American Tribal, and local government agencies; local organizations; and individuals to  
17 participate in the scoping process by submitting written suggestions and comments no later  
18 than November 28, 2005.

19  
20 No comments were received during the scoping period.



**Appendix C**

1  
2  
3  
4  
5  
6  
7  
8

**Chronology of NRC Staff Environmental Review Correspondence  
Related to National Institute of Standards and Technology's  
Application for License Renewal for the  
National Bureau of Standards Reactor**



**Appendix C****Chronology of NRC Staff Environmental Review Correspondence  
Related to National Institute of Standards and Technology's  
Application for License Renewal for the  
National Bureau of Standards Reactor**

This appendix contains a chronological listing of correspondence between the U.S. Nuclear Regulatory Commission (NRC) and the National Institute of Standards and Technology (NIST), and other correspondence related to the NRC staff's environmental review, under Title 10 of the Code of Federal Regulations (CFR) Part 51, of NIST's application for a renewed operating license for the National Bureau of Standards Reactor (NBSR) on the NIST campus near Gaithersburg, Maryland. All documents, with the exception of those containing proprietary information, have been placed in the Commission's Public Document Room, at One White Flint North, 11555 Rockville Pike (first floor), Rockville, Maryland, and are available electronically from the Public Electronic Reading Room found on the Internet at the following web address: <http://www.nrc.gov/reading-rm.html>. From this site, the public can gain access to the NRC's Agencywide Documents Access and Management System (ADAMS), which provides text and image files of NRC's public documents in the Publicly Available Records component of ADAMS. The ADAMS accession numbers or Federal Register citation for each document are included below.

- |                    |   |
|--------------------|---|
| April 9, 2004      | Letter from the National Institute of Standards and Technology (NIST) to NRC, regarding license renewal application for the National Bureau of Standards Reactor (NBSR) (Accession No. ML041120167), and Environmental Report (ML041120176).  |
| September 2, 2004  | Letter from NRC to S. Weiss, NIST, regarding determination of acceptability and sufficiency for docketing, proposed review schedule, and opportunity for a hearing regarding the application from NIST for the NBSR. (Accession No. ML041390017)  |
| September 21, 2004 | NRC <i>Federal Register</i> Notice: National Institute of Standards and Technology, National Bureau of Standards (NIST); Notice of acceptance for docketing of the application and Notice of opportunity for hearing regarding renewal of the National Bureau of Standards reactor (NBSR) facility operating license No. TR-5 for an additional 20-year period. (69 FR 56462) |

## Appendix C

1	September 23, 2005	Letter from NRC to S. Weiss, NIST, transmitting notice of intent to
2		prepare an environmental impact statement and conduct scoping.
3		(Accession No. ML052660195)
4		
5	September 29, 2005	NRC <i>Federal Register</i> Notice: National Institute of Standards and
6		Technology, National Bureau of Standards Reactor; Notice of Intent to
7		Prepare an Environmental Impact Statement and Conduct Scoping
8		Process. (70 FR 56935)
9		
10	February 17, 2006	Letter from NRC to W. Richards, NIST, regarding issuance of
11		environmental scoping summary report associated with the staff's
12		review of the application by the National Institute of Standards and
13		Technology for renewal of the operating license for the National
14		Bureau of Standards Reactor. (Accession No. ML032731680)
15		
16	February 13, 2007	Letter from NRC to W. Richards, NIST, regarding summary of site
17		audit to support the license renewal review for the NBSR at NIST.
18		(Accession No. ML070370061)
19		
20	April 3, 2007	Letter from NRC to Fish and Wildlife Service regarding consultation for
21		protected species.(Accession No. ML07050245)
22		

## **Appendix D**

### **Organizations Contacted**



## Appendix D


### Organizations Contacted

During the course of the staff's independent analysis of environmental impacts from operations during the renewal term, the following Federal, State, regional, and local agencies were contacted:

Maryland Department of Natural Resources, Annapolis, Maryland

Maryland Historical Trust, Crownsville, Maryland

U.S. Fish and Wildlife Service, Annapolis, Maryland



<b>NRC FORM 335</b> (9-2004) NRCMD 3.7		<b>U.S. NUCLEAR REGULATORY COMMISSION</b>		<b>1. REPORT NUMBER</b> (Assigned by NRC, Add Vol., Supp., Rev., and Addendum Numbers, if any.)  <b>NUREG-1873</b>	
<b>BIBLIOGRAPHIC DATA SHEET</b> (See instructions on the reverse)					
<b>2. TITLE AND SUBTITLE</b>  Draft Environmental Impact Statement for License Renewal of the National Bureau of Standards Reactor				<b>3. DATE REPORT PUBLISHED</b>	
				MONTH  <b>June</b>	YEAR  <b>2007</b>
<b>5. AUTHOR(S)</b>  James Wilson Dennis Beissel Barry Zalzman				<b>6. TYPE OF REPORT</b>  <b>Draft</b>	
				<b>7. PERIOD COVERED (Inclusive Dates)</b>  <b>1985-2007</b>	
<b>8. PERFORMING ORGANIZATION - NAME AND ADDRESS (If NRC, provide Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address; if contractor, provide name and mailing address.)</b>  Pacific Northwest National Laboratory Post Office Box 999 Richland, WA 99352					
<b>9. SPONSORING ORGANIZATION - NAME AND ADDRESS (If NRC, type "Same as above"; if contractor, provide NRC Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address.)</b>  Division of License Renewal Office of Nuclear Reactor Regulation U.S. Nuclear Regulatory Commission Washington, D.C. 20555-0001					
<b>10. SUPPLEMENTARY NOTES</b>  Docket No. 50-184					
<b>11. ABSTRACT (200 words or less)</b>  This draft environmental impact statement (EIS) has been prepared in response to an application submitted to the U.S. Nuclear Regulatory Commission (NRC) by the National Institute of Standards and Technology (NIST) to renew the operating license for the National Bureau of Standards Reactor (NBSR) for a period of an additional 20 years. This is the second license renewal application for the NBSR. The first license renewal was granted May 16, 1984, and included a power uprate from 10 megawatts (MW) to 20 MW of thermal power. This draft EIS includes the NRC staff's analysis that considers and weighs the environmental impacts of the proposed action, as well as mitigation measures available for reducing or avoiding adverse impacts. It also includes the staff's recommendation regarding the proposed action. No public comments were received during the scoping process. The staff determined from its review of the application that no issues having a significant environmental impact exist, and additional mitigation measures are not likely to be sufficiently beneficial as to be warranted. The NRC staff's recommendation is that the Commission determine the adverse environmental impacts of license renewal for the NBSR are not so great that license renewal would be unreasonable. This recommendation is based on (1) the Environmental Report submitted by NIST; (2) consultation with Federal, State, and local agencies; and (3) the staff's own independent review.					
<b>12. KEY WORDS/DESCRIPTORS (List words or phrases that will assist researchers in locating the report.)</b>  EIS, NIST, NBSR, National Bureau of Standards, National Institute of Standards and Technology, test reactor, located in Maryland, license renewal				<b>13. AVAILABILITY STATEMENT</b>  <b>unlimited</b>	
				<b>14. SECURITY CLASSIFICATION</b> (This Page)  <b>unclassified</b>	
				(This Report)  <b>unclassified</b>	
				<b>15. NUMBER OF PAGES</b>	
<b>16. PRICE</b>					



Federal Recycling Program



**UNITED STATES**  
**NUCLEAR REGULATORY COMMISSION**  
WASHINGTON, DC 20555-0001

-----  
OFFICIAL BUSINESS