



July 30, 2007


U.S. Nuclear Regulatory Commission  
Attention: Mr. Myron Fliegel, Senior Project Manager  
Fuel Cycle Facilities Branch  
Division of Fuel Cycle Safety and Safeguards, NMSS  
Two White Flint North  
11545 Rockville Pike  
Rockville, MD 20852-2738

Re: OPDES Permit OK0000191  
Sequoyah Fuels Corporation

Dear Mr. Fliegel:

Please find enclosed a copy of a Discharge Monitoring Report (DMR) for Sequoyah Fuels Corporation that was filed with the Oklahoma Department of Environmental Quality earlier this month. SFC is required to provide these reports to NRC when an exceedance of our permit limits has occurred.

Sincerely,

  
Craig L. Harlin, Director  
Regulatory Affairs

CLH:bt

Enclosures: As Stated Above

cc: Linda M. Gersey, NRC Region IV



RE: 0724-EQ

July 18, 2007

CERTIFIED MAIL 7006 0810 0004 5717 8637  
RETURN RECEIPT REQUESTED

Ms. Roshini Nambiar  
Enforcement and Compliance  
DEPARTMENT OF ENVIRONMENTAL QUALITY  
P.O. Box 1677  
Oklahoma City, OK 73101-1677


Re: OPDES Permit OK0000191  
Sequoyah Fuels Corporation

Dear Ms. Nambiar:

Please find enclosed the original and one copy of a page correction for the completed Discharge Monitoring Report (DMR) for the subject period June 1 through June 30, 2007, for Sequoyah Fuels Corporation. There were two exceedances of the nitrate limit during this monitoring period. The source of the nitrate causing the exceedances and the actions being taken were described in the cover letter submitted with last months DMR. SFC plans to take corrective action as soon as the rains decrease and water can be managed.

If you have any questions or require further information, you may contact Scott Munson, Environmental Manager, at 918/489-5511 (Extension 20).

Sincerely,

  
Craig L. Harlin, Director  
Regulatory Affairs

CLH:bt

Enclosures: As Stated Above

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES)

NAME Sequoyah Fuels Corporation

DISCHARGE MONITORING REPORT (DMR)

ADDRESS P.O. Box 610  
Gore, Oklahoma 74435

(2-16)  
**OK0000191**  
PERMIT NUMBER

(17-19)  
**008 A**  
DISCHARGE NUMBER

I-68000010

MAJOR

F-FINAL

INTERNAL MONITORING POINT

FACILITY Highway 10 and I-40

LOCATION Gore, Oklahoma

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
2007	06	01		2007	06	30
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

Check here if No Discharge

NOTE: Read instructions before completing this form

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)		
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)				UNITS	
00340 1 0 0 EFFLUENT GROSS VALUE	N/A	N/A	N/A	N/A	N/A	22	22	(19)	N/A	ONCE / MONTH	COMP24	
	PERMIT REQUIREMENT	N/A	N/A	N/A	N/A	REPORT MO AVG	REPORT DAILY MX	MG/L		ONCE / MONTH	COMP24	
00400 1 0 0 EFFLUENT GROSS VALUE	N/A	N/A	N/A	N/A	6.2	N/A	7.0	(12)	0	DAILY	INSITU	
	PERMIT REQUIREMENT	N/A	N/A	N/A	6.0 MINIMUM	N/A	9.0 MAXIMUM	SU		DAILY	INSITU	
00530 1 0 0 EFFLUENT GROSS VALUE	N/A	N/A	N/A	N/A	N/A	5.3	8.0	(19)	0	WEEKLY	COMP24	
	PERMIT REQUIREMENT	N/A	N/A	N/A	N/A	REPORT MO AVG	114 MAXIMUM	MG/L		WEEKLY	COMP24	
00610 1 0 0 EFFLUENT GROSS VALUE	N/A	N/A	N/A	N/A	N/A	0.5	0.5	(19)	0	WEEKLY	COMP24	
	PERMIT REQUIREMENT	N/A	N/A	N/A	N/A	REPORT MO AVG	10.5 DAILY MX	MG/L		WEEKLY	COMP24	
00620 1 0 0 EFFLUENT GROSS VALUE	N/A	N/A	N/A	N/A	N/A	25.4	48.4	(19)	2	ONCE / MONTH	COMP24	
	PERMIT REQUIREMENT	N/A	N/A	N/A	N/A	REPORT MO AVG	32 DAILY MX	MG/L		ONCE / MONTH	COMP24	
00951 1 0 0 EFFLUENT GROSS VALUE	N/A	N/A	N/A	N/A	N/A	0.7	1.9	(19)	0	WEEKLY	COMP24	
	PERMIT REQUIREMENT	N/A	N/A	N/A	N/A	REPORT MO AVG	7.9 DAILY MX	MG/L		WEEKLY	COMP24	
01147 1 0 0 EFFLUENT GROSS VALUE	N/A	N/A	N/A	N/A	N/A	0.010	0.010	(19)	N/A	ONCE / MONTH	COMP24	
	PERMIT REQUIREMENT	N/A	N/A	N/A	N/A	REPORT MO AVG	REPORT DAILY MX	MG/L		ONCE / MONTH	COMP24	
NAME/TITLE EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHEMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWINGLY VIOLATIONS. SEE 18 U.S.C. SECTION 1001 AND 33 U.S.C. SECTION 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)							TELEPHONE		DATE		
Craig L. Harlin, Director Regulatory Affairs								918 489-5511		07	07	18
TYPED OR PRINTED								AREA CODE	NUMBER	YEAR	MO	Day

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS (Reference all attachments here)

When discharging



RE: 0723-EQ

July 13, 2007

**CERTIFIED MAIL 7006 0810 0004 5717 8477  
RETURN RECEIPT REQUESTED**

Ms. Roshini Nambiar  
Enforcement and Compliance  
DEPARTMENT OF ENVIRONMENTAL QUALITY  
P.O. Box 1677  
Oklahoma City, OK 73101-1677


Re: OPDES Permit OK0000191  
Sequoyah Fuels Corporation

Dear Ms. Nambiar:

Please find enclosed the original and one copy of the completed Discharge Monitoring Report (DMR) for the subject period June 1 through June 30, 2007, for Sequoyah Fuels Corporation.

If you have any questions or require further information, you may contact Scott Munson, Environmental Manager, at 918/489-5511 (Extension 20).

Sincerely,



Craig L. Harlin, Director  
Regulatory Affairs

CLH:bt

Enclosures: As Stated Above

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME Sequoyah Fuels Corporation

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

ADDRESS P.O. Box 610  
Gore, Oklahoma 74435

(2-16)  
**OK0000191**  
PERMIT NUMBER

(17-19)  
**01F A**  
DISCHARGE NUMBER

I-68000010

MAJOR

F-FINAL

COMMINGLED WSTWTR - 001 & 008

FACILITY Highway 10 and I-40  
LOCATION Gore, Oklahoma

MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
2007	06	01	TO	2007	06	30
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

Check here if No Discharge

NOTE: Read instructions before completing this form

PARAMETER (32-37)	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)	UNITS				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	1.551	1.921	(03)	N/A	N/A	N/A	N/A	N/A	DAILY	ESTIMATE	
	PERMIT REQUIREMENT	REPORT MO AVG	REPORT DAILY MX	MGD	N/A	N/A	N/A	N/A		DAILY	ESTIMATE	
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/TITLE EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHEMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWINGLY VIOLATIONS. SEE 18 U.S.C. SECTION 1001 AND 33 U.S.C. SECTION 1319 (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)							TELEPHONE		DATE		
Craig L. Harlin, Director Regulatory Affairs								918 489-5511		07	07	13
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT							AREA CODE	NUMBER	YEAR	MO	Day

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS (Reference all attachments here)

When discharging

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME Sequoyah Fuels Corporation

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

ADDRESS P.O. Box 610  
Gore, Oklahoma 74435

(2-16)  
**OK0000191**  
PERMIT NUMBER

(17-19)  
**001 A**  
DISCHARGE NUMBER

I-68000010  
MAJOR  
F-FINAL  
INTERNAL MONITORING POINT

FACILITY Highway 10 and I-40  
LOCATION Gore, Oklahoma

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
2007	06	01	TO	2007	06	30
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

Check here if No Discharge

NOTE: Read instructions before completing this form

PARAMETER (32-37)	SAMPLE MEASUREMENT PERMIT REQUIREMENT	QUANTITY OR LOADING (46-53) (54-61)			QUALITY OR CONCENTRATION (38-45) (46-53) (54-61)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				UNITS
RADIUM 226, TOTAL 09501 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT PERMIT REQUIREMENT	N/A N/A	N/A N/A	N/A	N/A N/A	0.342 REPORT	0.342 30 DAILY MX	(17) PC/I/L	0	ONCE / MONTH ONCE / MONTH	COMP24 COMP24
THORIUM 230 26501 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT PERMIT REQUIREMENT	N/A N/A	N/A N/A	N/A	N/A N/A	N/A DAILY MX	0.542 PC/I/L	(17) PC/I/L	0	ONCE / MONTH ONCE / MONTH	COMP24 COMP24
URANIUM, NATURAL TOTAL (IN PCI/L) 28012 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT PERMIT REQUIREMENT	N/A N/A	N/A N/A	N/A	N/A N/A	22.2 REPORT MO AVG	59.3 300 DAILY MX	(17) PC/I/L	0	ONCE / MONTH ONCE / MONTH	COMP24 COMP24
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT PERMIT REQUIREMENT	1.521 REPORT MO AVG	1.86 REPORT DAILY MX	(03) MGD	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A	CONTINUOUS CONTINUOUS	RCORDR RCORDR
	SAMPLE MEASUREMENT PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT PERMIT REQUIREMENT										
NAME/TITLE EXECUTIVE OFFICER Craig L. Harlin, Director Regulatory Affairs TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHEMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDNACE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWINGLY VIOLATIONS. SEE 18 U.S.C. SECTION 1001 AND 33 U.S.C. SECTION 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)						TELEPHONE 918 489-5511		DATE 07 07 13		
	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT						AREA CODE	NUMBER	YEAR	MO	Day

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS (Reference all attachments here)

When discharging

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME Sequoyah Fuels Corporation

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

ADDRESS P.O. Box 610  
Gore, Oklahoma 74435

(2-16)  
**OK0000191**  
PERMIT NUMBER

(17-19)  
**001 A**  
DISCHARGE NUMBER

I-68000010  
MAJOR  
F-FINAL  
INTERNAL MONITORING POINT

FACILITY Highway 10 and I-40  
LOCATION Gore, Oklahoma

MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
2007	06	01	TO	2007	06	30
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

Check here if No Discharge

NOTE: Read instructions before completing this form

PARAMETER (32-37)	X	QUANTITY OR LOADING (46-61)			QUALITY OR CONCENTRATION (38-45) (46-53) (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)	UNITS			
OXYGEN DEMAND, CHEM. (HIGH LEVEL) (COD) 00340 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	N/A	N/A	N/A	N/A	5	5	(19)	N/A	ONCE / MONTH	COMP24
	PERMIT REQUIREMENT	N/A	N/A		N/A	REPORT MO AVG	REPORT DAILY MX	MG/L		ONCE / MONTH	COMP24
PH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	N/A	N/A	N/A	7.0	N/A	8.0	(12)	0	DAILY	INSITU
	PERMIT REQUIREMENT	N/A	N/A		6.0 MINIMUM	N/A	9.0 MAXIMUM	SU		DAILY	INSITU
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	50.3	62.0	(26)	N/A	4	5.2	(19)	0	WEEKLY	COMP24
	PERMIT REQUIREMENT	543 MO AVG	616 DAILY MX	LBS/DY	N/A	57 MO AVG	114 DAILY MX	MG/L		WEEKLY	COMP24
NITROGEN, AMMONIA TOTAL (AS N) 00610 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	2.9	2.9	(26)	N/A	0.2	0.2	(19)	0	ONCE / MONTH	COMP24
	PERMIT REQUIREMENT	25 MO AVG	100 DAILY MX	LBS/DY	N/A	2.6 MO AVG	10.5 DAILY MX	MG/L		ONCE / MONTH	COMP24
NITROGEN, NITRATE TOTAL (AS N) 00620 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	16.4	20.4	(26)	N/A	1.3	1.4	(19)	0	WEEKLY	COMP24
	PERMIT REQUIREMENT	75 MO AVG	300 DAILY MX	LBS/DY	N/A	7.9 MO AVG	32 DAILY MX	MG/L		WEEKLY	COMP24
FLUORIDE, TOTAL (AS F) 00951 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	5.2	8.8	(26)	N/A	0.5	0.9	(19)	0	WEEKLY	COMP24
	PERMIT REQUIREMENT	30 MO AVG	75 DAILY MX	LBS/DY	N/A	3.2 MO AVG	7.9 DAILY MX	MG/L		WEEKLY	COMP24
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHEMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWINGLY VIOLATIONS. SEE 18 U.S.C. SECTION 1001 AND 33 U.S.C. SECTION 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)							TELEPHONE		DATE	
Craig L. Harlin, Director Regulatory Affairs								918 489-5511		07 07 13	
TYPED OR PRINTED								AREA CODE	NUMBER	YEAR	MO

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS (Reference all attachments here)

When discharging

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME Sequoyah Fuels Corporation

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

ADDRESS P.O. Box 610  
Gore, Oklahoma 74435

(2-16)

OK0000191

PERMIT NUMBER

(17-19)

008 A

DISCHARGE NUMBER

I-68000010

MAJOR

F-FINAL


INTERNAL MONITORING POINT

FACILITY Highway 10 and I-40  
LOCATION Gore, Oklahoma

MONITORING PERIOD							
FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	2007	06	01		2007	06	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

Check here if No Discharge

NOTE: Read instructions before completing this form

PARAMETER (32-37)	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		(46-53)	(54-61)	UNITS	(38-45)	(46-53)	(54-61)	UNITS				
		AVERAGE	MAXIMUM		MINIMUM	AVERAGE	MAXIMUM					
OXYGEN DEMAND, CHEM (HIGH LEVEL) (COD) 00340 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	N/A	N/A	N/A	N/A	22	22	(19)	N/A	ONCE / MONTH	COMP24	
	PERMIT REQUIREMENT	N/A	N/A		N/A	REPORT MO AVG	REPORT DAILY MX	MG/L		ONCE / MONTH	COMP24	
PH	SAMPLE MEASUREMENT	N/A	N/A	N/A	6.2	N/A	7.0	(12)	0	DAILY	INSITU	
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	N/A	N/A		6.0 MINIMUM	N/A	9.0 MAXIMUM	SU		DAILY	INSITU	
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	N/A	N/A	N/A	N/A	5.3	8.0	(19)	0	WEEKLY	COMP24	
	PERMIT REQUIREMENT	N/A	N/A		N/A	REPORT MO AVG	114 MAXIMUM	MG/L		WEEKLY	COMP24	
NITROGEN, AMMONIA TOTAL (AS N) 00610 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	N/A	N/A	N/A	N/A	0.5	0.5	(19)	0	WEEKLY	COMP24	
	PERMIT REQUIREMENT	N/A	N/A		N/A	REPORT MO AVG	10.5 DAILY MX	MG/L		WEEKLY	COMP24	
NITROGEN, NITRATE TOTAL (AS N) 00620 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	N/A	N/A	N/A	N/A	25.4	48.4	(19)	0	ONCE / MONTH	COMP24	
	PERMIT REQUIREMENT	N/A	N/A		N/A	REPORT MO AVG	32 DAILY MX	MG/L		ONCE / MONTH	COMP24	
FLUORIDE, TOTAL (AS F) 00951 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	N/A	N/A	N/A	N/A	0.7	1.9	(19)	0	WEEKLY	COMP24	
	PERMIT REQUIREMENT	N/A	N/A		N/A	REPORT MO AVG	7.9 DAILY MX	MG/L		WEEKLY	COMP24	
SELENIUM, TOTAL (AS SE) 01147 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	N/A	N/A	N/A	N/A	0.010	0.010	(19)	N/A	ONCE / MONTH	COMP24	
	PERMIT REQUIREMENT	N/A	N/A		N/A	REPORT MO AVG	REPORT DAILY MX	MG/L		ONCE / MONTH	COMP24	
NAME/TITLE EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHEMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDNACE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWINGLY VIOLATIONS. SEE 18 U.S.C. SECTION 1001 AND 33 U.S.C. SECTION 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)							TELEPHONE		DATE		
Craig L. Harlin, Director Regulatory Affairs								918	489-5511	07	07	13
TYPED OR PRINTED								AREA CODE	NUMBER	YEAR	MO	Day

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS (Reference all attachements here)

When discharging



PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME Sequoyah Fuels Corporation

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

ADDRESS P.O. Box 610  
Gore, Oklahoma 74435

(2-16)  
OK0000191  
PERMIT NUMBER

(17-19)  
008 A  
DISCHARGE NUMBER


I-68000010  
MAJOR  
F-FINAL  
INTERNAL MONITORING POINT

FACILITY Highway 10 and I-40  
LOCATION Gore, Oklahoma

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
2007	06	01	TO	2007	06	30
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

Check here if No Discharge

NOTE: Read instructions before completing this form

PARAMETER (32-37)	X	QUANTITY OR LOADING (46-53)			QUALITY OR CONCENTRATION (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)		
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)				UNITS	
RADIUM 226, TOTAL 09501 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	N/A	N/A	N/A	N/A	1.1	1.1	(17)	0	ONCE / MONTH	COMP24	
	PERMIT REQUIREMENT	N/A	N/A	N/A	N/A	REPORT MO AVG	30 DAILY MX	PCI/L		ONCE / MONTH	COMP24	
THORIUM 230 26501 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	N/A	N/A	N/A	0.44	N/A	0.44	(17)	0	ONCE / MONTH	COMP24	
	PERMIT REQUIREMENT	N/A	N/A	N/A	REPORT	N/A	100 DAILY MX	PCI/L		ONCE / MONTH	COMP24	
URANIUM, NATURAL TOTAL (IN PCI/L) 28012 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	N/A	N/A	N/A	N/A	16.7	30.9	(17)	0	ONCE / MONTH	COMP24	
	PERMIT REQUIREMENT	N/A	N/A	N/A	N/A	REPORT	300 DAILY MX	PCI/L		ONCE / MONTH	COMP24	
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	0.145	0.504	(03)	N/A	N/A	N/A	N/A	N/A	CONTINUOUS	RCORDR	
	PERMIT REQUIREMENT	REPORT MO AVG	REPORT DAILY MX	MGD	N/A	N/A	N/A	N/A		CONTINUOUS	RCORDR	
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/TITLE EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHEMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDNACE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWINGLY VIOLATIONS. SEE 18 U.S.C. SECTION 1001 AND 33 U.S.C. SECTION 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)							TELEPHONE		DATE		
Craig L. Harlin, Director Regulatory Affairs								918	489-5511	07	07	13
TYPED OR PRINTED								AREA CODE	NUMBER	YEAR	MO	Day

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS (Reference all attachements here)

When discharging