

ACCEPTANCE REVIEW MEMO (ARM)

Licensee: Colaska dba SECON Southwest Alaska **License No.:** 50-29231

Docket No.: 030-37206 **Mail Control No.:** 471456

Type of Action: Amend **Date of Requested Action:** 07-23-07

Reviewer Assigned: **ARM reviewer(s):** Torres

Response	Deficiencies Noted During Acceptance Review
	<input type="checkbox"/> Open ended possession limits. Limit possession. Submit inventory. <input type="checkbox"/> Submit copies of most recent leak test results. <input type="checkbox"/> Add - delete IC license condition. Add IC paragraph in cover letter. <input type="checkbox"/> Split license from cover letter. Add SUNSI marking to license. <input type="checkbox"/> Ask the licensee if they have any type-amount of EPAct Material.

Reviewer's Initials: _____ **Date:** _____

<input type="checkbox"/> Yes <input type="checkbox"/> No	Unrestricted release Group 2 or >: Transfer memo to FCDB within 10 days.
<input type="checkbox"/> Yes <input type="checkbox"/> No	Decommissioning notification should be completed within 30 days.
<input type="checkbox"/> Yes <input type="checkbox"/> No	Termination request < 90 days from date of expiration
<input type="checkbox"/> Yes <input type="checkbox"/> No	Expedite (medical emergency, no RSO, location of use/storage not on license, RAM in possession not on license, other)
<input type="checkbox"/> Yes <input type="checkbox"/> No	TAR needed to complete action.

Branch Chief's and/or Sr. HP's Initials: _____ **Date:** _____

SUNSI Screening according to RIS 2005-31

Yes No **Non-Publicly Available, Sensitive** if any item below is checked

General guidance:

- _____ RAM = or > than Category 3 (Table 1, RIS 2005-31), use Unity Rule
- _____ Exact location of RAM (whether = or > than Category 3 or not)
- _____ Design of structure and/or equipment (site specific)
- _____ Information on nearby facilities
- _____ Detailed design drawings and/or performance information
- _____ Emergency planning and/or fire protection systems

Specific guidance for medical, industrial and academic (above Category 3):

- _____ RAM quantities and inventory
- _____ Manufacturer's name and model number of sealed sources & devices
- _____ Site drawings with exact location of RAM, description of facility
- _____ RAM security program information (locks, alarms, etc.)
- _____ Emergency Plan specifics (routes to/from RAM, response to security events)
- _____ Vulnerability/security assessment/accident-safety analysis/risk assess
- _____ Mailing lists related to security response

Branch Chief's and/or Sr. HP's Initials: RTZ **Date:** AUG - 7 2007

Pre-Licensing Screening

Applicant Information:

Control No. 471456

Name: Colaska dba SECON Southwest Alaska	Type of Request: Amend Program Code(s):
Location: AK	License No.: 50-29231 Docket No.: 030-37206

STEP 1--Radioactive Materials and Quantities Requested:

Instructions for Step 1: Complete Step 1 for all applications. If all your responses in Step 1 are "No" then do not complete Step 2 (Screening Criteria). Sign and date the completed step-sheet and add it as the sensitive and non-publicly available OAR in ADAMS. If a "yes" response is indicated for any item in Step 1, also complete Step 2. If the type of use is subject to a Security Order or the requirements for increased controls, complete Step 3 (Item A or Item B) without delay.		Yes or No
A.	The request is from a new applicant.	No
B.	NUREG-1556, Volume 20, Section 4.9 indicates a licensing site visit is needed for the requested type of use, e.g., (1) Type A broad scope license, (2) panoramic irradiator containing > 10000 curies, (3) manufacturers or distributors using unsealed radioactive material or significant quantities of sealed material, (4) radioactive waste brokers, (5) radioactive waste incinerators, (6) commercial nuclear laundries, and (7) any other application that in the judgement of the reviewer and cognizant supervisor involves complex technical issues, complex safety questions, or unprecedented issues that warrant a site visit.	No
C.	The applicant requested certain radionuclides and quantities that equal or exceed the Risk Significant Quantity (TBq) values in the table, below, that have been "highlighted" by the reviewer	No

Table of Risk Significant Quantities

(Category 2 Quantities, IAEA Safety Guide No. RS-G-1.9, Categorization of Radioactive Sources, August 2005)

Radionuclide	Risk Significant Quantity (TBq) ¹	Risk Significant Quantity (Ci) ¹	Radionuclide	Risk Significant Quantity (TBq) ¹	Risk Significant Quantity (Ci) ¹
Am-241	0.6	16	Pm-147	400	11,000
Am-241/Be	0.6	16	Pu-238	0.6	16
Cf-252	0.2	5.4	Pu-239/Be	0.6	16
Cm-244	0.5	14	Ra-226 ²	0.4	11
Co-60	0.3	8.1	Se-75	2	54
Cs-137	1	27	Sr-90 (Y-90)	10	270
Gd-153	10	270	Tm-170	200	5,400
Ir-192	0.8	22	Yb-169	3	81

¹ The primary values are TBq. The curie (Ci) values are for informational purposes only.

² The Atomic Energy Act, as amended by the Energy Policy Act of 2005, authorizes NRC to regulate Ra-226 and NRC is in the process of amending its regulations for discrete sources of Ra-226.


Calculations of the Total Activity or the Unity Rule are attached to document whether or not the screening criteria in Step 2 were also completed to evaluate the application. NOTE--If an amendment of an existing license is being requested, the calculations will include the previously authorized quantities for the radionuclide(s).	Yes, No, or Not Applicable (NA)
Total Activity--multiple activities are requested for a single radionuclide and the sum of the activities equals or exceeds the quantity of concern for the radionuclide	---
Unity Rule--multiple radionuclides are requested and the sum of the ratios equals or exceeds unity, e.g., [(total activity for radionuclide A) + (risk significant quantity for radionuclide A)] + [(total activity for radionuclide B) + (risk significant quantity for radionuclide B)] ≥ 1.0.	---

Signature and Date for Step 1:



License Reviewer and Date

NO - 7 - 2007




SECON INC.

10505 N.E. 38th Pl., Kirkland, WA 98033 • (425) 827-3193 / Fax 827-0256
P.O. Box 32159, Juneau, AK 99803 • (907) 780-5145 / Fax 780-5896

United States
Nuclear Regulatory Commission
Region IV
611 Ryan Plaza Drive, Suite 400
Arlington, Texas 76011-8064

July 23, 2007



Attn: James L. Montgomery

Re: Amendment to License No. 50-29231-01

James,

As required, Colaska/Secon Southeast Alaska is requesting an amendment to our NRC license changing the original Radiation Safety Officer from Richard H. Olson, Jr. to Rick J. Millward, effective July 31, 2007. Attached are the NRC form 313 as well as the revised "Radiation Safety" information and current certifications for Mr. Millward. No additional changes are requested at this time.

Thank you for your prompt attention to this matter and if you need further information, I may be reached at (907) 321-7037 or contact Mr. Millward at (907) 254-1211.

Sincerely,

Richard H. Olson, Jr.
Technical Manager/RSO

Cc: Dave Heeter
John Logsdon
Al Grant
Ben Northey
Rick Millward
File

Estimated burden per response to comply with this mandatory collection request: 7 hours. Submittal of the application is necessary to determine that the applicant is qualified and that adequate procedures exist to protect the public health and safety. Send comments regarding burden estimate to the Records Management Branch (T-6 E6), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to infocollects@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0120), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

APPLICATION FOR MATERIAL LICENSE

INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW.

APPLICATION FOR DISTRIBUTION OF EXEMPT PRODUCTS FILE APPLICATIONS WITH:
DIVISION OF INDUSTRIAL AND MEDICAL NUCLEAR SAFETY
OFFICE OF NUCLEAR MATERIALS SAFETY AND SAFEGUARDS
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001

ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS:

IF YOU ARE LOCATED IN:

CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, MAINE, MARYLAND, MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, PENNSYLVANIA, RHODE ISLAND, OR VERMONT, SEND APPLICATIONS TO:

LICENSING ASSISTANT SECTION
NUCLEAR MATERIALS SAFETY BRANCH
U.S. NUCLEAR REGULATORY COMMISSION, REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PA 19406-1415

ALABAMA, FLORIDA, GEORGIA, KENTUCKY, MISSISSIPPI, NORTH CAROLINA, PUERTO RICO, SOUTH CAROLINA, TENNESSEE, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA, SEND APPLICATIONS TO:

SAM NUNN ATLANTA FEDERAL CENTER
U.S. NUCLEAR REGULATORY COMMISSION, REGION II
61 FORSYTH STREET, S.W., SUITE 23T85
ATLANTA, GEORGIA 30303-8931

IF YOU ARE LOCATED IN:

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN, SEND APPLICATIONS TO:

MATERIALS LICENSING BRANCH
U.S. NUCLEAR REGULATORY COMMISSION, REGION III
801 WARRENVILLE RD.
LISLE, IL 60532-4351

ALASKA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, HAWAII, IDAHO, KANSAS, LOUISIANA, MONTANA, NEBRASKA, NEVADA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA, OREGON, PACIFIC TRUST TERRITORIES, SOUTH DAKOTA, TEXAS, UTAH, WASHINGTON, OR WYOMING, SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION IV
611 RYAN PLAZA DRIVE, SUITE 400
ARLINGTON, TX 76011-8064

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTIONS.

1. THIS IS AN APPLICATION FOR (Check appropriate item)

- A. NEW LICENSE
- B. AMENDMENT TO LICENSE NUMBER 50-29231-01
- C. RENEWAL OF LICENSE NUMBER

2. NAME AND MAILING ADDRESS OF APPLICANT (Include ZIP code)

Colaska DBA Secon Southeast Alaska
5322 Shaune Drive
Juneau, Alaska 99801

3. ADDRESS WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED

City of Juneau and surrounding areas

4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION

Rick J. Millward (RSO)

TELEPHONE NUMBER

(907) 254-1211

SUBMIT ITEMS 5 THROUGH 11 ON 8-1/2 X 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE.

5. RADIOACTIVE MATERIAL
a. Element and mass number, b. chemical and/or physical form; and c. maximum amount which will be possessed at any one time.

6. PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED.

7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING EXPERIENCE. (Medical use applicants: Complete NRC Form 313A)

8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS.

9. FACILITIES AND EQUIPMENT.

10. RADIATION SAFETY PROGRAM.

11. WASTE MANAGEMENT.

12. LICENSE FEES (See 10 CFR 170 and Section 170.31)

FEE CATEGORY AMOUNT ENCLOSED \$

13. CERTIFICATION. (Must be completed by applicant) THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON


THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, 36, 39, AND 40, AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.

WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1948 82 STAT. 749 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

CERTIFYING OFFICER - TYPED/PRINTED NAME AND TITLE

Rick J. Millward Technical Manager/RSO

SIGNATURE



DATE

7/23/07


FOR NRC USE ONLY

TYPE OF FEE	FEE LOG	FEE CATEGORY	AMOUNT RECEIVED	CHECK NUMBER	COMMENTS
			\$		

APPROVED BY

DATE

No 471455



SECON INC.

10505 N.E. 38th Pl., Kirkland, WA 98033 • (425) 827-3193 / Fax 827-0256
P.O. Box 32159, Juneau, AK 99803 • (907) 780-5145 / Fax 780-5896

(Revised 7/23/07)

RADIATION SAFETY PROGRAM

A. SAFETY PROCEDURES

1. Do not operate or attempt to operate a gauge unless you have been authorized to do so.
2. Do not attempt to repair, modify or open the sealed source under any circumstances.
3. Wear a film badge at all times while operating or transporting a gauge.
4. Follow operating procedures when using the gauge, in accordance with the specific instruction manual, the radiation control regulations and this safety program.
5. Keep unauthorized persons away from the gauge.
6. Do not leave the gauge unattended while in use or while it is outside of it's storage case and not secured.
7. Keep the gauge in the "SAFE" or storage position when not in use.
8. Be sure the gauge is locked within an authorized(closet, cabinet, vehicle, etc.) when not in use. Security against theft is of radioactive material is of the utmost importance and must not be neglected. The storage enclosure must be labeled with a radiation warning sign bearing the symbol as described in 10 CFR 20.203 and the words "CAUTION RADIOACTIVE MATERIALS".
9. Gauges may only be transported by authorized personnel in approved vehicles. The gauges may not be transported on the front or rear seats of any vehicle. If a pickup truck is used, the gauges must be locked in an enclosed shipping case and the case must be securely chained to the body of the truck to prevent loss or theft. The gauges will be transported in accordance with NRC regulations.
10. Ensure that the gauge is leak tested at the intervals required by the manufacturer and in accordance with the Radioactive Materials License. The leak test sample will be collected by the RSO and sent to an authorized laboratory for testing.
11. When in doubt, ask your RSO for direction.
12. Disposal/Transfer of radioactive gauges will only be made if the transferee is specifically licensed to possess these materials.

B. ACCIDENTS

1. In the event of possible damage to the source or source control mechanism, the operator will keep unauthorized persons at least 10 feet from the gauge and prevent removal of the gauge from the site until authorized to do so by the RSO or proper authorities.
2. If there is any possibility the source capsule may be ruptured, the location must be covered by a sheet of material(plastic, tarp, etc.) held down by weights(rocks, sample bags of material, etc.) to prevent radioactive material from being scattered by the elements.
3. The operator must notify the RSO of the incident and give an appraisal of the probable condition of the source.
4. The RSO will immediately notify the proper authorities who will provide instructions and assistance with the circumstances of the incident.

Radiation Safety Officer: Rick J. Millward (907) 254-1211/(907) 780-5145

C. SOURCE LOST OR STOLEN

1. The operator must immediately notify local police or other law enforcement agencies within the jurisdiction of the incident.
2. The operator will also contact the RSO, who will coordinate further action with the proper authorities.

Alaska State Troopers

Juneau: (907) 465-4000

Ketchikan: (907) 225-4116

Petersburg: (907) 772-3100

Police Departments

Juneau: 911

Ketchikan: 911

Petersburg: 911

CERTIFICATE OF COMPLETION

Rick J. Millward
Juneau, Alaska 5 August 2006

*The above participant attended and has completed the CPN International, Inc.
Radiation Safety Officer Seminar for Portable Nuclear Gauges.*

CPN International, Inc.
2830 Howe Road
Martinez, CA 94553 USA
Phone: (925) 228-9770
Fax: (925) 228-3183
e-mail: cpn@cpn-intl.com




Instructor


Radiation Safety Officer



CERTIFICATE OF COMPLETION

PRESENTED BY

QAL-TEK ASSOCIATES, L.L.C.

TO

“RICK MILLWARD”

For having successfully completed the **RADIATION SAFETY** and **NUCLEAR GAUGE USER TRAINING** in accordance with the requirements of NUREG 1556 VOL 4, and 10 CFR PARTS 19 & 30

PRESENTED THIS

20TH DAY OF APRIL 2004

Signature of Trainer

Terrell Gneiting

/ TERRELL GNEITING

Location

Idaho Falls, Idaho

AUG - 8 2007

DATE

This is to acknowledge the receipt of your letter/application dated 7-23-07, and to inform you that the initial processing, which includes an administrative review, has been performed.

There were no administrative omissions. Your application will be assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

Please provide to this office within 30 days of your receipt of this card:

The action you requested is normally processed within 90 days.

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned **Mail Control Number** 471455.
When calling to inquire about this action, please refer to this mail control number.
You may call me at 817-860-8103.

Sincerely,



Licensing Assistant

BETWEEN:

License Fee Management Branch, ARM
and
Regional Licensing Sections

: (FOR LFMS USE)
: INFORMATION FROM LTS
: -----
: Program Code: 03121
: Status Code: 0
: Fee Category: 3P
: Exp. Date: 20160630
: Fee Comments:
: Decom Fin Assur Req'd: N
: ::::::::::::::::::::::::::::::::::::::

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED

Applicant/Licensee: COLASKA DBA SECON SOUTHWEST ALASKA
Received Date: 20070726
Docket No: 3037206
Control No.: 471455
License No.: 50-29231-01
Action Type: Amendment

2. FEE ATTACHED

Amount: _____
Check No.: /

3. COMMENTS

Signed *Colleen Murnahan*
Date 8-01-07

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered /_/)

1. Fee Category and Amount: _____

2. Correct Fee Paid. Application may be processed for:

Amendment _____
Renewal _____
License _____

3. OTHER _____

Signed _____
Date _____

FedEx

USA

820128234481

0200

FedEx Return

7/24/07

Account Number

1869 70152

Rich Olson

901 321-7037

Secor

P.O. Box 32159

Juneau

AK 99801

Service of Polling Bureau

NRC Docs

James Montgomery

925 673-9646

US Nuclear Regulatory Commission

611 Ryan Plaza Drive

400

Arlington

TX 76011-8064

820128234481



4a Express Package Service

1 X

4b Express Mail Service

7

5 Packaging

X

6 Special Handling

2 Saturday Delivery 23 Sunday Delivery 1 BULD Weekday 21 HONMS

X

7 Payment

X

Total Charges Total Weight



8 Release Signature

Rev. Date 11/26/06 #154815*

GBFE 2/00

36

