



*DHIAA M. JAMIL  
Senior VP, Nuclear Support  
Nuclear Generation*

*526 South Church St.  
Charlotte, NC 28202*

*Mailing Address:  
EC07H / PO Box 1006  
Charlotte, NC 28201-1006*

*704 382 6191  
704 382 6056 fax  
dmjamil@duke-energy.com*

August 28, 2007

U.S. Nuclear Regulatory Commission  
ATTN: Document Control Desk  
Washington, DC 20555-0001

Subject: Duke Power Company LLC d/b/a Duke Energy Carolinas, LLC  
Oconee Nuclear Station, Units 1, 2, and 3  
NRC Docket Nos. 50-269, 50-270, 50-287  
McGuire Nuclear Station, Units 1 and 2  
NRC Docket Nos. 50-369, 50-370  
Catawba Nuclear Station, Units 1 and 2  
NRC Docket Nos. 50-413, 50-414  
Fitness-For-Duty Program Performance Data Reports

Pursuant to 10 CFR 26.71(d), Duke Power Company LLC d/b/a Duke Energy Carolinas, LLC (Duke) hereby submits the Fitness-For-Duty Program Performance Data Reports for Oconee, McGuire and Catawba Nuclear Stations and the General Office. The reporting period covered by this submittal is January 1, 2007 through June 30, 2007.

Based on quantitative analysis accumulated from the testing laboratory results, which are recorded and maintained in Duke's Fitness for Duty database, this data is considered to be complete, accurate and consistent with industry and Duke program expectations.

This correspondence contains no regulatory commitments. Questions regarding these reports should be directed to Peter R. Fowler at 704-382-6188 or Dana Boies at 704-382-1694.

Very truly yours,

Dhiaa M. Jamil

Attachments

A021

U.S. Nuclear Regulatory Commission  
August 28, 2007  
Page 2

xc:

W. D. Travers, Regional Administrator  
U. S. Nuclear Regulatory Commission, Region II  
Sam Nunn Atlanta Federal Center, Suite 23T85  
61 Forsyth St., SW  
Atlanta, GA 30303-8931

L. N. Olshan (addressee only)  
NRC Senior Project Manager (ONS)  
U. S. Nuclear Regulatory Commission  
11555 Rockville Pike  
Mail Stop 0-8 G9A  
Rockville, MD 20852-2738

J. F. Stang, Jr., Senior Project Manager (CNS & MNS)  
U. S. Nuclear Regulatory Commission  
11555 Rockville Pike  
Mail Stop 0-8 H 4A  
Rockville, MD 20852-2738

D. W. Rich  
NRC Senior Resident Inspector  
Oconee Nuclear Station

J. B. Brady  
NRC Senior Resident Inspector  
McGuire Nuclear Station

A. T. Sabisch  
NRC Senior Resident Inspector  
Catawba Nuclear Station

bx: (w/ Attachments)

T. W. King – ON01SC  
D. G. Black – MG01SC  
W. T. Byers – CN01SC  
B. H. Hamilton – ON01VP  
G. R. Peterson – MG01VP  
J. R. Morris – CN01VP  
J. M. Grisdale – EC07C  
K. R. Simmons – ON01VP  
P. C. Ivey – MG01VP  
W. C. Piercy – CN01HR  
W. B. Jackson – EC03K  
W. E. Dukes – EC02O  
A. C. Barnette – EC03P  
P. R. Fowler – EC03P  
L. F. Vaughn – EC07H  
Oconee Master File 801.01 – ON03DM  
McGuire Master File 801.01 – MG01DM  
Catawba Master File 801.01 – CN04DM  
ELL

bx: (w/o Attachments)

B. G. Davenport – ON03RC  
K. L. Ashe – MG01RC  
R. D Hart – CN01RC  
R. L. Gill – EC05P  
J. E. Smith – ON03RC  
K. L. Crane – MG01RC  
K. L. Nicholson – CN01RC  
NCMPA-1  
SREC  
PMPA  
NCEMC

**Fitness for Duty Program  
Performance Data  
Personnel Subject to 10 CFR 26**

<b>Duke Power Company LLC d/b/a Duke Energy Carolinas, LLC (Duke)</b>		<b>06/30/07</b>
Company		6 Month Ending
<b>Catawba Nuclear Station</b>		
Location		
<b>Anita Barnette</b>	<b>(704) 382-4904</b>	
Contact Name	Phone (Include area code)	

Cutoffs: Screen/Confirmation (ng/ml)     Appendix A to 10 CFR 26

<b>Marijuana</b> 50 ng/ml / 15 ng/ml	<b>Amphetamines</b> 1000 ng/ml / 500 ng/ml	_____ /
<b>Cocaine</b> 300 ng/ml / 150 ng/ml	<b>Phencyclidine</b> 25 ng/ml / 25 ng/ml	_____ /
<b>Opiates</b> 300 ng/ml / 300 ng/ml	<b>Alcohol (%BAC)</b> .011-.039	_____ /

Testing Results	Licensee Employees		Long-Term Contractor Personnel		Short-Term Contractor Personnel	
	# Tested	# Positive (1)	# Tested	# Positive *	# Tested	# Positive (1)
Average Number with Unescorted Access	1250				492	
Pre-Access	75	0			134	2
For Cause – Post Accident	0	0			3	0
For Cause – Observed Behavior	0	0			0	0
Random	383 (2)	0			200 (2)	0
Follow-up	14	0			2	0
Other	2	0			0	0
<b>Total</b>	<b>474</b>	<b>0</b>			<b>339</b>	<b>2</b>

**Breakdown of Confirmed Positive Tests for Specific Substances – Catawba Nuclear Station**  
 (for 6 Month Ending 06/30/07)

	Marijuana (1)	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol (1)	Refusal To Test	1	2	3	4	5	
Licensee Employees	0	0	0	0	0	0	0						
Long-Term Contractors													
Short-Term Contractors	2	0	0	0	0	0	0						
<b>Total</b>	2	0	0	0	0	0	0						2

A

**Fitness for Duty Program  
Performance Data  
Personnel Subject to 10CFR 26  
(for Catawba Nuclear Station)  
for 6 Month Ending 06/30/07**

Summary of Management Actions:

(Include initiatives taken, lessons learned, effectiveness evaluation, etc. as appropriate.)

General Note:

Duke randomly tests at a rate of at least 50% of the pool population.

Note (1):

Duke has more restrictive cut-off levels for Alcohol (due to range of extrapolation) and Marijuana. In the past, Duke has shown this detail on the Performance Data Report's first sheet. Beginning with the semi-annual report (period ending 06/30/01), Duke will provide a more detailed report that will indicate positive test results confirmed at the NRC cut-off level and Duke's cut-off level. This detailed report for the period ending 06/30/07 is attached (see Attachment B).

Note (2):

Duke has included Random Pre-Access screen numbers in the total random numbers on the initial sheet. The number of Random Pre-Access has been broken out on the detailed report (see Attachment B).

Summary Listing of Events Reported Under 10 CFR 26.73:

<b>Date of Event</b>	<b>Position of Individual Involved</b>	<b>How Discovered</b>	<b>Substance Detected</b>	<b>Management Actions Taken</b>
None during this reporting period				

**Fitness for Duty Program  
Performance Data  
Personnel Subject to 10CFR 26  
(for Catawba Nuclear Station)  
6 Month Ending – 06/30/07**

**POSITIVE Cut-Off Level Detail Report (NRC / Duke Level)**

Testing Results	Licensee Employees			Long-Term Contractor Personnel		Short-Term Contractor Personnel		
	# Tested	# Positive (1)		# Tested	# Positive *	# Tested	# Positive (1)	
Categories		NRC	Duke				NRC	Duke
Average Number with Unescorted Access	1250					492		
Average Number in Random – Pre-Access Pool	4					10		
Pre-Access	75	0	0			134	1	1
For Cause – Post Accident	0	0	0			3	0	0
For Cause – Observed Behavior	0	0	0			0	0	0
Random - Badged	365	0	0			185	0	0
Random – Pre Access	18 (2)	0	0			15 (2)	0	0
Follow-up	14	0	0			2	0	0
Other	2	0	0			0	0	0
<b>Total</b>	474	0	0			339	1	1

**SUBSTANCE Cut-Off Level Detail Report (NRC / Duke Level)**

	Marijuana (1)		Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol (1)		Refusal to Test	1	2	3	4	5	TOTAL
	NRC	Duke					NRC	Duke							
Licensee Employees	0	0	0	0	0	0	0	0							0
Long-Term Contractors															
Short-Term Contractors	1	1	0	0	0	0	0	0							2
<b>Total</b>	1	1	0	0	0	0	0	0							2

**Fitness for Duty Program  
Performance Data  
Personnel Subject to 10 CFR 26**

<b>Duke Power Company LLC d/b/a Duke Energy Carolinas, LLC (Duke)</b>		<b>06/30/07</b>	
_____ Company		_____ 6 Month Ending	
<b>McGuire Nuclear Station</b>			
_____ Location			
<b>Anita Barnette</b>		<b>(704) 382-4904</b>	
_____ Contact Name		_____ Phone (Include area code)	

Cutoffs: Screen/Confirmation (ng/ml)     Appendix A to 10 CFR 26

<b>Marijuana</b> 50 ng/ml / 15 ng/ml	<b>Amphetamines</b> 1000 ng/ml / 500 ng/ml	_____ /
<b>Cocaine</b> 300 ng/ml / 150 ng/ml	<b>Phencyclidine</b> 25 ng/ml / 25 ng/ml	_____ /
<b>Opiates</b> 300 ng/ml / 300 ng/ml	<b>Alcohol (%BAC)</b> .011-.039	_____ /

Testing Results	Licensee Employees		Long-Term Contractor Personnel		Short-Term Contractor Personnel	
	# Tested	# Positive (1)	# Tested	# Positive *	# Tested	# Positive (1)
Average Number with Unescorted Access	1345				687	
Pre-Access	96	1			1082	6
For Cause – Post Accident	2	0			4	0
For Cause – Observed Behavior	2	0			5	0
Random	416 (2)	1			222 (2)	0
Follow-up	13	0			9	0
Other	2	0			1	0
<b>Total</b>	<b>531</b>	<b>2</b>			<b>1323</b>	<b>6</b>

**Breakdown of Confirmed Positive Tests for Specific Substances – McGuire Nuclear Station**  
**(for 6 Month Ending 06/30/07)**

	Marijuana (1)	Cocaine	Opiates	Amphetamine	Phencyclidine	Alcohol (1)	Refusal To Test	1	2	3	4	5	
Licensee Employees	0	0	0	0	0	2	0						
Long-Term Contractors													
Short-Term Contractors	5	0	0	0	0	1	3						
<b>Total</b>	5	0	0	0	0	3	3*						11*

**A**

\* Refusal to Test #'s are included in calculating total Substance categories; however, these refusal to test results are not included in Test/Positive Results #'s because no collection/test was performed.

**Fitness for Duty Program  
Performance Data  
Personnel Subject to 10CFR 26  
(for McGuire Nuclear Station)  
for 6 Month Ending 06/30/07**

**Summary of Management Actions:**

(Include initiatives taken, lessons learned, effectiveness evaluation, etc. as appropriate.)

General Note:

Duke randomly tests at a rate of at least 50% of the pool population.

Note (1):

Duke has more restrictive cut-off levels for Alcohol (due to range of extrapolation) and Marijuana. In the past, Duke has shown this detail on the Performance Data Report's first sheet. Beginning with the semi-annual report (period ending 06/30/01), Duke will provide a more detailed report that will indicate positive test results confirmed at the NRC cut-off level and Duke's cut-off level. This detailed report for the period ending 06/30/07 is attached (see Attachment B).

Note (2):

Duke has included Random Pre-Access screen numbers in the total random numbers on the initial sheet. The number of Random Pre-Access has been broken out on the detailed report (see Attachment B).

**Summary Listing of Events Reported Under 10 CFR 26.73:**

<b>Date of Event</b>	<b>Position of Individual Involved</b>	<b>How Discovered</b>	<b>Substance Detected</b>	<b>Management Actions Taken</b>
Screened 02/06/07	Nuclear Control Operator	Random drug/alcohol screen	Alcohol	Confirmed positive on 02/06/07; individual's unescorted access was restricted immediately; individual was referred to EAP for assessment; individual complied with EAP recommendation, submitted a return to work screen with negative results; individual's access restriction was removed; individual was placed in random follow-up drug/alcohol screening program; event was reported to McGuire's Nuclear Compliance Group for reporting purposes; reported to NRC on 02/06/07 at 1608.

**Fitness for Duty Program  
Performance Data  
Personnel Subject to 10CFR 26  
(for McGuire Nuclear Station)  
6 Month Ending – 06/30/07**

**POSITIVE Cut-Off Level Detail Report (NRC / Duke Level)**

Testing Results	Licensee Employees			Long-Term Contractor Personnel		Short-Term Contractor Personnel		
	Average Number with Unescorted Access	1345					687	
Average Number in Random – Pre-Access Pool	5					39		
Categories	# Tested	# Positive (1)		# Tested	# Positive *	# Tested	# Positive (1)	
Pre-Access	96	NRC	Duke			1082	NRC	Duke
For Cause – Post Accident	2	0	0			4	0	0
For Cause – Observed Behavior	2	0	0			5	0	0
Random - Badged	392	1	0			200	0	0
Random – Pre-Access	24 (2)	0	0			22 (2)	0	0
Follow-up	13	0	0			9	0	0
Other	2	0	0			1	0	0
<b>Total</b>	531	1	1			1323	1	5

**SUBSTANCE Cut-Off Level Detail Report (NRC / Duke Level)**

	Marijuana (1)		Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol (1)		Refusal to Test	1	2	3	4	5	TOTAL
	NRC	Duke					NRC	Duke							
Licensee Employees	0	0	0	0	0	0	1	1	0						2
Long-Term Contractors															
Short-Term Contractors	1	4	0	0	0	0	0	1	3						9
<b>Total</b>	1	4	0	0	0	0	1	2	3*						11*

\* Refusal to Test #'s are included in calculating total Substance categories; however, these refusal to test results are not included in Test/Positive Results #'s because no collection/test was performed.

**Fitness for Duty Program  
Performance Data  
Personnel Subject to 10 CFR 26**

<b>Duke Power Company LLC d/b/a Duke Energy Carolinas, LLC (Duke)</b>	<b>06/30/07</b>
Company	6 Month Ending
<b>Oconee Nuclear Station</b>	
Location	
<b>Anita Barnette</b>	<b>(704) 382-4904</b>
Contact Name	Phone (Include area code)

Cutoffs: Screen/Confirmation (ng/ml)     Appendix A to 10 CFR 26

<b>Marijuana</b> 50 ng/ml / 15 ng/ml	<b>Amphetamines</b> 1000 ng/ml / 500 ng/ml		
<b>Cocaine</b> 300 ng/ml / 150 ng/ml	<b>Phencyclidine</b> 25 ng/ml / 25 ng/ml		
<b>Opiates</b> 300 ng/ml / 300 ng/ml	<b>Alcohol (%BAC)</b> .011-.039		

Testing Results	Licensee Employees		Long-Term Contractor Personnel		Short-Term Contractor Personnel	
	# Tested	# Positive (1)	# Tested	# Positive *	# Tested	# Positive (1)
Average Number with Unescorted Access	1373				889	
Pre-Access	118	0			494	2
For Cause – Post Accident	1	0			6	0
For Cause – Observed Behavior	4	0			1	1
Random	565 (2) (4)	1			255 (2)	0
Follow-up	21	1			18	1
Other	1	0			1	0
<b>Total</b>	<b>710</b>	<b>2</b>			<b>775</b>	<b>4</b>

**Breakdown of Confirmed Positive Tests for Specific Substances – Oconee Nuclear Station**  
**(for 6 Month Ending 06/30/07)**

	Marijuana (1)	Cocaine	Opiates	Amphetamine	Phencyclidine	Alcohol (1)	Refusal To Test	1	2	3	4	5	
Licensee Employees	0	0	0	2	0	0	0						
Long-Term Contractors													
Short-Term Contractors	2	2	0	0	0	1	0						
<b>Total</b>	2	2	0	2	0	1	0						7 *

\* One individual positive for two substances.

**A**

**Fitness for Duty Program  
Performance Data  
Personnel Subject to 10CFR 26  
(for Oconee Nuclear Station)  
for 6 Month Ending 06/30/07**

**Summary of Management Actions:**

(Include initiatives taken, lessons learned, effectiveness evaluation, etc. as appropriate.)

General Note:

Duke randomly tests at a rate of at least 50% of the pool population.

Note (1):

Duke has more restrictive cut-off levels for Alcohol (due to range of extrapolation) and Marijuana. In the past, Duke has shown this detail on the Performance Data Report's first sheet. Beginning with the semi-annual report (period ending 06/30/01), Duke will provide a more detailed report that will indicate positive test results confirmed at the NRC cut-off level and Duke's cut-off level. This detailed report for the period ending 06/30/07 is attached (see Attachment B).

Note (2):

Duke has included Random Pre-Access screen numbers in the total random numbers on the initial sheet. The number of Random Pre-Access has been broken out on the detailed report (see Attachment B).

Note (4): As a result of an increased amount of Amphetamine/Methamphetamine positive results in the Oconee Nuclear Security organization during the period 11/14/06 – 01/29/07, management implemented an accelerated random testing program for the Oconee Nuclear Security organization for the period of 2/5/07 – 1/31/08.

**Summary Listing of Events Reported Under 10 CFR 26.73:**

<b>Date of Event</b>	<b>Position of Individual Involved</b>	<b>How Discovered</b>	<b>Substance Detected</b>	<b>Management Actions Taken</b>
None during this reporting period.				

**Fitness for Duty Program  
Performance Data  
Personnel Subject to 10CFR 26  
(for McGuire Nuclear Station)  
6 Month Ending – 06/30/07**

**POSITIVE Cut-Off Level Detail Report (NRC / Duke Level)**

Testing Results	Licensee Employees			Long-Term Contractor Personnel		Short-Term Contractor Personnel		
	# Tested	# Positive (1)		# Tested	# Positive *	# Tested	# Positive (1)	
Categories		NRC	Duke				NRC	Duke
Average Number with Unescorted Access	1373					889		
Average Number in Random – Pre-Access Pool	4					40		
Pre-Access	118	0	0			494	1	1
For Cause – Post Accident	1	0	0			6	0	0
For Cause – Observed Behavior	4	0	0			1	0	1
Random - Badged	548 (4)	1	0			239	0	0
Random – Pre-Access	17 (2)	0	0			16 (2)	0	0
Follow-up	21	1	0			18	1	0
Other	1	0	0			1	0	0
<b>Total</b>	710	2	0			775	2	2

**SUBSTANCE Cut-Off Level Detail Report (NRC / Duke Level)**

	Marijuana (1)		Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol (1)		Refusal to Test	1	2	3	4	5	TOTAL
	NRC	Duke					NRC	Duke							
Licensee Employees	0	0	0	0	2	0	0	0	0						2
Long-Term Contractors															
Short-Term Contractors	0	2	2	0	0	0	0	1	0						5
<b>Total</b>	0	2	2	0	2	0	0	1	0						7*

\* One individual positive for two substances.

**Fitness for Duty Program  
Performance Data  
Personnel Subject to 10 CFR 26**

<b>Duke Power Company LLC d/b/a Duke Energy Carolinas, LLC (Duke)</b>	<b>06/30/07</b>
Company	6 Month Ending
<b>General Office</b>	
Location	
<b>Anita Barnette</b>	<b>(704) 382-4904</b>
Contact Name	Phone (Include area code)
Cutoffs: Screen/Confirmation (ng/ml) <input type="checkbox"/> Appendix A to 10 CFR 26	
<b>Marijuana</b> 50 ng/ml / 15 ng/ml	<b>Amphetamines</b> 1000 ng/ml / 500 ng/ml    _____ /
<b>Cocaine</b> 300 ng/ml / 150 ng/ml	<b>Phencyclidine</b> 25 ng/ml / 25 ng/ml    _____ /
<b>Opiates</b> 300 ng/ml / 300 ng/ml	<b>Alcohol (%BAC)</b> .011-.039    _____ /

Testing Results	Licensee Employees		Long-Term Contractor Personnel		Short-Term Contractor Personnel	
	# Tested	# Positive (1)	# Tested	# Positive *	# Tested	# Positive (1)
Average Number with Unescorted Access	353					
Pre-Access	35	0			0 (3)	0
For Cause – Post Accident	0	0			0	0
For Cause – Observed Behavior	0	0			0	0
Random	113 (2)	0			0	0
Follow-up	1	0			0	0
Other	0	0			0	0
<b>Total</b>	<b>149</b>	<b>0</b>			<b>0 (3)</b>	<b>0</b>

**Breakdown of Confirmed Positive Tests for Specific Substances – Duke General Office**  
**(for 6 Month Ending 06/30/07)**

	Marijuana (1)	Cocaine	Opiates	Ampheta- mines	Phency- clidine	Alcohol (1)	Refusal To Test	1	2	3	4	5	
Licensee Employees	0	0	0	0	0	0	0						
Long-Term Contractors													
Short-Term Contractors	0	0	0	0	0	0	0						
<b>Total</b>	0	0	0	0	0	0	0						0

A

**Fitness for Duty Program  
Performance Data  
Personnel Subject to 10CFR 26  
(for Duke General Office)  
for 6 Month Ending 06/30/07**

Summary of Management Actions:

(Include initiatives taken, lessons learned, effectiveness evaluation, etc. as appropriate.)

General Note:

Duke randomly tests at a rate of at least 50% of the pool population.

Note (1):

Duke has more restrictive cut-off levels for Alcohol (due to range of extrapolation) and Marijuana. In the past, Duke has shown this detail on the Performance Data Report's first sheet. Beginning with the last semi-annual report (period ending 06/30/01), Duke will provide a more detailed report that will indicate positive test results confirmed at the NRC cut-off level and Duke's cut-off level. This detailed report for the period ending 06/30/07 is attached (see Attachment B).

Note (2):

Duke has included Random Pre-Access screen numbers in the total random numbers on the initial sheet. The number of Random Pre-Access has been broken out on the detailed report (see Attachment B).

Note (3):

Duke approved the Pre-Access Testing portion of Westinghouse's Fitness for Duty Program effective August 3, 1999. The 0 Pre-Access screens reported under "Short Term Contractor Personnel" are being reported with Duke performance data as a result of accepting Westinghouse's program.

Summary Listing of Events Reported Under 10 CFR 26.73:

<b>Date of Event</b>	<b>Position of Individual Involved</b>	<b>How Discovered</b>	<b>Substance Detected</b>	<b>Management Actions Taken</b>
None during this reporting period				

**Fitness for Duty Program  
Performance Data  
Personnel Subject to 10CFR 26  
(for Duke General Office)  
for 6 Month Ending 06/30/07**

**POSITIVE Cut-Off Level Detail Report (NRC / Duke Level)**

Testing Results	Licensee Employees			Long-Term Contractor Personnel		Short-Term Contractor Personnel		
	# Tested	# Positive (1)		# Tested	# Positive *	# Tested	# Positive (1)	
Categories		NRC	Duke				NRC	Duke
Average Number with Unescorted Access	353							
Average Number in Random Pre-Access Pool	2							
Pre-Access	35	0	0			0 (3)	0	0
For Cause – Post Accident	0	0	0			0	0	0
For Cause – Observed Behavior	0	0	0			0	0	0
Random - Badged	97	0	0			0	0	0
Random – Pre-Access	16 (2)	0	0			0	0	0
Follow-up	1	0	0			0	0	0
Other	0	0	0			0	0	0
<b>Total</b>	149	0	0			0 (3)	0	0

**SUBSTANCE Cut-Off Level Detail Report (NRC / Duke Level)**

	Marijuana (1)		Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol (1)		Refusal to Test	1	2	3	4	5	TOTAL
	NRC	Duke					NRC	Duke							
Licensee Employees	0	0	0	0	0	0	0	0							0
Long-Term Contractors															
Short-Term Contractors	0	0	0	0	0	0	0	0							0
Total	0	0	0	0	0	0	0	0							0