

UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION II
101 MARIETTA ST., N.W., SUITE 3100
ATLANTA, GEORGIA 30303
AUG - 6 1980

In Reply Refer To:

RII:VLB

50-327/80-24, 50-439/80-13, 50-553/80-11
50-328/80-15, 50-518/80-11, 50-554/80-10
50-390/80-20, 50-519/80-11, 50-566/80-10
50-391/80-14, 50-520/80-11, 50-567/80-10
50-438/80-13, 50-521/80-11

For complete report see
50-327/80-24

Tennessee Valley Authority
ATTN: H. G. Parris
Manager of Power
500A Chestnut Street Tower II
Chattanooga, TN 37401

Gentlemen:

This refers to the inspection conducted by V. L. Brownlee of this office on July 7-11, 1980, of activities authorized by NRC Operating License No. DPR-77 and Construction Permit Nos. CPPR-73, CPPR-91, CPPR-92, CPPR-122, CPPR-123, CPPR-150, CPPR-151, CPPR-152, CPPR-153, CPPR-162, CPPR-163, CPPR-172 and CPPR-173, for the Sequoyah, Watts Bar, Bellefonte, Hartsville, Phipps Bend and Yellow Creek facilities, and to the discussion of our findings held with G. H. Kimmons and M. N. Sprouse at the conclusion of the inspection.

Areas examined during the inspection and our findings are discussed in the enclosed inspection report. Within these areas, the inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspectors.

Two new unresolved items resulted from this inspection and are discussed in the enclosed report. These items will be examined during subsequent inspections.

During the inspection, it was found that certain activities under your license appear to be in noncompliance with NRC requirements. These items and references to pertinent requirements are listed in the Notice of Violation enclosed herewith as Appendix A. This notice is sent to you pursuant to the provisions of Section 2.201 of the NRC's "Rules of Practice," Part 2, Title 10, Code of Federal Regulations. Section 2.201 requires you to submit to this office, within 20 days of your receipt of this notice, a written statement or explanation in reply including: (1) corrective steps which have been taken by you and the results achieved; (2) corrective steps which will be taken to avoid further noncompliance; and (3) the date when full compliance will be achieved.

In accordance with Section 2.790 of the NRC's "Rules of Practice," Part 2, Title 10, Code of Federal Regulations, a copy of this letter and the enclosed inspection report will be placed in the NRC's Public Document Room. If this report contains any information that you (or your contractor) believe to be proprietary, it is necessary that you make a written application within 20 days to this office to withhold such information from public disclosure. Any such application must include a full statement of the reasons on the basis of which

8009020303⁴

Q


60

AUG - 6 1980

it is claimed that the information is proprietary, and should be prepared so that proprietary information identified in the application is contained in a separate part of the document. If we do not hear from you in this regard within the specified period, the report will be placed in the Public Document Room.

Should you have any questions concerning this letter, we will be glad to discuss them with you.

Sincerely,



James P. O'Reilly
Director

Enclosures:

1. Appendix A, Notice of Violation
2. Inspection Report Nos. 50-327/80-24,
50-439/80-13, 50-553/80-11, 50-328/80-15
50-518/80-11, 50-554/80-10, 50-390/80-20
50-519/80-11, 50-566/80-10, 50-391/80-14
50-520/80-11, 50-567/80-10, 50-438/80-13
50-521/80-11

cc w/encls:

G. G. Stack, Project Manager	J. E. Wilkins, Project Manager
J. M. Ballentine, Plant Superintendent	D. P. Ormsby, Project Engineer
J. F. Cox, Supervisor, Nuclear Licensing Section	A. M. Qualls, Plant Superintendent
M. J. Burzynski, Project Engineer	W. R. Dahnke, Project Manager
H. N. Culver, Chief, Nuclear Safety Review Staff	D. L. Terrill, Project Engineer
C. C. Mason, Acting Plant Superintendent	R. T. Hathcote, Project Manager
	J. E. Wills, Project Engineer
	W. P. Kelleghan, Project Manager
	M. M. Price, Project Manager
	M. A. McBurnett, Project Engineer