

MAR 10 1994

Docket Nos. 50-390, 50-391  
License Nos. CPPR-91, CPPR-92

Tennessee Valley Authority  
ATTN: Dr. Mark O. Medford  
Vice President, Technical  
Support  
3B Lookout Place  
1101 Market Street  
Chattanooga, TN 37402-2801

Gentlemen:

SUBJECT: NOTICE OF VIOLATION  
(NRC INSPECTION REPORT NOS. 50-390/94-07 AND 50-391/94-07)

This refers to the inspection conducted by P. Taylor of this office on January 1-31, 1994. The inspection included a review of activities authorized for your Watts Bar facility. At the conclusion of the inspection, the findings were discussed with those members of your staff identified in the enclosed report.

Areas examined during the inspection are identified in the report. Within these areas, the inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observation of activities in progress.

Based on the results of this inspection, certain of your activities appeared to be in violation of NRC requirements, as specified in the enclosed Notice of Violation (Notice). The violation is of concern because technical deficiencies were identified during the NRC review of the first group of Preoperational Test Instructions produced by your startup organization, following a major reorganization.

You are required to respond to this letter and should follow the instructions specified in the enclosed Notice when preparing your response. In your response, you should document the specific actions taken and any additional actions you plan to prevent recurrence. After reviewing your response to this Notice, including your proposed corrective actions and the results of future inspections, the NRC will determine whether further NRC enforcement action is necessary to ensure compliance with NRC regulatory requirements.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be placed in the NRC Public Document Room.

The responses directed by this letter and the enclosed Notice are not subject to the clearance procedures of the Office of Management and Budget as required by the Paperwork Reduction Act of 1980, Pub. L. No. 96-511.

9403290063 940310  
PDR ADOCK 05000390  
G PDR

1501

MAR 10 1994

Should you have any questions concerning this letter, please contact us.

Sincerely,

Original signed by

Caudle A. Julian for/

Albert F. Gibson, Director  
Division of Reactor Safety

Enclosures:

1. Notice of Violation
2. NRC Inspection Report

cc w/encls:

Craven Crowell, Chairman  
Tennessee Valley Authority  
ET 12A  
400 West Summit Hill Drive  
Knoxville, TN 37902

W. H. Kennoy, Director  
Tennessee Valley Authority  
ET 12A  
400 West Summit Hill Drive  
Knoxville, TN 37902

Johnny H. Hayes, Director  
Tennessee Valley Authority  
ET 12A  
400 West Summit Hill Drive  
Knoxville, TN 37902

D. E. Nunn, Vice President  
Tennessee Valley Authority  
3B Lookout Place  
1101 Market Street  
Chattanooga, TN 37402-2801

W. J. Museler  
Site Vice President  
Watts Bar Nuclear Plant  
Tennessee Valley Authority  
Route 2, P. O. Box 2000  
Spring City, TN 37381

(cc w/encls cont'd - See page 3)

MAR 10 1994

(cc w/encls cont'd)  
B. S. Schofield, Manager  
Nuclear Licensing and Regulatory Affairs  
Tennessee Valley Authority  
4G Blue Ridge  
1101 Market Street  
Chattanooga, TN 37402-2801

G. L. Pannell  
Site Licensing Manager  
Watts Bar Nuclear Plant  
Tennessee Valley Authority  
P. O. Box 2000  
Spring City, TN 37381

TVA Representative  
Tennessee Valley Authority  
11921 Rockville Pike  
Suite 402  
Rockville, MD 20852

General Counsel  
Tennessee Valley Authority  
ET 11H  
400 West Summit Hill Drive  
Knoxville, TN 37902

Honorable Robert Aikman  
County Executive  
Rhea County Courthouse  
Dayton, TN 37321

Honorable Garland Lanksford  
County Executive  
Meigs County Courthouse  
Route 2  
Decatur, TN 37322

Michael H. Mobley, Director  
Division of Radiological Health  
3rd Floor, L and C Annex  
401 Church Street  
Nashville, TN 37243-1532

(cc w/encls cont'd - See page 4)

MAR 10 1994

cc w/encls cont'd)  
Danielle Droitsch  
Energy Project  
The Foundation for  
Global Sustainability  
P. O. Box 1101  
Knoxville, TN 37901

Bill Harris  
Route 1, Box 26  
Ten Mile, Tennessee 37880

bcc w/encls:  
E. W. Merschhoff, DRP/RII  
A. F. Gibson, DRS/RII  
G. A. Hallstrom, DRS/RII  
B. S. Mallett, DRSS/RII  
F. J. Hebdon, NRR  
J. R. Johnson, DRP/RII  
G. C. Lainas, NRR  
B. M. Bordenick, OGC  
M. S. Callahan, GPA/CA  
L. C. Plisco, OEDO  
P. E. Fredrickson, DRP/RII  
P. S. Tam, NRR  
P. A. Taylor, DRS/RII  
NRC Document Control Desk

NRC Resident Inspector  
U.S. Nuclear Regulatory Commission  
Route 2, Box 700  
Spring City, TN 37381

FILE NAME: S:\DRS\EB\WAB9407L.PT

RII:DRS

PTaylor:pd  
03/3/94

RII:DRS

Julian  
03/3/94

RII:DRP

PFredrickson  
03/10/94