

ACCEPTANCE REVIEW MEMO (ARM)

Licensee: C & W Enterprises, Inc.

License No.: 40-26938-01

Docket No.: 030-30526

Mail Control No.: 471500

Type of Action: Amend

Date of Requested Action: 09-10-07

Reviewer Assigned:

ARM reviewer(s): Cook

Response	Deficiencies Noted During Acceptance Review
	<input type="checkbox"/> Open ended possession limits. Limit possession. Submit inventory. <input type="checkbox"/> Submit copies of most recent leak test results. <input type="checkbox"/> Add - delete IC license condition. Add IC paragraph in cover letter. <input type="checkbox"/> Split license from cover letter. Add SUNSI marking to license. <input type="checkbox"/> Ask the licensee if they have any type-amount of EPAct Material.

Reviewer's Initials: _____

Date: _____

- Yes No Unrestricted release Group 2 or >: Transfer memo to FCDB within 10 days.
- Yes No Decommissioning notification should be completed within 30 days.
- Yes No Termination request < 90 days from date of expiration
- Yes No Expedite (medical emergency, no RSO, location of use/storage not on license, RAM in possession not on license, other)
- Yes No TAR needed to complete action.

Branch Chief's and/or Sr. HP's Initials: _____

Date: _____

SUNSI Screening according to RIS 2005-31

Yes No **Non-Publicly Available, Sensitive** if any item below is checked

General guidance:

- _____ RAM = or > than Category 3 (Table 1, RIS 2005-31), use Unity Rule
- _____ Exact location of RAM (whether = or > than Category 3 or not)
- _____ Design of structure and/or equipment (site specific)
- _____ Information on nearby facilities
- _____ Detailed design drawings and/or performance information
- _____ Emergency planning and/or fire protection systems

Specific guidance for medical, industrial and academic (above Category 3):

- _____ RAM quantities and inventory
- _____ Manufacturer's name and model number of sealed sources & devices
- _____ Site drawings with exact location of RAM, description of facility
- _____ RAM security program information (locks, alarms, etc.)
- _____ Emergency Plan specifics (routes to/from RAM, response to security events)
- _____ Vulnerability/security assessment/accident-safety analysis/risk assess
- _____ Mailing lists related to security response

Branch Chief's and/or Sr. HP's Initials: _____

Date: SEP 11 2007

Pre-Licensing Screening

Applicant Information:

Control No. 471500

Name: C & W Enterprises, Inc.	Type of Request: Amend Program Code(s): 03121	
Location: SD	License No.: 40-26938-01	Docket No.: 030-30526

STEP 1—Radioactive Materials and Quantities Requested:

Instructions for Step 1: Complete Step 1 for all applications. If all your responses in Step 1 are "No" then do not complete Step 2 (Screening Criteria). Sign and date the completed step-sheet and add it as the sensitive and non-publicly available OAR in ADAMS. If a "yes" response is indicated for any item in Step 1, also complete Step 2. If the type of use is subject to a Security Order or the requirements for increased controls, complete Step 3 (Item A or Item B) without delay.		Yes or No
A.	The request is from a new applicant.	N
B.	NUREG-1556, Volume 20, Section 4.9 indicates a licensing site visit is needed for the requested type of use, e.g., (1) Type A broad scope license, (2) panoramic irradiator containing > 10000 curies, (3) manufacturers or distributors using unsealed radioactive material or significant quantities of sealed material, (4) radioactive waste brokers, (5) radioactive waste incinerators, (6) commercial nuclear laundries, and (7) any other application that in the judgement of the reviewer and cognizant supervisor involves complex technical issues, complex safety questions, or unprecedented issues that warrant a site visit.	N
C.	The applicant requested certain radionuclides and quantities that equal or exceed the Risk Significant Quantity (TBq) values in the table, below, that have been "highlighted" by the reviewer	N

Table of Risk Significant Quantities


(Category 2 Quantities, IAEA Safety Guide No. RS-G-1.9, Categorization of Radioactive Sources, August 2005)

Radionuclide	Risk Significant Quantity (TBq) ¹	Risk Significant Quantity (Ci) ¹	Radionuclide	Risk Significant Quantity (TBq) ¹	Risk Significant Quantity (Ci) ¹
Am-241	0.6	16	Pm-147	400	11,000
Am-241/Be	0.6	16	Pu-238	0.6	16
Cf-252	0.2	5.4	Pu-239/Be	0.6	16
Cm-244	0.5	14	Ra-226 ²	0.4	11
Co-60	0.3	8.1	Se-75	2	54
Cs-137	1	27	Sr-90 (Y-90)	10	270
Gd-153	10	270	Tm-170	200	5,400
Ir-192	0.8	22	Yb-169	3	81

¹ The primary values are TBq. The curie (Ci) values are for informational purposes only.
² The Atomic Energy Act, as amended by the Energy Policy Act of 2005, authorizes NRC to regulate Ra-226 and NRC is in the process of amending its regulations for discrete sources of Ra-226.

Calculations of the Total Activity or the Unity Rule are attached to document whether or not the screening criteria in Step 2 were also completed to evaluate the application. NOTE—If an amendment of an existing license is being requested, the calculations will include the previously authorized quantities for the radionuclide(s).	Yes, No, or Not Applicable (NA)
Total Activity—multiple activities are requested for a single radionuclide and the sum of the activities equals or exceeds the quantity of concern for the radionuclide	
Unity Rule—multiple radionuclides are requested and the sum of the ratios equals or exceeds unity, e.g., [(total activity for radionuclide A) ÷ (risk significant quantity for radionuclide A)] + [(total activity for radionuclide B) ÷ (risk significant quantity for radionuclide B)] ≥ 1.0.	

Signature and Date for Step 1:


 SEP 11 2007
 License Reviewer and Date



C&W ENTERPRISES, INC.

PO BOX 84826, SIOUX FALLS SD 57118
PHONE: 605-940-7870 OR 605-743-5480
FAX: 605-743-5480

September 10, 2007

REQUEST FOR AUTHORIZATION TO CHANGE STORAGE FACILITY

*US Nuclear Regulatory Commission
Region IV
611 Ryan Plaza Drive, Suite 400
Arlington, Texas 76011-4005
Phone: 817-860-8100
Fax: 817-860-8263*

RE: Docket No. 030-30526; License No. 40-26938-01

C&W Enterprises Inc. is hereby requesting authorization to change the storage facility of the portable gauge. The current location is *47184 258th Street, Sioux Falls, SD*. The new location proposed – *26995 S Southeastern Ave, Sioux Falls, SD*.

This request is brought forth due to the sale and change in ownership of the current location under No. 10 of the above license. The new owner of the current location would like the gauge to be removed from the said premises as soon as is possible. Therefore C&W requests that the review and authorization thereof be done with haste.

Please advise our office as to the process and time that shall apply for such an amendment. C&W appreciates your prompt attention to this matter.

Sincerely;



Warren Barse, *President of C&W*

SEP 12 2007

DATE

This is to acknowledge the receipt of your letter/application dated 9-10-07, and to inform you that the initial processing, which includes an administrative review, has been performed.

There were no administrative omissions. Your application will be assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

Please provide to this office within 30 days of your receipt of this card:

The action you requested is normally processed within 90 days.

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned **Mail Control Number** 471500.
When calling to inquire about this action, please refer to this mail control number.
You may call me at 817-860-8103.

Sincerely,

Colleen Murnahan

Licensing Assistant

: (FOR LFMS USE)
: INFORMATION FROM LTS
: -----
:
: Program Code: 03121
: Status Code: 0
: Fee Category: 3P
: Exp. Date: 20141031
: Fee Comments:
: Decom Fin Assur Reqd: N
:

BETWEEN:
License Fee Management Branch, ARM
and
Regional Licensing Sections

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED
Applicant/Licensee: C & W ENTERPRISES, INC.
Received Date: 20070910
Docket No: 3030526
Control No.: 471500
License No.: 40-26938-01
Action Type: Amendment

2. FEE ATTACHED
Amount: _____
Check No.: /

3. COMMENTS

Signed Colleen Munnahan
Date 9-11-07

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered /_/_)

1. Fee Category and Amount: _____

2. Correct Fee Paid. Application may be processed for:
Amendment _____
Renewal _____
License _____

3. OTHER _____

Signed _____
Date _____