

From: Penny Lanzisera
To: canderko@geisinger.edu
Date: Wed, Aug 29, 2007 12:32 PM
Subject: Additional Information to support Termination of Cancer Center of Wyoming Valley

Licensee: Cancer Center of Wyoming Valley
License No. 37-27919-01
Docket No. 030-33741
Mail Control No. 140748

Dr. Rostock and Ms. Anderko,

The following additional information is requested to support termination of the license:

1. Confirmation that the last HDR source received/possessed was in 2001, and that the source was returned to the manufacturer.
2. Documentation to support transfer of the Varian Clinac 6/100, SN 326, containing 106 kg of depleted uranium to Acceletronics/Radparts.com.
3. Additional confirmation with Mr. Adrian Gooch that the Clinac 600-C, SN 188 does not contain depleted uranium, since he initially reported to Mr. Willie Lee of our office in March of 2006 that the accelerator contained 62 kilograms of depleted uranium.

You may reply to my attention via facsimile, 610-337-5269. Please refer to Mail Control No. 140748 in your response. Sincerely,

Penny Lanzisera
U.S. NRC, Region 1

Mail Envelope Properties (46D59F8A.816 : 17 : 57284)

Subject: Additional Information to support Termination of Cancer Center of Wyoming Valley
Creation Date Wed, Aug 29, 2007 12:32 PM
From: Penny Lanzisera
Created By: pan@nrc.gov

Recipients
geisinger.edu
canderko

Post Office

Route
geisinger.edu

Files	Size	Date & Time
MESSAGE	929	Wednesday, August 29, 2007 12:32 PM

Options

Expiration Date: None
Priority: Standard
ReplyRequested: No
Return Notification:
Send Mail Receipt when Undeliverable

Concealed Subject: No
Security: Standard