From:

James Noggle

To:

Rice, Timothy

Date: Subject: 07/05/2007 3:06:13 PM Fwd: July Groundwater Sampling Schedule at IPEC

Dear Tim,

Here is the new IPEC sampling schedule. The NRC is interested in sample splits for the 4 riverfront wells and the LaFarge wells on a quarterly basis. Also, ORISE has indicated they only require 1 liter samples to perform gamma spec, tritium, Sr-90 and Ni-63 analyses. Please let us and Entergy know what arrangements you require. Thanks.

Regards,

Jim

From:

"Sara Covelli" <scovelli@gza.com>

To:

<JDN@nrc.gov>

Date: Subject: 07/05/2007 2:12:36 PM July Groundwater Sampling Schedule at IPEC

Jim,

Please find attached GZA's expected groundwater sampling schedule at Indian Point for the months of July and August. This sampling round is scheduled to begin on July 18th. If any of these samples are of interest to the NRC (in addition to those already discussed), please let me know so that GZA can make the proper arrangements. If any changes to the current schedule should arise, GZA will notify you as soon as possible. Please do not hesitate to call me with questions or concerns.

Thanks and have a great day.

Sincerely,

Sara J. Covelli

GZA GeoEnvironmental of New York 440 Ninth Avenue New York, NY 10001

212-594-8140 (tel) 212-279-8180 (fax) 646-294-7359 (cell)

CC:

"Patrick Donahue" <PDonahu@entergy.com>

## **Current IPEC Sample Schedule**

Jun 4, '07 - Jul 6, '07

Name of the last o		• • •	01 - Jul 0,		F
Monday	Tuesday	<del>, , , , , , , , , , , , , , , , , , , </del>	Wednesday	Thursday	Friday
4	. (1) 전 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	47			n og sen for som fillhætti fillet et kalletier.
					<u>:</u>
					1
				i !	
					A constant
į.					
2 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	10				i i i e e Bening - J. G
(1) 1 年天的 李克·龙隆东路 (新文) [1] 秦 ·克尔·斯斯			SA PARAMETER		<ul><li>・元した、計画設計が介含は影響異数数等を</li></ul>
1 4					
			•		**
·					
					· ; • ; • ;
3 (4 8 )				21	ere
- State (Control of the State Control of State	TO THE STATE OF TH		Car tak katiWar ma-		The same of the sa
		t i			·
					;
. !					
İ					***************************************
25.	26		# 1. 1. 1. 1. 1. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	7 1940 - August 2000 - 28	The state of the s
:					i
į				·	* 0
:					. ·
. ,					4
					5 1
	•				· man
<b>2</b>	3 Sept. 1986 1986 1986 1986 1986 1986 1986 1986				
! :					
:					's vande
		•			Table 1
		:			•
					•
:		!			· · ·
				1	
i		'			!

## **Current IPEC Sample Schedule**

Jul 9, '07 - Aug 10, '07

Monday	Tuesday	Wednesday	Thursday	Friday
	10	8 (1995年 - 1984年) (1987年 - 19 <b>14</b>	<b>则是</b> 12	<b>数本 1984、1984以下,约</b> 11、1982)
		AMAZINE AMAZIN		
			-	
		All and a second a		
	:	-		
		: :		
	Tennan	:	:	
	1	18	19	
19. 19. 19. 19. 19. 19. 19. 19. 19. 19.	17. T	Sample MW40, 1 day		Sample MW31, 1 day
			Sample MW51, 1 day	
	1	Sample MW107, 1 day	Sample MW50, 1 day	Sample MW58, 1 day
		, ,		Sample MW46, 1 day
				U3-T1, 1 day
				U3-T2, 1 day
	1	To the state of th		
		,		·
23	3 24	25.	26	
Sample MW30, 1 day	Sample MW39, 1 day	Sample MW54, 1 day	Sample MW63, 1 day	Sample MW62, 1 day
. Dampie www.	, campio introo, rady			
Sample MW57, 1 day			Sample MW55, 1 day	Sample MW37, 1 day
	Sample U1CSS, 1 day Sample MW111, 1 day	Sample MW33, 1 day Sample MW35, 1 day	Sample MW55, 1 day	Sample MW37, 1 day MW36-24, 1 day
Sample MW57, 1 day	Sample U1CSS, 1 day Sample MW111, 1 day	Sample MW33, 1 day Sample MW35, 1 day		MW36-24, 1 day
Sample MW57, 1 day	Sample U1CSS, 1 day Sample MW111, 1 day	Sample MW33, 1 day Sample MW35, 1 day		MW36-24, 1 day
Sample MW57, 1 day  3( Sample MW60, 1 day	Sample U1CSS, 1 day Sample MW111, 1 day  31 Sample MW52, 1 day	Sample MW33, 1 day Sample MW35, 1 day Sample MW67, 1 day	2 Sample MW32, 1 day	MW36-24, 1 day  Sample MW41, 1 day
Sample MW57, 1 day	Sample U1CSS, 1 day Sample MW111, 1 day	Sample MW33, 1 day Sample MW35, 1 day Sample MW67, 1 day Sample MW67, 1 day	2 Sample MW32, 1 day Sample MH-5, 1 day	MW36-24, 1 day
Sample MW57, 1 day  30  Sample MW60, 1 day	Sample U1CSS, 1 day Sample MW111, 1 day  31 Sample MW52, 1 day	Sample MW33, 1 day Sample MW35, 1 day Sample MW67, 1 day	Sample MW32, 1 day Sample MH-5, 1 day Sample B-1, 1 day	MW36-24, 1 day  Sample MW41, 1 day
Sample MW57, 1 day  30  Sample MW60, 1 day	Sample U1CSS, 1 day Sample MW111, 1 day  31 Sample MW52, 1 day	Sample MW33, 1 day Sample MW35, 1 day Sample MW67, 1 day Sample MW67, 1 day	2 Sample MW32, 1 day Sample MH-5, 1 day	MW36-24, 1 day  Sample MW41, 1 day
Sample MW57, 1 day  3( Sample MW60, 1 day	Sample U1CSS, 1 day Sample MW111, 1 day  31 Sample MW52, 1 day	Sample MW33, 1 day Sample MW35, 1 day Sample MW67, 1 day Sample MW67, 1 day	Sample MW32, 1 day Sample MH-5, 1 day Sample B-1, 1 day	MW36-24, 1 day  Sample MW41, 1 day
Sample MW57, 1 day  30  Sample MW60, 1 day	Sample U1CSS, 1 day Sample MW111, 1 day  31 Sample MW52, 1 day	Sample MW33, 1 day Sample MW35, 1 day Sample MW67, 1 day Sample MW67, 1 day	Sample MW32, 1 day Sample MH-5, 1 day Sample B-1, 1 day	MW36-24, 1 day  Sample MW41, 1 day
Sample MW57, 1 day  30  Sample MW60, 1 day  Sample MW42, 1 day	Sample U1CSS, 1 day Sample MW111, 1 day  31 Sample MW52, 1 day Sample MW53, 1 day	Sample MW33, 1 day Sample MW35, 1 day  Sample MW67, 1 day Sample MW56, 1 day  MW66, 1 day	Sample MW32, 1 day Sample MH-5, 1 day Sample B-1, 1 day Sample B-6, 1 day	MW36-24, 1 day  Sample MW41, 1 day  Sample MW44, 1 day
Sample MW57, 1 day  30  Sample MW60, 1 day  Sample MW42, 1 day	Sample U1CSS, 1 day Sample MW111, 1 day  31 Sample MW52, 1 day	Sample MW33, 1 day Sample MW35, 1 day  Sample MW67, 1 day Sample MW56, 1 day  MW66, 1 day	Sample MW32, 1 day Sample MH-5, 1 day Sample B-1, 1 day Sample B-6, 1 day	MW36-24, 1 day  Sample MW41, 1 day  Sample MW44, 1 day
Sample MW57, 1 day  3( Sample MW60, 1 day  Sample MW42, 1 day	Sample U1CSS, 1 day Sample MW111, 1 day  31 Sample MW52, 1 day Sample MW53, 1 day	Sample MW33, 1 day Sample MW35, 1 day  Sample MW67, 1 day Sample MW56, 1 day  MW66, 1 day	Sample MW32, 1 day Sample MH-5, 1 day Sample B-1, 1 day Sample B-6, 1 day	MW36-24, 1 day  Sample MW41, 1 day  Sample MW44, 1 day
Sample MW57, 1 day  30  Sample MW60, 1 day  Sample MW42, 1 day	Sample U1CSS, 1 day Sample MW111, 1 day  31 Sample MW52, 1 day Sample MW53, 1 day	Sample MW33, 1 day Sample MW35, 1 day  Sample MW67, 1 day Sample MW56, 1 day  MW66, 1 day	Sample MW32, 1 day Sample MH-5, 1 day Sample B-1, 1 day Sample B-6, 1 day	MW36-24, 1 day  Sample MW41, 1 day  Sample MW44, 1 day
Sample MW57, 1 day  3( Sample MW60, 1 day Sample MW42, 1 day	Sample U1CSS, 1 day Sample MW111, 1 day  31 Sample MW52, 1 day Sample MW53, 1 day	Sample MW33, 1 day Sample MW35, 1 day  Sample MW67, 1 day Sample MW56, 1 day  MW66, 1 day	Sample MW32, 1 day Sample MH-5, 1 day Sample B-1, 1 day Sample B-6, 1 day	MW36-24, 1 day  Sample MW41, 1 day  Sample MW44, 1 day
Sample MW57, 1 day  3( Sample MW60, 1 day Sample MW42, 1 day	Sample U1CSS, 1 day Sample MW111, 1 day  31 Sample MW52, 1 day Sample MW53, 1 day	Sample MW33, 1 day Sample MW35, 1 day  Sample MW67, 1 day Sample MW56, 1 day  MW66, 1 day	Sample MW32, 1 day Sample MH-5, 1 day Sample B-1, 1 day Sample B-6, 1 day	MW36-24, 1 day  Sample MW41, 1 day  Sample MW44, 1 day
Sample MW57, 1 day  3( Sample MW60, 1 day Sample MW42, 1 day	Sample U1CSS, 1 day Sample MW111, 1 day  31 Sample MW52, 1 day Sample MW53, 1 day	Sample MW33, 1 day Sample MW35, 1 day  Sample MW67, 1 day Sample MW56, 1 day  MW66, 1 day	Sample MW32, 1 day Sample MH-5, 1 day Sample B-1, 1 day Sample B-6, 1 day	MW36-24, 1 day  Sample MW41, 1 day  Sample MW44, 1 day
Sample MW57, 1 day  3( Sample MW60, 1 day Sample MW42, 1 day	Sample U1CSS, 1 day Sample MW111, 1 day  31 Sample MW52, 1 day Sample MW53, 1 day	Sample MW33, 1 day Sample MW35, 1 day  Sample MW67, 1 day Sample MW56, 1 day  MW66, 1 day	Sample MW32, 1 day Sample MH-5, 1 day Sample B-1, 1 day Sample B-6, 1 day	MW36-24, 1 day  Sample MW41, 1 day  Sample MW44, 1 day