

JUL 20 1993

*Official copy*

Docket Nos. 50-390 and 50-391  
License Nos. CPPR-91 and CPPR-92

Tennessee Valley Authority  
ATTN: Dr. Mark O. Medford, Vice President  
Technical Support  
3B Lookout Place  
1101 Market Street  
Chattanooga, TN 37402-2801

Gentlemen:

SUBJECT: NOTICE OF VIOLATION  
(NRC INSPECTION REPORT NOS. 50-390/93-45 AND 50-391/93-45)

This refers to the special NRC inspection of the Hanger and Analysis Update Program at the 75 percent implementation milestone conducted by M. M. Glasman on June 7 through June 21, 1993. The inspection included a review of activities authorized for your Watts Bar facility. At the conclusion of the inspection, the findings were discussed with those members of your staff identified in the enclosed report.

Areas examined during the inspection are identified in the report. Within these areas, the inspection consisted of selective examinations of pipe supports and associated calculations, procedures and representative records, interviews with personnel, and observation of activities in progress.

Based on the results of this inspection, the Hanger and Analysis Update Program Corrective Action Program was generally being implemented in a satisfactory manner. However, certain of your activities appeared to be in violation of NRC requirements, as specified in the enclosed Notice of Violation (Notice). The violation described in the enclosed Notice involved two examples of a failure to follow your walkdown inspection procedure for piping systems.

You are required to respond to this letter and should follow the instructions specified in the enclosed Notice when preparing your response. In your response, you should document the specific actions taken and any additional actions you plan to prevent recurrence. After reviewing your response to this Notice, including your proposed corrective actions and the results of future inspections, the NRC will determine whether further NRC enforcement action is necessary to ensure compliance with NRC regulatory requirements.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter, its enclosures, and any reply will be placed in the NRC Public Document Room.

9308060132 930720  
PDR ADOCK 05000390  
Q PDR

*IEO1*

JUL 20 1993

Tennessee Valley Authority

2

The responses directed by this letter and the enclosed Notice are not subject to the clearance procedures of the Office of Management and Budget as required by the Paperwork Reduction Act of 1980, Pub. L. 96-511.

Should you have any questions concerning this letter, please contact us.

Sincerely,

(Original signed by J. Johnson)

Ellis W. Merschoff, Director  
Division of Reactor Projects

Enclosures:

1. Notice of Violation
2. NRC Inspection Report

cc w/encs: (See page 3)

JUL 20 1993

Tennessee Valley Authority

3

cc w/encls:

W. H. Kennoy, Director  
Tennessee Valley Authority  
ET 12A  
400 West Summit Hill Drive  
Knoxville, TN 37902

D. Nunn, Vice President,  
Tennessee Valley Authority  
3B Lookout Place  
1101 Market Street  
Chattanooga, TN 37402-2801

W. J. Museler  
Vice President, Watts Bar Site  
Tennessee Valley Authority  
P. O. Box 800  
Spring City, TN 37381

B. S. Schofield, Manager  
Nuclear Licensing and  
Regulatory Affairs  
Tennessee Valley Authority  
3B Lookout Place  
1101 Market Street  
Chattanooga, TN 37402-2801

G. L. Pannell  
Site Licensing Manager  
Watts Bar Nuclear Plant  
Tennessee Valley Authority  
P. O. Box 800  
Spring City, TN 37381

TVA Representative  
Tennessee Valley Authority  
11921 Rockville Pike  
Suite 402  
Rockville, MD 20852

General Counsel  
Tennessee Valley Authority  
400 West Summit Hill Drive  
ET 11B 33H  
Knoxville, TN 37902

The Honorable Robert Aikman  
County Executive  
Rhea County Courthouse  
Dayton, TN 37321

The Honorable Garland Lanksford  
County Executive  
Meigs County Courthouse  
Decatur, TN 37322

M. H. Mobley, Director  
Division of Radiological Health  
T.E.R.R.A. Building, 6th Floor  
150 9th Avenue North  
Nashville, TN 37219-5404

Danielle Droitsch  
Energy Project  
The Foundation for  
Global Sustainability  
P. O. Box 1101  
Knoxville, TN 37901

Bill Harris  
Route 1, Box 26  
Ten Mile, TN 37880

bcc w/encls: (See page 4)

JUL 20 1993

Tennessee Valley Authority

4

bcc w/encls:

E. W. Merschoff, DRP/RII  
P. E. Fredrickson, DRP/RII  
B. M. Bordenick, OGC  
M. S. Callahan, GPA/CA  
A. F. Gibson, DRS/RII  
B. S. Mallett, DRSS/RII  
P. A. Taylor, DRS/RII  
G. C. Lainas, NRR  
F. J. Hebdon, NRR  
L. C. Plisco, OEDO  
P. S. Tam, NRR  
NRC Document Control Desk

NRC Resident Inspector  
U. S. Nuclear Regulatory Commission  
Route 2, Box 700  
Spring City, TN 37381

DRP/RII

GWalton:vyg

07/21/93

*Pe Telen*

DRP/RII

PFredrickson

07/21/93

DRP/RII

JCrlenjak

07/21/93

DRP/RII

MGlasman

07/21/93

*Pe Telen*