UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

November 6, 2007

Docket No. 03030800 License No. 52-25016-01
Control No. 140914

Dr. Frank A. Gaudier, Jr.
Medical Director
Cardiovascular Radiology Institute
Fernández Junco Station
P.O. Box 11782
Santurce, PR 00910-2891

SUBJECT: CARDIOVASCULAR RADIOLOGY INSTITUTE, LICENSE AMENDMENT, CONTROL NO. 140914

Dear Dr. Gaudier, Jr.:

This refers to your license amendment request. Enclosed with this letter is the amended license.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5239, so that we can provide appropriate corrections and answers.

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14).

Current NRC regulations and guidance are included on the NRC's website at www.nrc.gov; select **Nuclear Materials; Medical, Industrial, and Academic Uses of Nuclear Material;** then **Toolkit Index Page.** Or you may obtain these documents by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 9:00 p.m. EST, Monday through Friday (except Federal holidays).

Thank you for your cooperation.

Sincerely,

Original signed by Pamela J. Henderson
Pamela J. Henderson, Chief
Medical Branch
Division of Nuclear Materials Safety

Enclosure:
Amendment No. 6

cc: María M. Palacios, Radiation Safety Officer

DOCUMENT NAME: C:\FileNet\ML073170513.wpd

SUNSI Review Complete: HBermúdez
After declaring this document "An Official Agency Record" it **will** be released to the Public.

To receive a copy of this document, indicate in the box: "**C**" = Copy w/o attach/encl "**E**" = Copy w/ attach/encl "**N**" = No copy

OFFICE	DNMS/RI	N	DNMS/RI		DNMS/RI			
NAME	PHenderson/PJH							
DATE	11/6/07							

OFFICIAL RECORD COPY

Amendment No. 6

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee	In accordance with the application dated July 31, 2007
1. Cardiovascular Radiology Institute	3. License number 52-25016-01 is renewed in its entirety to read as follows:
2. Fernández Junco Station P. O. Box 11782 Santurce, Puerto Rico 00910-2891	4. Expiration date July 31, 2014
	5. Docket No. 030-30800 Reference No.

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license
A. Any byproduct material permitted by 10 CFR 35.100	A. Any	A. As needed
B. Any byproduct material permitted by 10 CFR 35.200	B. Any	B. As needed
C. Any byproduct material permitted by 10 CFR 35.300	C. Any	C. As needed, not to exceed 55.5 gigabecquerels (GBq) (1.5 curie (Ci)) of iodine 131

9. Authorized use:

   A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100.
   B. Any imaging and localization study permitted by 10 CFR 35.200.
   C. Any diagnostic study or therapy procedure permitted by 10 CFR 35.300, for which the patient can be released under the provisions of 10 CFR 35.75.

CONDITIONS

10. Licensed material may be used or stored only at the licensee's facilities located at 611 Dr. M. Pavía Plaza, Suite 113, Santurce, San Juan, Puerto Rico.

11. The Radiation Safety Officer for this license is María M. Palacios, M.S.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number
52-25016-01

Docket or Reference Number
030-30800

Amendment No. 6

12. Licensed material is only authorized for use by, or under the supervision of:

    A. Individuals permitted to work as an authorized user in accordance with 10 CFR 35.13 and 35.14.

    B. The following individuals are authorized users for medical use as indicated:

Authorized Users	Material and Use
Frank A. Gaudier, M.D.	35.100; 35.200
Lourdes García, M.D.	35.100; 35.200; 35.300

13. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

14. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material at a single location to quantities below the limits specified in 10 CFR 30.72 which require consideration of the need for an emergency plan for responding to a release of licensed material.

License Number
52-25016-01

Docket or Reference Number
030-30800

Amendment No. 6

MATERIALS LICENSE
SUPPLEMENTARY SHEET

15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

    A. Application dated January 19, 2004
    B. Letter dated July 31, 2007 [ML072270475]

For the U.S. Nuclear Regulatory Commission

Date November 6, 2007

By ***Original signed by Pamela J. Henderson***

Pamela J. Henderson, Chief
Medical Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406