



U.S. Environmental Protection Agency Safe Drinking Water Information System (SDWIS)

[Recent Additions](#) | [Contact Us](#) | [Print Version](#)

EF Search:



[EPA Home](#) > [Envirofacts](#) > [SDWIS](#) > [Query](#)



Query Results



Query Selections:

State selected: **GEORGIA**

County selected: **COLUMBIA**

water_system_status: **Both--Active/Closed**

Query executed on: **FEB-21-2005**

Results are based on data extracted on: **JAN-16-2005**

List of Water Systems in SDWIS

Information about water systems in GEORGIA is maintained by [Georgia EPD DWP](#).

For a detailed Violation and Enforcement History, click on the underlined Water System Name. To obtain additional information about drinking water please call EPA's Safe Drinking Water hotline at 1-800-426-4791.

Community Water Systems: Water Systems that serve the same people year-round (e.g. in homes or businesses).

Water System Name	Principal County Served	Population Served	Primary Water Source Type	System Status	Date Closed	Water System ID
<u>COLUMBIA COUNTY</u>	COLUMBIA	77280	Surface water	Active		GA0730000
<u>GROVETOWN</u>	COLUMBIA	5500	Ground water	Active		GA0730001
<u>HARLEM</u>	COLUMBIA	4290	Ground water	Active		GA0730002
<u>MARTINEZ WATER ASSOC.</u>	COLUMBIA	150	Ground water	Active		GA0730010
<u>MOBILE CITY MOBILE HOME PARK</u>	COLUMBIA	42	Ground water	Active		GA0730020
<u>PINE NEEDLE TRAILER PARK</u>	COLUMBIA	106	Ground water	Active		GA0730022
<u>WINDY ACRES MOBILE HOME PARK</u>	COLUMBIA	140	Ground water	Active		GA0730017
<u>LAKE CROSSING HEALTH CENTER</u>	COLUMBIA	150	Ground water	Closed	12/01/2001	GA0730077

\$210

Bedman

v-022

Water System Name	Principal County Served	Population Served	Primary Water Source Type	System Status	Date Closed	Water System ID
EDISTO EXP STATION	BARNWELL	35	Ground water	Active		SC0670900
SCAT PARK WATER SYSTEM	BARNWELL	45	Ground water	Active		SC0670918
STARMET CMI	BARNWELL	52	Ground water	Closed	08/01/2003	SC0630006
AUGUSTA FIBERGLASS	BARNWELL	70	Ground water	Closed	03/01/1998	SC0630009
CHEM NUCLEAR SYSTEMS	BARNWELL	33	Ground water	Closed	05/01/1998	SC0630008
CHEM-NUCLEAR SYSTEMS LLC	BARNWELL	85	Ground water	Closed	09/01/2004	SC0630004
EFCO CORPORATION	BARNWELL	103	Ground water	Closed	11/01/1997	SC0670905
REYNOLDS ROAD # 1	BARNWELL	389	Ground water	Closed	04/01/1995	SC0620001
RITWAY MACHINE SHOP	BARNWELL	27	Ground water	Closed	07/01/1998	SC0630007

Transient Non-Community Water Systems: Water Systems that do not consistently serve the same people (e.g. rest stops, campgrounds, gas stations).

Water System Name	Principal County Served	Population Served	Primary Water Source Type	System Status	Date Closed	Water System ID
BATES BAR-B-Q BARN	BARNWELL	90	Ground water	Active		SC0672002
BLACKS RESTAURANT	BARNWELL	25	Ground water	Active		SC0670202
BLACKVILLE MEDICAL CTR	BARNWELL	36	Ground water	Active		SC0670002
CHAPPELS LABOR CAMP #1	BARNWELL	60	Ground water	Active		SC0671000
DYCHES FUNERAL HOME	BARNWELL	100	Ground water	Active		SC0670919
GAIL REYES SENIOR CENTER	BARNWELL	45	Ground water	Active		SC0670913
SCPRT/BARNWELL SP	BARNWELL	114	Ground water	Active		SC0670600
SHELTONS FOOD STORE	BARNWELL	25	Ground water	Active		SC0670912
SWEETWATER COUNTRY CLUB	BARNWELL	80	Ground water	Active		SC0670800
WILLIAMS ENTERTAIN CTR	BARNWELL	25	Ground water	Active		SC0670911
SOMETHING	BARNWELL	25	Ground	Closed		SC0672003



U.S. Environmental Protection Agency Safe Drinking Water Information System (SDWIS)

[Recent Additions](#) | [Contact Us](#) | [Print Version](#) EF Search:

[EPA Home](#) > [Envirofacts](#) > [SDWIS](#) > [Query](#)



Query Results

Report
an
Error

Query Selections:

State selected: **SOUTH CAROLINA**

County selected: **BARNWELL**

water_system_status: **Both--Active/Closed**

Query executed on: **FEB-21-2005**

Results are based on data extracted on: **JAN-16-2005**

List of Water Systems in SDWIS

Information about water systems in SOUTH CAROLINA is maintained by [South Carolina DHEC Bureau of Water](#).

For a detailed Violation and Enforcement History, click on the underlined Water System Name. To obtain additional information about drinking water please call EPA's Safe Drinking Water hotline at 1-800-426-4791.

Community Water Systems: Water Systems that serve the same people year-round (e.g. in homes or businesses).

<u>Water System Name</u>	<u>Principal County Served</u>	<u>Population Served</u>	<u>Primary Water Source Type</u>	<u>System Status</u>	<u>Date Closed</u>	<u>Water System ID</u>
<u>BARNWELL TOWN OF</u>	BARNWELL	5709	Ground water	Active		SC0610001
<u>BLACKVILLE TOWN OF</u>	BARNWELL	3166	Ground water	Active		SC0610003
<u>ELKO TOWN OF</u>	BARNWELL	462	Ground water	Active		SC0610005
<u>HILDA TOWN OF</u>	BARNWELL	336	Ground water	Active		SC0610004
<u>JACKSON MHP</u>	BARNWELL	62	Ground water	Active		SC0660002
<u>WILLISTON TOWN OF</u>	BARNWELL	3307	Ground water	Active		SC0610002
<u>ROGERS MHP</u>	BARNWELL	30	Ground water	Closed	08/01/2004	SC0660003

Non-Transient Non-Community Water Systems: Water Systems that serve the same people, but not year-round (e.g. schools that have their own water system).

Last updated on Monday, February 21st, 2005
http://oaspub.epa.gov/enviro/sdw_query.get_list

OAKDALE TR PK	ALLENDALE	38	Ground water	Closed	01/01/1994	SC0260010
ROWELLS TR PK	ALLENDALE	25	Ground water	Closed	01/01/1994	SC0260024
ROYALOAKS TR PK	ALLENDALE	25	Ground water	Closed	04/01/1994	SC0260025
SILVER BLUFF TP	ALLENDALE	77	Ground water	Closed	01/01/1994	SC0260013
WILDWOOD TR PK	ALLENDALE	35	Ground water	Closed	01/01/1994	SC0260011

Non-Transient Non-Community Water Systems: Water Systems that serve the same people, but not year-round (e.g. schools that have their own water system).

Water System Name	Principal County Served	Population Served	Primary Water Source Type	System Status	Date Closed	Water System ID
CLARIANT	ALLENDALE	200	Ground water	Active		SC0330001
WHITLOCK COMB	ALLENDALE	80	Ground water	Closed	12/01/1997	SC0330003

Transient Non-Community Water Systems: Water Systems that do not consistently serve the same people (e.g. rest stops, campgrounds, gas stations).

Water System Name	Principal County Served	Population Served	Primary Water Source Type	System Status	Date Closed	Water System ID
301 CLUB	ALLENDALE	150	Ground water	Active		SC0372000
SILK	ALLENDALE	200	Ground water	Active		SC0370901
WINDGATE MOTEL	ALLENDALE	100	Ground water	Active		SC0370401
ALLENDALE WELCOME CENTER	ALLENDALE	28	Ground water	Closed	09/01/2002	SC0370625
C PRATER OWNER	ALLENDALE	0	Ground water	Closed	01/01/1994	SC0270203
DIXIE VIEW #1	ALLENDALE	69	Ground water	Closed	07/01/1995	SC0371000
DRAYTON RESTAURANT	ALLENDALE	25	Ground water	Closed	05/01/1997	SC0372001
OVERNIGHT TRAILER PARK	ALLENDALE	24	Ground water	Closed	07/01/1995	SC0370800
SCEG	ALLENDALE	217	Surface water	Closed	01/01/1994	SC0230009



U.S. Environmental Protection Agency Safe Drinking Water Information System (SDWIS)

[Recent Additions](#) | [Contact Us](#) | [Print Version](#)
EF Search: **GO**
[EPA Home](#) > [Envirofacts](#) > [SDWIS](#) > [Query](#)


Query Results

[Report an Error](#)

Query Selections:

State selected: **SOUTH CAROLINA**County selected: **ALLENDALE**water_system_status: **Both--Active/Closed**Query executed on: **FEB-21-2005**Results are based on data extracted on: **JAN-16-2005**

List of Water Systems in SDWIS

Information about water systems in SOUTH CAROLINA is maintained by [South Carolina DHEC Bureau of Water](#).

For a detailed Violation and Enforcement History, click on the underlined Water System Name. To obtain additional information about drinking water please call EPA's Safe Drinking Water hotline at 1-800-426-4791.

Community Water Systems: Water Systems that serve the same people year-round (e.g. in homes or businesses).

<u>Water System Name</u>	<u>Principal County Served</u>	<u>Population Served</u>	<u>Primary Water Source Type</u>	<u>System Status</u>	<u>Date Closed</u>	<u>Water System ID</u>
<u>ALLENDALE INDUSTRIAL PARK</u>	ALLENDALE	3500	Ground water	Active		SC0320002
<u>ALLENDALE TOWN OF</u>	ALLENDALE	4052	Ground water	Active		SC0310001
<u>FAIRFAX TOWN OF</u>	ALLENDALE	3206	Ground water	Active		SC0310004
<u>ULMER TOWN OF</u>	ALLENDALE	311	Ground water	Active		SC0310002
<u>CARPENTERS TRPK</u>	ALLENDALE	28	Ground water	Closed	01/01/1994	SC0260007
<u>GREEN ACRES MHP</u>	ALLENDALE	175	Ground water	Closed	01/01/1994	SC0260021
<u>LSAVCOMMRECT</u>	ALLENDALE	50	Ground water	Closed	01/01/1994	SC0270051
<u>MIDLAND VALLEY</u>	ALLENDALE	270	Ground water	Closed	01/01/1994	SC0250003

RESTAURANT	AIKEN	30	Ground water	Closed	11/01/2000	SC0272005
R W DUBOSE CAMP #7	AIKEN	38	Ground water	Closed	04/01/2001	SC0271001
WEYERHAUSER COMPANY	AIKEN	17	Ground water	Closed	10/01/1998	SC0240004

[EPA Home](#) | [Privacy and Security Notice](#) | [Contact Us](#)

Last updated on Monday, February 21st, 2005
http://oaspub.epa.gov/enviro/sdw_query.get_list

AIKEN GYMNASTICS	AIKEN	40	Ground water	Active		SC0270104
ASHLEY MOTOR MOTEL	AIKEN	45	Ground water	Active		SC0270402
BOBBY'S BBQ	AIKEN	200	Ground water	Active		SC0270206
BUILDERS FIRST SOURCE	AIKEN	50	Ground water	Active		SC0270926
CAMP LONG LEADERSHIP CENTER	AIKEN	150	Ground water	Active		SC0270678
DELUXE INN	AIKEN	39	Ground water	Active		SC0270409
DUKES BAR-B-QUE	AIKEN	25	Ground water	Active		SC0272002
HOLMES LABOR CAMP #3	AIKEN	60	Ground water	Active		SC0271004
HOLMES LABOR CAMP #4	AIKEN	50	Ground water	Active		SC0271003
HWY19 BLIMPIE&SHELL STAT	AIKEN	109	Ground water	Active		SC0270924
KENTS CORNER/HWY19&I-20	AIKEN	150	Ground water	Active		SC0270911
KENTS KORNER #16	AIKEN	50	Ground water	Active		SC0270918
KENTS KORNER #18	AIKEN	30	Ground water	Active		SC0272003
NAZARENE CAMPGROUND	AIKEN	300	Ground water	Active		SC0270800
O R A	AIKEN	26	Ground water	Active		SC0270908
SCPRT/AIKEN CAMPGROUND	AIKEN	25	Ground water	Active		SC0270601
SCPRT/AIKEN CAMPGROUND	AIKEN	140	Ground water	Active		SC0270600
SREL CONFERENCE CENTER	AIKEN	35	Ground water	Active		SC0270909
STATE PARK GROCERY	AIKEN	25	Ground water	Active		SC0270905
AMERICAN-HEARTH INN	AIKEN	105	Ground water	Closed	06/01/1996	SC0270408
BREEZEWOOD APTS	AIKEN	17	Ground water	Closed	01/01/1994	SC0270400
ENGLISH MHP	AIKEN	25	Ground water	Closed	08/01/1997	SC0260065
GWS/PUBLIX #486	AIKEN	26	Purchased surface water	Closed	10/01/2000	SC0280001
GWS/PUBLIX #506	AIKEN	26	Purchased ground water	Closed	10/01/2000	SC0280002
HOLMES LABOR CAMP	AIKEN	150	Ground water	Closed	07/01/1995	SC0270050
INDEPENDENT MHP	AIKEN	26	Ground water	Closed	09/01/1998	SC0260020
JAMES BLACKBURN	AIKEN	25	Ground water	Closed	04/01/2004	SC0272007
JAMES BLAND, M.D.	AIKEN	25	Ground water	Closed	09/01/1997	SC0270920
JERROLD WATSON LC #4	AIKEN	24	Ground water	Closed	09/01/1996	SC0271002
LAKE MURRAY SH	AIKEN	24	Ground water	Closed	04/01/1994	SC4150006
OLSON'S						

Water System Name	Principal County Served	Population Served	Primary Water Source Type	System Status	Date Closed	Water System ID
BISHOP GRAVATT CENTER	AIKEN	45	Ground water	Active		SC0270677
DIXIE CLAY COMPANY	AIKEN	40	Ground water	Active		SC0230003
GUESTHOUSE INT	AIKEN	220	Ground water	Active		SC0270401
OAKWOOD SCHOOL	AIKEN	325	Ground water	Active		SC0270103
SRS K-AREA	AIKEN	477	Ground water	Active		SC0230511
WESTINGHOUSE/SRS 400 D	AIKEN	110	Ground water	Active		SC0230509
WESTINGHOUSE/SRS A-AREA	AIKEN	12204	Ground water	Active		SC0230501
JM HUBER EDISTO	AIKEN	28	Ground water	Closed	07/01/1998	SC0230012
SRS/BOTTLED WTR FAC 789B	AIKEN	1811	Purchased ground water	Closed	07/01/2004	SC0273001
WALDEN HALL SCHOOL	AIKEN	200	Ground water	Closed	11/01/1996	SC0270100
WESTINGHOUSE/100-L AREA	AIKEN	80	Ground water	Closed	06/01/1997	SC0230513
WESTINGHOUSE/SRS B-AREA	AIKEN	1100	Ground water	Closed	06/01/1997	SC0230504
WESTINGHOUSE/SRS C-AREA	AIKEN	2078	Ground water	Closed	06/01/1997	SC0230512
WESTINGHOUSE/SRS CTL SHP	AIKEN	2800	Ground water	Closed	06/01/1997	SC0230505
WESTINGHOUSE/SRS F-AREA	AIKEN	2115	Ground water	Closed	06/01/1997	SC0230502
WESTINGHOUSE/SRS FOREST	AIKEN	64	Ground water	Closed	06/01/1997	SC0230508
WESTINGHOUSE/SRS H-AREA	AIKEN	3200	Ground water	Closed	06/01/1997	SC0230503
WESTINGHOUSE/SRS P-AREA	AIKEN	50	Ground water	Closed	11/01/1996	SC0230510
WESTINGHOUSE/SRS R/R-YD.	AIKEN	42	Ground water	Closed	04/01/1994	SC0230507
WESTINGHOUSE/SRS S-AREA	AIKEN	1644	Ground water	Closed	09/01/1997	SC0230514
WESTINGHOUSE/SRS TNX ARE	AIKEN	200	Ground water	Closed	06/01/1997	SC0230506

Transient Non-Community Water Systems: Water Systems that do not consistently serve the same people (e.g. rest stops, campgrounds, gas stations).

Water System Name	Principal County Served	Population Served	Primary Water Source Type	System Status	Date Closed	Water System ID

PUBLIC W/D	AIKEN	1350	Ground water	Active		SC0220002
CWS/HUNTERS GLEN S/D	AIKEN	257	Ground water	Active		SC0250005
HILLSVIEW MHP	AIKEN	75	Ground water	Active		SC0260016
JACKSON TOWN OF	AIKEN	3602	Ground water	Active		SC0210002
LANGLEY W/D	AIKEN	1088	Ground water	Active		SC0220001
MONETTA TOWN OF	AIKEN	1092	Ground water	Active		SC0210008
MONTMORENCI W/D	AIKEN	2870	Ground water	Active		SC0220008
NEW ELLENTON-CPW	AIKEN	4242	Ground water	Active		SC0210007
NEW HOLLAND W/D	AIKEN	346	Ground water	Active		SC0220010
NORTH AUGUSTA CITY OF	AIKEN	25581	Surface water	Active		SC0210003
OAK HILL S/D	AIKEN	200	Ground water	Active		SC0250004
PERRY TOWN OF	AIKEN	832	Ground water	Active		SC0210006
SALLEY TOWN OF	AIKEN	410	Ground water	Active		SC0210005
TALATHA W/D	AIKEN	1553	Ground water	Active		SC0220005
VALLEY PSA	AIKEN	5897	Ground water	Active		SC0220012
WAGENER TOWN OF	AIKEN	1758	Ground water	Active		SC0210004
CEDAR BRANCH MHP	AIKEN	39	Ground water	Closed	12/01/2003	SC0260035
JESSAMINE MHP	AIKEN	58	Ground water	Closed	06/01/2003	SC0260029
PLEASANT POINTE S/D	AIKEN	151	Purchased ground water	Closed	01/01/2002	SC0250010
SAND HILL RENTALS	AIKEN	28	Ground water	Closed	01/01/2003	SC0270906
B WATKINS OWNER	AIKEN	28	Ground water	Closed	04/01/1994	SC0260034
BEN FEAGIN	AIKEN	26	Ground water	Closed	08/01/2000	SC0270901
BODIES MHP	AIKEN	36	Ground water	Closed	04/01/1994	SC0260022
CAROLINA SPRINGS PARK	AIKEN	46	Ground water	Closed	07/01/2000	SC0260014
DEVORES T P	AIKEN	29	Ground water	Closed	04/01/1994	SC2460002
FAMILY COMMUNIT	AIKEN	30	Ground water	Closed	04/01/1994	SC0250002
GENTRY'S MHP	AIKEN	181	Ground water	Closed	05/01/2000	SC0260002
HIDDEN HAVEN	AIKEN	110	Ground water	Closed	09/01/1993	SC0260032
JOE FEAGIN	AIKEN	26	Ground water	Closed	11/01/1997	SC0270902
MOBILE HOME ESTATES	AIKEN	148	Ground water	Closed	06/01/1999	SC0260001
PARTRIDGE BEND	AIKEN	45	Ground water	Closed	08/01/1995	SC0260036
WAKO COTEN	AIKEN	25	Ground water	Closed	04/01/1994	SC0260009
WARRENVILLE W/D	AIKEN	594	Purchased ground water	Closed	08/01/2000	SC0220009
WILKINS MHP	AIKEN	31	Ground water	Closed	04/01/1994	SC0260008

Non-Transient Non-Community Water Systems: Water Systems that serve the same people, but not year-round (e.g. schools that have their own water system).



U.S. Environmental Protection Agency

Safe Drinking Water Information System (SDWIS)

[Recent Additions](#) | [Contact Us](#) | [Print Version](#) EF Search: **GO**
[EPA Home](#) > [Envirofacts](#) > [SDWIS](#) > Query



Query Results

Report
an
Error

Query Selections:

State selected: **SOUTH CAROLINA**
 County selected: **AIKEN**
 water_system_status: **Both--Active/Closed**
 Query executed on: **FEB-21-2005**
 Results are based on data extracted on: **JAN-16-2005**

List of Water Systems in SDWIS

Information about water systems in SOUTH CAROLINA is maintained by [South Carolina DHEC Bureau of Water](#).

For a detailed Violation and Enforcement History, click on the underlined Water System Name. To obtain additional information about drinking water please call EPA's Safe Drinking Water hotline at 1-800-426-4791.

Community Water Systems: Water Systems that serve the same people year-round (e.g. in homes or businesses).

Water System Name	Principal County Served	Population Served	Primary Water Source Type	System Status	Date Closed	Water System ID
<u>AIKEN CITY OF</u>	AIKEN	37368	Surface water	Active		SC0210001
<u>AVONDALE MILLS INC</u>	AIKEN	1458	Surface water	Active		SC0240002
<u>BATH W/D</u>	AIKEN	1064	Ground water	Active		SC0220003
<u>BEECH ISLAND W/D</u>	AIKEN	7436	Ground water	Active		SC0220004
<u>BREEZY HILL W/D</u>	AIKEN	10861	Purchased surface water	Active		SC0220006
<u>BURNETTOWN W/D</u>	AIKEN	1158	Ground water	Active		SC0220007
<u>C&H HOME PARK</u>	AIKEN	26	Ground water	Active		SC0260037
<u>CAMERON MHP</u>	AIKEN	81	Ground water	Active		SC0260038
<u>CITY OF AIKEN-VALE SVC C</u>	AIKEN	116	Ground water	Active		SC0250009
<u>CLEARWATER WATER & SEWER DISTRICT</u>	AIKEN	683	Purchased ground water	Active		SC0220015
<u>COLLEGE ACRES</u>						

GOLF COURSE LT2	RICHMOND	50	Ground water	Active		GA2450167
USA FORT GORDON-GAME WARDEN	RICHMOND	.25	Ground water	Closed	09/01/2003	GA2450163

[EPA Home](#) | [Privacy and Security Notice](#) | [Contact Us](#)

Last updated on Monday, February 21st, 2005
http://oaspub.epa.gov/enviro/sdw_query.get_list

PLANTATION ACRES MHP	RICHMOND	304	Ground water	Active		GA2450011
SIMON TRAILER PARK	RICHMOND	135	Ground water	Active		GA2450038
USA-FORT GORDON	RICHMOND	24000	Surface water	Active		GA2450028
WOODLAND TRAILER PARK	RICHMOND	100	Ground water	Closed	08/01/2003	GA2450156
AUGUSTA YOUTH-DEVEL.-CENTER	RICHMOND	537	Ground water	Closed	08/01/1998	GA2450006
GASKINS MOBILE HOME PARK	RICHMOND	356	Ground water	Closed	12/01/1998	GA2450046
RICHMOND COUNTY	RICHMOND	66919	Ground water	Closed	04/01/1998	GA2450004

Non-Transient Non-Community Water Systems: Water Systems that serve the same people, but not year-round (e.g. schools that have their own water system).

Water System Name	Principal County Served	Population Served	Primary Water Source Type	System Status	Date Closed	Water System ID
ALBION KAOLIN COMPANY	RICHMOND	87	Ground water	Closed		GA2450159
DEERFIELD SPECIALTY PAPERS, INC	RICHMOND	100	Ground water	Closed	11/01/1993	GA2450162
FEDERAL PAPER BOARD CO., INC.	RICHMOND	900	Surface water	Closed	12/01/1993	GA2450022
MARTIN MARIETTA COMPANY	RICHMOND	65	Ground water	Closed	09/01/1993	GA2450148
OLIN CHEMICALS	RICHMOND	50	Ground water	Closed	02/01/1998	GA2450152

Transient Non-Community Water Systems: Water Systems that do not consistently serve the same people (e.g. rest stops, campgrounds, gas stations).

Water System Name	Principal County Served	Population Served	Primary Water Source Type	System Status	Date Closed	Water System ID
FT GORDON LEITNER LK REC B-467	RICHMOND	25	Ground water	Active		GA2450165
FT GORDON RANGE CNTRL HDQTRS	RICHMOND	25	Ground water	Active		GA2450164
GORDON LAKES GOLF COURSE LT1	RICHMOND	50	Ground water	Active		GA2450166
GORDON LAKES						



U.S. Environmental Protection Agency Safe Drinking Water Information System (SDWIS)

[Recent Additions](#) | [Contact Us](#) | [Print Version](#) EF Search:

[EPA Home](#) > [Envirofacts](#) > [SDWIS](#) > [Query](#)



Query Results

Report
an
Error

Query Selections:

State selected: **GEORGIA**

County selected: **RICHMOND**

water_system_status: **Both--Active/Closed**

Query executed on: **FEB-21-2005**

Results are based on data extracted on: **JAN-16-2005**

List of Water Systems in SDWIS

Information about water systems in GEORGIA is maintained by [Georgia EPD DWP](#).

For a detailed Violation and Enforcement History, click on the underlined Water System Name. To obtain additional information about drinking water please call EPA's Safe Drinking Water hotline at 1-800-426-4791.

Community Water Systems: Water Systems that serve the same people year-round (e.g. in homes or businesses).

<u>Water System Name</u>	<u>Principal County Served</u>	<u>Population Served</u>	<u>Primary Water Source Type</u>	<u>System Status</u>	<u>Date Closed</u>	<u>Water System ID</u>
<u>AUGUSTA-RICHMOND CO WS</u>	RICHMOND	200000	Surface water	Active		GA2450000
<u>BLYTHE</u>	RICHMOND	910	Ground water	Active		GA2450001
<u>EAST CENTRAL REGIONAL HOSPITAL</u>	RICHMOND	1300	Ground water	Active		GA2450023
<u>HEPHZIBAH</u>	RICHMOND	2184	Ground water	Active		GA2450002
<u>HEPHZIBAH-OAKRIDGE</u>	RICHMOND	827	Ground water	Active		GA2450017
<u>HERITAGE MOBILE HOME PARK</u>	RICHMOND	296	Ground water	Active		GA2450029
<u>MARS TRAILER PARK</u>	RICHMOND	190	Ground water	Active		GA2450014
<u>MOBILE HOME COUNTRY CLUB MHP</u>	RICHMOND	65	Ground water	Active		GA2450016
<u>OAKDALE TRAILER PARK</u>	RICHMOND	68	Ground water	Active		GA2450061

			water			
PINEVIEW MOTEL	SCREVEN	40	Ground water	Closed	04/01/2002	GA2510029
NORTHSIDE MANOR	SCREVEN	25	Ground water	Closed	03/01/1992	GA2510032

[EPA Home](#) | [Privacy and Security Notice](#) | [Contact Us](#)

Last updated on Monday, February 21st, 2005
http://oaspub.epa.gov/enviro/sdw_query.get_list

ROCKY FORD	SCREVEN	182	Ground water	Active		GA2510044
ROLLING RIDGE WATER SYSTEM	SCREVEN	110	Ground water	Active		GA2510056
SCREVEN CO. PRISON	SCREVEN	100	Ground water	Active		GA2510049
SYLVANIA	SCREVEN	3671	Ground water	Active		GA2510003
WILEY'S MOBILE HOME PARK	SCREVEN	81	Ground water	Active		GA2510014
BUCK CREEK ACRES M.H.P.	SCREVEN	25	Ground water	Closed	04/01/1994	GA2510015
FRIENDSHIP TRAILER PARK	SCREVEN	52	Ground water	Closed	08/01/2000	GA2510047
MILLHAVEN PLANTATION	SCREVEN	30	Ground water	Closed	05/01/1997	GA2510052

Non-Transient Non-Community Water Systems: Water Systems that serve the same people, but not year-round (e.g. schools that have their own water system).

Water System Name	Principal County Served	Population Served	Primary Water Source Type	System Status	Date Closed	Water System ID
KING AMERICA FINISHING	SCREVEN	35	Ground water	Active		GA2510012
COMMUNITY CHRISTIAN SCHOOL	SCREVEN	40	Ground water	Closed	01/01/1997	GA2510045
PLAYTIME NURSERY	SCREVEN	35	Ground water	Closed	04/01/1994	GA2510016

Transient Non-Community Water Systems: Water Systems that do not consistently serve the same people (e.g. rest stops, campgrounds, gas stations).

Water System Name	Principal County Served	Population Served	Primary Water Source Type	System Status	Date Closed	Water System ID
DOT-GEORGIA WELCOME CENTER	SCREVEN	990	Ground water	Active		GA2510011
PINEVALE CAMPGROUND	SCREVEN	117	Ground water	Active		GA2510023
SAVANNAH RIVER CHALLENGE PROGRAM	SCREVEN	220	Ground water	Active		GA2510057
PARADISE MOTEL & RESTAURANT	SCREVEN	102	Ground water	Closed		GA2510028
DREAMLAND MOTEL	SCREVEN	100	Ground water	Closed	12/01/2002	GA2510025
HOLIDAY MOTEL	SCREVEN	100	Ground	Closed	10/01/2002	GA2510027



U.S. Environmental Protection Agency Safe Drinking Water Information System (SDWIS)

[Recent Additions](#) | [Contact Us](#) | [Print Version](#)

 EF Search:
[EPA Home](#) > [Envirofacts](#) > [SDWIS](#) > [Query](#)


Query Results

Query Selections:

 State selected: **GEORGIA**

 County selected: **SCREVEN**

 water_system_status: **Both--Active/Closed**

 Query executed on: **FEB-21-2005**

 Results are based on data extracted on: **JAN-16-2005**

List of Water Systems in SDWIS

Information about water systems in GEORGIA is maintained by [Georgia EPD DWP](#).

For a detailed Violation and Enforcement History, click on the underlined Water System Name. To obtain additional information about drinking water please call EPA's Safe Drinking Water hotline at 1-800-426-4791.

Community Water Systems: Water Systems that serve the same people year-round (e.g. in homes or businesses).

<u>Water System Name</u>	<u>Principal County Served</u>	<u>Population Served</u>	<u>Primary Water Source Type</u>	<u>System Status</u>	<u>Date Closed</u>	<u>Water System ID</u>
<u>BLUE HOLE MOBILE HOME PARK</u>	SCREVEN	65	Ground water	Active		GA2510053
<u>BRINSONS TRAILER PARK</u>	SCREVEN	52	Ground water	Active		GA2510021
<u>GREEN ACRES MOBILE HOME PARK</u>	SCREVEN	29	Ground water	Active		GA2510013
<u>HILLCREST HEIGHTS</u>	SCREVEN	140	Ground water	Active		GA2510048
<u>HILTONIA</u>	SCREVEN	500	Ground water	Active		GA2510000
<u>LAWTON PLACE MOBILE HOME PARK</u>	SCREVEN	100	Ground water	Active		GA2510050
<u>NEWINGTON</u>	SCREVEN	420	Ground water	Active		GA2510001
<u>OLIVER</u>	SCREVEN	350	Ground water	Active		GA2510002
<u>REM-KIM TRAILER PARK</u>	SCREVEN	65	Ground water	Active		GA2510046

people (e.g. rest stops, campgrounds, gas stations).

Water System Name	Principal County Served	Population Served	Primary Water Source Type	System Status	Date Closed	Water System ID
<u>DNR-MAGNOLIA SPRINGS STATE PK.</u>	JENKINS	180	Ground water	Active		GA1650005
<u>NATIONAL FISH HATCHERY</u>	JENKINS	309	Ground water	Closed	02/01/1997	GA1650008

[EPA Home](#) | [Privacy and Security Notice](#) | [Contact Us](#)

Last updated on Monday, February 21st, 2005
http://oaspub.epa.gov/enviro/sdw_query.get_list



U.S. Environmental Protection Agency Safe Drinking Water Information System (SDWIS)

[Recent Additions](#) | [Contact Us](#) | [Print Version](#)
EF Search: **GO**
[EPA Home](#) > [Envirofacts](#) > [SDWIS](#) > [Query](#)


Query Results

[Report an Error](#)
Query Selections:
State selected: **GEORGIA**County selected: **JENKINS**water_system_status: **Both--Active/Closed**Query executed on: **FEB-21-2005**Results are based on data extracted on: **JAN-16-2005**

List of Water Systems in SDWIS

Information about water systems in GEORGIA is maintained by [Georgia EPD DWP](#).

For a detailed Violation and Enforcement History, click on the underlined Water System Name. To obtain additional information about drinking water please call EPA's Safe Drinking Water hotline at 1-800-426-4791.

Community Water Systems: Water Systems that serve the same people year-round (e.g. in homes or businesses).

<u>Water System Name</u>	<u>Principal County Served</u>	<u>Population Served</u>	<u>Primary Water Source Type</u>	<u>System Status</u>	<u>Date Closed</u>	<u>Water System ID</u>
<u>MILLEN</u>	JENKINS	4074	Ground water	Active		GA1650000
<u>PERKINS WATER AUTHORITY</u>	JENKINS	76	Ground water	Active		GA1650001

Non-Transient Non-Community Water Systems: Water Systems that serve the same people, but not year-round (e.g. schools that have their own water system).

<u>Water System Name</u>	<u>Principal County Served</u>	<u>Population Served</u>	<u>Primary Water Source Type</u>	<u>System Status</u>	<u>Date Closed</u>	<u>Water System ID</u>
<u>JOCKEY INTERNATIONAL, INC.</u>	JENKINS	100	Ground water	Active		GA1650006

Transient Non-Community Water Systems: Water Systems that do not consistently serve the same

DOT-REST AREA #62 & 63	COLUMBIA	700	Ground water	Closed	10/01/1999	GA0730073
MARYLAND FRIED CHICKEN	COLUMBIA	80	Ground water	Closed	01/01/2001	GA0730080
PAIR OF JACKS, INC.	COLUMBIA	77	Ground water	Closed	11/01/1992	GA0730046
WILDWOOD PARK	COLUMBIA	135	Ground water	Closed	12/01/1999	GA0730008

[EPA Home](#) | [Privacy and Security Notice](#) | [Contact Us](#)

Last updated on Monday, February 21st, 2005
http://oaspub.epa.gov/enviro/sdw_query.get_list

Non-Transient Non-Community Water Systems: Water Systems that serve the same people, but not year-round (e.g. schools that have their own water system).

<u>Water System Name</u>	<u>Principal County Served</u>	<u>Population Served</u>	<u>Primary Water Source Type</u>	<u>System Status</u>	<u>Date Closed</u>	<u>Water System ID</u>
NORTH COLUMBIA ELEM SCHOOL	COLUMBIA	50	Ground water	Closed	01/01/1996	GA0730005
SECOND MT CARMEL BAPT.DAY CARE	COLUMBIA	100	Ground water	Closed	11/01/1999	GA0730079

Transient Non-Community Water Systems: Water Systems that do not consistently serve the same people (e.g. rest stops, campgrounds, gas stations).

<u>Water System Name</u>	<u>Principal County Served</u>	<u>Population Served</u>	<u>Primary Water Source Type</u>	<u>System Status</u>	<u>Date Closed</u>	<u>Water System ID</u>
AUGUSTA SAILING CLUB	COLUMBIA	66	Ground water	Active		GA0730081
DNR-MISTLETOE STATE PARK	COLUMBIA	999	Ground water	Active		GA0730009
EAST CENTRAL HOSPITAL RECREATION AREA	COLUMBIA	100	Ground water	Active		GA0730016
TRADEWINDS MARINA & YACHT	COLUMBIA	250	Ground water	Active		GA0730052
USCE-LAKE SPRINGS RAMP	COLUMBIA	34	Ground water	Active		GA0730076
USCE-LAKE SPRINGS REC AREA	COLUMBIA	735	Ground water	Active		GA0730071
USCE-PETERSBURG AREA #1	COLUMBIA	140	Ground water	Active		GA0730023
USCE-PETERSBURG CAMPGROUND #2	COLUMBIA	111	Ground water	Active		GA0730078
USCE-RIDGE RD CAMP & PICNIC #1	COLUMBIA	63	Ground water	Active		GA0730067
USCE-WEST DAM	COLUMBIA	605	Ground water	Active		GA0730070
USCE-WINFIELD CAMP #1	COLUMBIA	90	Ground water	Active		GA0730072
LITTLE RIVER MARINA	COLUMBIA	35	Ground water	Closed	08/01/2004	GA0730026
CAMP TANGLEWOOD #1	COLUMBIA	478	Ground water	Closed	09/01/1992	GA0730053
CAMP TANGLEWOOD #2	COLUMBIA	476	Ground water	Closed	06/01/1992	GA0730029

DIFFERENT			water			
THE BARNWELL MARKET	BARNWELL	100	Ground water	Closed	01/01/2001	SC0670901
TWO MOON JUNCTION	BARNWELL	50	Ground water	Closed	07/01/2004	SC0672001

[EPA Home](#) | [Privacy and Security Notice](#) | [Contact Us](#)

Last updated on Monday, February 21st, 2005
http://oaspub.epa.gov/enviro/sdw_query.get_list