



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

November 30, 2007

Docket No. 03036530
Control No. 141116

License No. 29-30895-01

Ralph Dauito, M.D.
President/CEO
Eastlantic Diagnostic Institute
Twin Plaza Building 2
1470 South Main Road
Vineland, NJ 08360

SUBJECT: EASTLANTIC DIAGNOSTIC INSTITUTE, LICENSE AMENDMENT, CONTROL
NO. 141116

Dear Dr. Dauito:

This refers to your license amendment request. Enclosed with this letter is the amended license. The facility located at Oak and Main Surgicenter, 907 N. Main Road, Vineland, New Jersey may be released for unrestricted use. Please note that item 9C. and Dr. Dauito's authorizations have been revised in accordance with 10 CFR Part 35.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5239, so that we can provide appropriate corrections and answers.

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14).

Current NRC regulations and guidance are included on the NRC's website at www.nrc.gov; select **Nuclear Materials; Medical, Academic, and Industrial Uses of Nuclear Material**; then **Regulations, Guidance, and Communications**. You may also obtain these documents by contacting the Government Printing Office (GPO) toll-free at 1-866-512-1800. The GPO is open from 7:00 a.m. to 8:00 p.m. EST, Monday through Friday (except Federal holidays).

Thank you for your cooperation.

Sincerely,

Original signed by Tara L. Weidner

Tara L. Weidner
Health Physicist
Medical Branch
Division of Nuclear Materials Safety

Enclosure: Amendment No. 3

DOCUMENT NAME: C:\FileNet\ML073340851.wpd

SUNSI Review Complete: MSimmons

After declaring this document "An Official Agency Record" it will be released to the Public.

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	<input checked="" type="checkbox"/> N	DNMS/RI	<input type="checkbox"/>	DNMS/RI	<input type="checkbox"/>	<input type="checkbox"/>
NAME	MSimmons/MS		TWeidner/TW				
DATE	11/30/07		11/30/07				

OFFICIAL RECORD COPY

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Eastlantic Diagnostic Institute</p> <p>2. Twin Plaza Building 2 1470 South Main Road Vineland, New Jersey 08360</p>	<p>In accordance with the letter dated September 26, 2007,</p> <p>3. License number 29-30895-01 is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration date March 31, 2014</p> <hr/> <p>5. Docket No. 03036530 Reference No.</p>
---	---

<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Any byproduct material permitted by 10 CFR 35.100</p> <p>B. Any byproduct material permitted by 10 CFR 35.200</p> <p>C. Iodine 131 permitted by 10 CFR 35.300</p>	<p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Any</p> <p>C. Any</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. As needed</p> <p>B. As needed</p> <p>C. 30 millicuries</p>
<p>9. Authorized use:</p> <p>A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100.</p> <p>B. Any imaging and localization study permitted by 10 CFR 35.200.</p> <p>C. Any iodine-131 study or procedure in quantities less than or equal to 33 millicuries permitted by 10 CFR 35.300, for which the patient can be released under the provisions of 10 CFR 35.75.</p>		


CONDITIONS

- 10. Licensed material may be used or stored only at the licensee's facilities located at Twin Plaza Building Number 2, 1470 South Main Road, Vineland, New Jersey.
- 11. The Radiation Safety Officer for this license is Ralph Dauito, M.D.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
29-30895-01Docket or Reference Number
03036530

Amendment No.3

12. Licensed material is only authorized for use by, or under the supervision of:
- A. Individuals permitted to work as an authorized user in accordance with 10 CFR 35.13 and 35.14.
 - B. The following individuals are authorized users for medical use as indicated:
 - Ralph Dauito, M.D. 35.100; 35.200; Oral administration of sodium iodide I-131 in quantities less than or equal to 33 millicuries
13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
14. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."



**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
29-30895-01Docket or Reference Number
03036530

Amendment No.3

15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated March 17, 2004
- B. Letters dated March 23, 2004
- C. Letter dated January 25, 2005



For the U.S. Nuclear Regulatory Commission

Date November 30, 2007By ***Original signed by Tara L. Weidner***

Tara L. Weidner
Medical Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406