

November 30, 2007

M56

Mr. James P. Dwyer Division of Nuclear Materials Safety U.S. Nuclear Regulatory Commission – Region 1 475 Allendale Road King of Prussia, PA 19406-1415

Reference: Licenses 37-00030-02 and 37-00030-08

Docket Nos.: 030-05980 and 030-05982

Control Nos.: 140378 and 140379

Dear Mr. Dwyer,

This letter is intended to serve as our Third Quarter Report as required by Section 6 of the Settlement Agreement and to provide updated information concerning our compliance with the Settlement Agreement.

As of September 30, 2007, we were in compliance with the requirements of the Agreement. All customers were notified by August 30, 2007 that exit signs and devices containing licensed material could no longer be returned to our site after October 31, 2007.

On October 31, 2007 we discontinued accepting the return of exit signs and devices containing licensed material. We continue to work through our inventory of returned signs and will insure that all such signs will be transferred to an authorized recipient by December 31, 2007.

Based on your approval for the use of the necessary funds, we shipped additional tritium waste from the site on November 19, 2007. The shipment included the items listed in Solutient Technologies, LLC letter of November 12, 2007 (copy attached). We were pleased to be able to include the scrubber columns with this shipment as they were not included in the original contract offer. We therefore were able to remove an additional 714 curies from the site without any additional cost. Copies of the Waste Manifest and the Waste Packing Sheet are also attached.

This shipment has exhausted our available funds. A full inventory of the remaining waste will be provided in a letter to follow.

140378 /140379

SAFETY LIGHT CORPORATION • 4150-A Old Berwick Road • Bloomsburg, PA 17815 **570.784.4344** • fax 570.784.1402 • www.safetylight.com

We are cooperating fully with the EPA and have confirmed our willingness to comply with their Administrative Order for Removal Response Action Docket No. CERC-03-2008-0043-DC.

We are now taking the necessary steps to be in compliance with the Settlement Agreement on December 31, 2007. Please contact me if you have any questions.

Regards,

William E. Lynch Jr.

Vice President

Cc: Dave Allard, Director, PADEP/BRP



## SOLUTIENT TECHNOLOGIES, LLC

7857 Freedom Avenue NW North Canton, Ohio 44720

PHONE: (330) 497-5905 FAX: (330) 497-2045 November 12, 2007

Mr. Bill Lynch Safety Light Corp. 4150-A Old Berwick Road Bloomsburg PA, 17815

Subject: Class A H3 waste

Dear Mr. Lynch,

Solutient Technologies has been offered a more cost effective disposal option for the tritium (H3) waste stored on site at the Safety Light Corporation (SLC) facility.

According to our calculations SLC should have approximately \$125,979.00 in the trust fund. By December we calculate this number to be \$137,979.00. We have used this as a budget number in order to come up with this disposal option. The items listed below are what Solutient Technologies believes will fit in one (1) roll-off container which is approximately 500ft3. Solutient will ask that Safety Light pay Toxco of Oakridge, TN directly for processing and disposal. Solutient will bill Safety Light for the packaging, transportation and management in setting up and brokering this waste for disposal.

<u>Item</u>	<u>Description</u>	T-Activity <b>Curies</b>	Weight (lbs)	Volume FT3	
1	15 each 55 gallon drums DAW	4.41	2,250	112.5	
2	Brown Paper bags 179 each	4.0	2,170	311	
3	113 Tritium Tube stubs	1	1,130	33	
4	45 each scrubber columns	714	2,475	40	
5	Exit Signs (see attached)	<u>19</u>	<u> 17</u>	3.5	
	Estimated Total	742	8,042	500	
	Transportation Intermodal (1)				\$ 7,730.00
	Labor & equipment to load, ma	nifest and ship	TO 48 4	l Tradition at	\$22,971.60
			Estimate	d Total Cost:	\$30,701.60

If the approach listed above is acceptable, Solutient Technologies would like to issue the purchase orders to commit the funds and establish a schedule to package and ship the items listed. Please let me know if you have any questions.

Sincerely,

SOLUTIENT TECHNOLOGIES, LLC

**Approval Signature** 

Dell Reuss Operation Manager Bill Lynch Safety Light Corp

Cc: File

	FORM 541												1. MANIFEST TO	TALS					_				
1							i	NUMBE	R OF						SPECIA	IL NUCLEA	R MATERIAL (grams	<u>L</u>	1	:	2. MANIFEST	NUMBER	
1		•						.PACKA	GES		NET WASTE	:   1	NET WASTE	U-233	n.	235	Pu	TOTAL			SL-112007-001		
		UNIFORM L	OW-LEVEL R	ADIOACTIV	E		1	DISPO	SAL	- l	VOLUME	1	WEIGHT	D-233	J 0-	233	, ,,	IOIAL		-			
<i>-</i>		W	ASTE MANIF	EST				CONTAIN	NERS	ŧ						Ī			1	3.	PAGE 1 OF	PAGE(S)	
۳.										m3	14.15	143 Kg	10,894	NA	NA	NA	NA	NA					
-	l	CONTAINED A	ND WASTE DESC	PROTICAL			1	1		103	604		11.98		<u> </u>			1			4. SHIPPER	MAME	
ý s	•	CONTAINERA	UD MANO IE DESC	PLEASE EIGH			<b></b>			IIO.	- 001	ACTMITY				L	<del>                                     </del>	<del></del>	1	Solution	r. Stricted of <b>Technolo</b> gic		
تح	•						$\vdash$	ALL MEET	NIDEC	T-40						100	SOU	RCE			Bill Lynch	·•,	
29							<del>  </del>	ALL NUC		Trilium		C-14	To-			129	<del> </del>	NA.	<del> </del>			LUARER	
ω	Additional Nucl	sar Regulatory Com			ontrol, Transfer a	ind	MBq	2.745E		2.76E+07		NA	N/			<u>IA</u>	(kgs)	NA NA	4		HIPMENT ID N		
0		Dispo	sal of Radioactive	Waste			mCi	7.420E	+06	7.42E+05	<u> </u>	NA	N/	\	<u> </u>	ia	(tons)	, NA			SL-112007-001		
2	ŀ	,	DISPOSAL CONT	AMICD DECCRID	TION			.							WIACTE P	ecolotii	ON FOR EACH WAS	TE TYPE BLOCK	TAINED				
1		T	DIGI COME CONT	AINER DEGOSAI	11015	-					- T		T		1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Lycher in	OIT DIX CADITIONS	L	TAUTE .				I ~
	5.	6,	<i>l</i>	<u> </u>	9,	16.			11.		12.		F3.		14			15.					18
i i	CONTAINER	1 1		WASTE		SURFACE C	CONTAMINA	TION			APF	ROXIMATE	1		<u>C</u>	HEMICAL D	ESCRIPTION		RADIO	OGICAL DESCRI	МОШ		WASTE CLASS
	IDENTIFICATION NUMBER	]		AND.	SURFACE	MBo	1100 cm2					WASTE	j		CHEM	ACAL	WEIGHT	İ	INDIVIUAL RADIONI	JCLIDES AND AC	TIVITY (MBq) ANI	כ	AS-Class A
	GENERATORID	CONTAINER	VOLUME	CONTAINER	RADIATION	dom	/100 cm2		W/	ASTE	VO	LUME(S) IN	SOLIDIFIC	CATION	FO	RM	%	}	CONTAINER TOTAL	OR CONTAINER	TOTAL ACTIVIT	Y	Slable
	MUMBER(\$)	DESCRIPTION		WEIGHT	LEVEL	•				RIPTOR		NTAINER	ORSTABIL	IZATION	CHEL	ATING	CHELATING		AND RA	DIONUCLIDE PER	CENT		AU-Class A
ž.	MOINDLING)	1 '' ' !					ļ	ŀ			~		1					i	7410101	DIOMOCIDETE	DEITI		Unstable
:		(See Note 1 &	<u>(m3)</u>	<u>[kq)</u>	<u>mSvihr</u>			- 1	(566	Note 2		<u>(m3)</u>	Met		AG	ENT	AGENT						
		Note 1A)	(IK3)	(ton)	. arendar	ALPHA	BETAIG	AMMA	& M	ole 2A)	- 1	(ft3)	(Sze N	xte 3)			IF>0.1%			[			B-Class B
							<u> </u>					- 9			ļ			Rad	ionuclides	g Cilgra	MBq	mCi	C-Class C
								- 1			ŀ		1					H-3		2.032E+98	2.745E+07	7.420E+05	
		1	19.11	7619	<0.0050	<1.20E-03	<6.00	E-03	39	Н		14.16	10	0	Ох	ide	NP		Į i				AU-Class A
	TOX-001	D	**			1				••				=									Unatable
	101.001	-											İ		١.,				<del>                                     </del>				Gliatitoto
		i i	675	8.38	<0.5000	<2.00E+01	<1,001	E+02			- 1	500.0	1		No	ne		ļ	ļ				
																				<u> </u>			
		1 1				* *		- 1			ŀ		i						1				
ا													1										
· >-							i						1										
ိ							1	ŀ										<u> </u>					
		i		1 1			i	1			1				l				<del> </del>				1
E																							
- 60							1	1											<u> </u>				
								]											1	1			
>											ı												
e t							ļ																
ъ Т		<del></del>		<del> </del>			<del></del>	-+			_		+						<u> </u>	0.007.00	0.000.00	G 45F - 07	
S		Subtotal	19.11	7619.09							L	14.16	.]					Subtotal		2.03E+08	2.76E+07	7.42E+05	
.	Shipment Totals												7					25222552					
				!							l							Sniff	0.000E+08				
ΑĀ		Total	675.00	8.38								<u>600.0</u>	<u> </u>					Total	<u> </u>	2.03E+0B	2.76E+07	7.42E+05	
0	VOTE 1: Container Descript	ion Cades		Note (A: Bulk)	Packaging	NOTE	2: Waste D	escriptor (	Codes.						Note 2A: S	pecillo Wa	<b>ri</b> e	Note 3. Solidif	cation and Stabiliza	ition Media Code	s. (Choose up I	•	
0:	For containers waste requiri	ng disposal		Description Co	des	(Chees	se up to filme	e walch p	redominate	by witum	e)				Description	ns.		three which pre	dominate by volum	e.) For media me	eting disposal s	te	
0	n approved atructural over-	acks the		(Choose one or	rde as may	20. Ch	accoal	2	9. Demoliio	n Rubble		38. Evap	sorator Bottems		(Choose at	i applicable		kinutlural slabi	lity requirements, th	ie numerical coda	must be follow	ed .	
	numerical code must be folk	wed by "OP."		he applicable).		21. <b>in</b> c	ineralor	3	10. Calion lo	n-exchang	e Media	Sludges /	Concentrates		codes).			by "-S" and the	media vendor and i	brand name must	also be identifis	d	
07	Wooden Box or Crate	9. Demineratizer		À Gondola		22. Sci	li.	3	11 Anion lon	n-exixhange	e Media	39. Çam	pactible Trash		G	Dewalared	1	in item 13. Cod	a 100=NONE REQU	IRED			
0.	2. Metal Stox	10. Gas Cylinder		B Intermodel		23, Ga	ıs.	3	12. Mixed Be	ed lon-exch	range Meda	40. None	compectible Trash		н	Solid							
	), Presencurum or Pai	11 Bulk, Unpacka	ged Waste	C End-diump		24. Oĭ		3	13. Co <b>nt</b> amir	rated Equip	pmeni	41 Anim	nal Carcass			Combustib	le	Splidification					
٠.	t. Metal Drum or Pail	12. Unpackaged C	Somponents	D Roll-off		25, Aq	neoms Fidnig	3	14. Organic I	.iquid (exc	ept oil)	42. Biolo	gical Material (excep	1	J	Non-combi	ustible	90. Cement			94. Vinyi Esler \$	•	
	i. Melai Tank or Liner	13. High Integrity (	Container	E Seavan		26. Fill	er Media	3	6. Glasswa	e or Labwa	are	(animal c	arcass)		к	Air Filiration	a Fillers	91. Concrete	•		99. Other. Desci	ibe	
	3. Consrete Tank/Liner	19. Other Describ	be in liem 6,			27. Me	chanical Fill	er 3	16. Seelled S	ource/Devi	ice		raled Malerial		L.	Asbestos		(encapsulation)			in item 13, or		
9	Polyelhiene Tank / Liner	or additional page.		l .		28. EP	A or State	3	17 PaintorF	lating			r. Describe in item 1	1,				92. Bîlumen			additional page		
1	8. Fiberglass Tank or Liner			<u></u>	<del></del>	Hazard	COS.					or addilio	nai page		L			93. Viny/Chloric	le	<u> </u>	100. None requi	red.	
	FORM 541(10-96)																						
	-																						

FORM	M 540			5. SHIPPER - NAME AND FACILITY			SHIPMENT I.D. NUMBER	1					8. MANIF	EST NUMBER	
2				Solutient Technologies, LLC			SL-112007-001	7. FORM 540 AA	ND 540A		PAGE 1 OF	1 PAGE(S)	(Use this	number on all combination	
	UNIFORM LOW-LEVI	EL RADIOACTIV	Æ	Safety Li	ight Corporation			02-112007-001	FORM 541 AM	ND 541A		PAGE 1 OF	1 PAGE(S)	pages)	
م.	WASTE MA	NIFEST		4150-A	150-A Old Berwick Road			COLLECTOR	FORM \$42 AN	ND 542A		NA NA	PAGE(S)	j	SL-112007-001
3				Bioomst	loomsburg, PA 17615			PROCESSOR	ACOMICNAL	INFORMATION		NA NA	PAGE(S)		OE-712001 VV
77	SHIPPING F	APER		USER PERM	<del></del>	SHIPMEN	TNUMBER	GENERATOR TYPE	9. CONSIGNEE	- Name and Facility Add	dress			CONTACT	
7 EM	MERGENCY TELEPHONE NUMBER (Involute			1 <sub>NA</sub>		SL-11	2007-001	X industrial	Toxco Mate	rials Managema	ent				Shipping and Receiving
ω	330-353-2265 / 86			CONTACT				TELEPHONE NUMBER	109 Filmt Ro	•				TELEPHO	NE NUMBER (Include Area Code)
2 07041	(IZATION	7 220 7 100		1				(include Area Code)	1,00 ( 1,11,2 ( 1,1)						4.000 400 5500
ORGANI	IIZA IRUN			1	Bill Lynch			570-784-4344	Oak Ridge,	Теппессе	37830			i	1-865-482-5532
	0			0.01055	RER - Name and Address			EPA I.D. NUMBER	- Valle i Walgari		Antinopheri consignera ackin	hylester essens grighelmo		DATE:	
: -			[	1				ELV I'M MAUROEX			,				
2, 151	THIS AN "EXCLUSIVE USE" SHIPMENT?	3. TOTAL NUMBER OF	[		e Ventures			TNR000023390							
;		PACKAGES IDENTIFIED			nion Valley Road		}					10. CERTIFIC	KOITAS		
<u> </u>	-	ON THIS MAINIFEST	1	Oak Ridg	ge, renn.			SHIPPING DATE						lab ata da a a da	
<u> </u>	HO	====>	<u> </u>	<del> </del>				11/20/2007				assilied, described, pack			
4. 00	DES EPA REGULATED YES	EPA MANIFEST NUMBER		CONTACT			Ì	TELEPHONE NUMBER				regulations of the Dapa			
. WA	ASTE REQUIRING A NO			l v	Varren Baugh			(Include:Area Cade)		certifies that the materiels are classified, packaged, marked, and labeled and are in proper condition for transpartation and					
MA	ANIFEST ACCOMPANY	NA		<u> </u>				865-482-3896	disposal es descr	toed in accordance with	tine requirements of 1	D CFR Parts 20 and 61,	or equivalent state	regulations.	·
TH	IIS SHIPMENT?			SIGNATURE	Authorized carrier ecknows	edging weste receipt		DATE	AUTHORIZED:	SIGNATURE		TITLE			DATE
l.	'Yes', provide Manifest Number ====>			$\sim$	N. A	٠. عا		11 10 - 00							•
<u> </u>			·	1.77	ark Croc	Kelt	l	11-19-07	<u> </u>				7		
11	U.S. DEPARTMENT OF TRANSPORTATION	DESCRIPTION	12.	13.	16.			15.		١,	16.	17.	18. TOTAL	NEIGHT	19. DENTIFICATION NUMBER OF
	including proper shipping name, hazard class,	UNIO number,	DOT LABEL RADIOACTIVE	TRANSPORT INDEX	PHYSICAL CHENICAL			individual Radioniuclides			16. (AGE ACTIVITY	LBA/SCO	ORVO		PACKAGE
	and any additional information							····		MBq	mCi	CLASS	(Use appilops		
Co	•						H-3				ļ.	1	675	Cu Ft	
i Radi	lioactive material, low speci	lic activity (I SA-	"AN"	"NA"	Solie	d				2.75E+07	7.42E+05	LSA-I	7619	kg	TOY 004
Light	t), 7, UN 2912	10 201111 \ZZ	117	184	00	•					.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				TOX-001
	7, 1, 211212			:	Oxid	le									
e t y															
9 +			1												
Saf			ļ												] .
						İ						L			
. <b>≨</b>													675	Cu Ft	
00AM									Totals	2.75E+07	7.42E+05		7,619	kg	
	NSIGNEE USE ONLY		<u> </u>	<u> </u>						L	<del> </del>				L
	indice out or		Record Wast	le Descriptio	on inadequate										
<u></u>			Contamination	•	•	20. TERMS AND CONDI A. HAZARDOUS M	ATERIALS: Garea	rafor represents & warrants that Winde Motoris	al_is (er) X is not a bazar	rdous waste as defined in 4	IO CFA 261. Where the m	eriestal is a hazardous			
200	Contaminan		_	ales Delected	weste, this shipm 40 OFR 268.1.	ent is elso accomp	ranted by a separate and completed hazardos:	e waste reenifest, stong wif	h the appropriate land-step	esal notice and/or certifice	Non as required by				
``]			Labels, Mark			B: T/IILE: Upon acci	and the second of the Em	osali site by Envirocane of Utah, inc., and all as wirocare of Utah, inc.							
و ا				•	•	C. WASTE MATERI	IAL: Generator rep	presente and wayrards that, all data set forth in-1	PHI (UNIFORM LOW-LEVE	EL RACIOACTIVE WARTE	EMANIFEST) are true and	decement in all respects and in	in accordance with all a	ppicable	
2	Concerner in			(tegrilly fixadequate governmental tawa, rules, regulation  D. INDENNIFICATIONS: Generalize a				iditions and Environme of Utih, Inc.'s footility Groupes. 2 aromes in Informative Primitizers of Utih, Inc.'s footility Groupes and aperite against all losses and fability whistnesser if such bases or fability meads from the tarker of this Whate Matasial 2 aromes in Informative Primitizers of Utih, Inc., its Collector employees and aperite against all losses and fability whistnesser or fability meads from the tarker of this Whate Matasial 2 aromes in Informative Primitizers of Utih, Inc., its Collector employees and aperite against all losses and fability whistnesser if such bases or fability meads from the tarker of this Whate Matasial							1
		<del></del>			quaic	D. INDENNIFICATIO	ON: Generalize au	rees to indemnify Stylingore of Utah, inc., its o	officent, employees and and	ents against all losses and l	liability whatsoever it such t	losses or liability mouth from	n the latter of the Wes Considerate of France	ete Mouerial	
No v			Other .		n this Shipment.	D. INDEMNIFICATION to particum in all r	DNA, Generalor ago mulerial respects to	nees to indemnify Environment of Utah, inc., its co the claim supplied on the (UNIFORM LOW-LE jurisdiction over such matters.	officent, employees and and	ents against all losses and l STE NAMFEST,) or it this	labilly whatsoever il such i shigment lalls to recet the :	losses or liability matchs from standards prescribed by the	n the laillure of the Wes Department of Transp	te Material contation	

Waste Packing Sheet

Project: Safety Light

H3 Shipport To Tax com

DATE:	11-1	9-0	7

ş			
Type Container		Container #	
1. B-12.	R.25	TOX	-001
	k		
2 Drum		Defects Yes	***************************************
3. Ro# 0	ff C	No	

Material Description	Volume ft3	Weight lbs	Activity μR/hr
1 1- BAS OIL DRY		522	and the second s
2 15- SS GNEON Drums (DAW)	112,5	1575	4 346
3 Beaus Bres Ones	3/3/5	507.80	
4 1/3 Take Stubs	33	1130	
5 45 Scoubber Columns	40	2475	
5 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3		22.	LII BKG
D-	**************************************		
	- The second second second second second second second second second second second second second second second		
10			

Liner	yes V	lno	Labels	yes 🗸	no
				NO TO THE CONTRACT OF THE PROPERTY OF THE CONTRACT OF THE CONT	
	Instrument st	urvey:	1	Gross Smi	gar:
Contact #R/hr	Max. /0 /	√yg. γ, <b>≥</b> ς	alpha dpm	Max. 3 /	Avg. <i>O</i>
1-Meter µR/hr	Max. // A	Vg. 2.55	beta dpm	Max. 48	Λvg. <i>2-1</i>

Technician: //////////	RSO: