83

**From:** Eric Duncan
**To:** Anne Boland; Bill Bateman; Bruce Boger; Charles Weil; Cynthia Pederson; David Hills; Deborah Jackson; Eric Duncan; Gary Shear; Geoffrey Grant; Geoffrey Wright; George Georgiev; Gregory Cwalina; James Caldwell; James Davis; James Heller; James Wiggins; Jared Heck; Jay Collins; Jim Dyer; John Grobe; John Jandovitz; John Rutkowski; John Tsao; Joseph Petrosino; Mark Satorius; Matthew Mitchell; Melvin Holmberg; Michael Weber; Michele Evans; Patrick Hiland; Richard Smith; Russell Gibbs; Scott Langan; Steven West; Terence Chan; Thomas Wengert; Tom Bilik ; Victor Hall; William Cullen
**Date:** 03/23/2007 8:52:42 AM
**Subject:** Slides from Davis-Besse Call

To all,

Please find attached the slides from yesterday's call with FENOC and Exponent.

Eric.

F-49

**Mail Envelope Properties** (4603DBAA.2B7 : 4 : 3672)

**Subject:** Slides from Davis-Besse Call
**Creation Date** 03/23/2007 8:52:42 AM
**From:** Eric Duncan

**Created By:** ERD@nrc.gov

| **Recipients** | **Action** | **Date & Time** |
|---|---|---|
| nrc.gov | | |
| ch_po.CH_DO | Delivered | 03/23/2007 8:52:44 AM |
| ATB (Anne Boland) | Opened | 03/23/2007 12:17:11 PM |
| CDP1 (Cynthia Pederson) | Opened | 03/23/2007 12:42:15 PM |
| | Deleted | 03/23/2007 12:52:11 PM |
| | Undeleted | 03/23/2007 3:08:02 PM |
| CHW1 (Charles Weil) | Opened | 03/26/2007 8:36:04 AM |
| | Deleted | 03/26/2007 8:36:07 AM |
| DEH (David Hills) | Opened | 03/23/2007 9:11:01 AM |
| ERD (Eric Duncan) | Opened | 03/23/2007 8:52:48 AM |
| GCW (Geoffrey Wright) | | |
| GEG (Geoffrey Grant) | | |
| GLS (Gary Shear) | Replied | 03/23/2007 8:52:42 AM |
| | Opened | 03/26/2007 7:38:47 AM |
| JER7 (John Rutkowski) | Opened | 03/23/2007 8:58:39 AM |
| | Deleted | 03/23/2007 8:58:48 AM |
| JKH (James Heller) | Opened | 03/23/2007 3:20:48 PM |
| JLC1 (James Caldwell) | Opened | 03/23/2007 9:16:30 AM |
| JSJ1 (John Jandovitz) | Opened | 03/23/2007 10:46:04 AM |

| | | |
|---|---|---|
| KSW (Steven West) | Opened | 03/26/2007 8:04:31 AM |
| MAS (Mark Satorius) | Opened | 03/23/2007 10:12:00 AM |
| MSH (Melvin Holmberg) | Opened | 03/23/2007 8:57:33 AM |
| RLS4 (Richard Smith) | Opened | 03/24/2007 1:32:08 PM |
| SJL1 (Scott Langan) | Opened | 03/23/2007 9:13:46 AM |
| | Forwarded | 03/23/2007 9:14:33 AM |
| TXB (Tom Bilik ) | | |
| | | |
| nrc.gov | | |
| OWGWPO01.HQGWDO01 | Delivered | 03/23/2007 8:53:03 AM |
| BAB2 (Bruce Boger) | Opened | 03/23/2007 9:58:44 AM |
| WHB (Bill Bateman) | Replied | 03/23/2007 8:53:03 AM |
| | Opened | 03/26/2007 8:05:59 AM |
| | Deleted | 03/26/2007 8:06:03 AM |
| | | |
| nrc.gov | | |
| OWGWPO02.HQGWDO01 | Delivered | 03/23/2007 8:53:03 AM |
| GBG (George Georgiev) | Opened | 03/23/2007 8:59:37 AM |
| JAG (John Grobe) | Opened | 03/23/2007 9:43:43 AM |
| | Deleted | 03/23/2007 10:16:11 AM |
| MGE (Michele Evans) | Opened | 03/23/2007 9:03:59 AM |
| RAG1 (Russell Gibbs) | | |
| | | |
| nrc.gov | | |
| OWGWPO03.HQGWDO01 | Delivered | 03/23/2007 8:53:03 AM |
| GCC (Gregory Cwalina) | Opened | 03/23/2007 9:12:19 AM |
| JAD (James Davis) | Replied | 03/23/2007 8:53:03 |

| | | |
|---|---|---|
| AM | | |
| | Opened | 03/23/2007 10:07:52 |
| AM | | |
| JED2 (Jim Dyer) | Opened | 03/23/2007 9:01:50 |
| AM | | |
| | Deleted | 03/23/2007 9:02:36 |
| AM | | |
| JXC (Jay Collins) | Opened | 03/23/2007 9:23:17 |
| AM | | |
| | Forwarded | 03/23/2007 9:24:19 |
| AM | | |
| TLC (Terence Chan) | Replied | 03/23/2007 8:53:03 |
| AM | | |
| WHC (William Cullen) | Opened | 03/23/2007 9:16:06 |
| AM | | |
| | Replied | 03/23/2007 9:28:09 |
| AM | | |
| | | |
| nrc.gov | | |
| OWGWPO04.HQGWDO01 | Delivered | 03/23/2007 8:53:40 |
| AM | | |
| DAJ1 (Deborah Jackson) | Opened | 03/23/2007 10:57:00 |
| AM | | |
| | Deleted | 03/23/2007 2:51:51 |
| PM | | |
| | Emptied | 03/23/2007 4:00:07 |
| PM | | |
| JKH3 (Jared Heck) | Opened | 03/23/2007 8:59:12 |
| AM | | |
| PLH (Patrick Hiland) | Opened | 03/23/2007 10:14:24 |
| AM | | |
| VXH (Victor Hall) | Opened | 03/23/2007 8:57:46 |
| AM | | |
| | | |
| nrc.gov | | |
| TWGWPO01.HQGWDO01 | Delivered | 03/23/2007 8:53:22 |
| AM | | |
| MAM4 (Matthew Mitchell) | Opened | 03/26/2007 6:46:22 |
| AM | | |
| | Deleted | 03/26/2007 6:46:25 |
| AM | | |
| | | |
| nrc.gov | | |
| TWGWPO02.HQGWDO01 | Delivered | 03/23/2007 8:53:03 |
| AM | | |

| | | |
|---|---|---|
| JCT (John Tsao) | Opened | 03/23/2007 11:26:57 AM |
| nrc.gov | | |
| TWGWPO03.HQGWDO01 | Delivered | 03/23/2007 8:53:03 AM |
| JJP1 (Joseph Petrosino) | Opened | 03/23/2007 9:06:14 AM |
| | Deleted | 03/23/2007 9:06:27 AM |
| nrc.gov | | |
| TWGWPO04.HQGWDO01 | Delivered | 03/23/2007 8:53:04 AM |
| JTW1 (James Wiggins) | Opened | 03/23/2007 11:45:27 AM |
| | Deleted | 03/23/2007 11:47:16 AM |
| MFW (Michael Weber) | Opened | 03/23/2007 6:19:36 PM |
| | Deleted | 03/23/2007 6:19:41 PM |
| TJW2 (Thomas Wengert) | Opened | 03/23/2007 8:54:03 AM |
| | Forwarded | 03/23/2007 8:55:57 AM |

| Post Office | Delivered | Route |
|---|---|---|
| ch_po.CH_DO | 03/23/2007 8:52:44 AM | nrc.gov |
| OWGWPO01.HQGWDO01 | 03/23/2007 8:53:03 AM | nrc.gov |
| OWGWPO02.HQGWDO01 | 03/23/2007 8:53:03 AM | nrc.gov |
| OWGWPO03.HQGWDO01 | 03/23/2007 8:53:03 AM | nrc.gov |
| OWGWPO04.HQGWDO01 | 03/23/2007 8:53:40 AM | nrc.gov |
| TWGWPO01.HQGWDO01 | 03/23/2007 8:53:22 AM | nrc.gov |
| TWGWPO02.HQGWDO01 | 03/23/2007 8:53:03 AM | nrc.gov |
| TWGWPO03.HQGWDO01 | 03/23/2007 8:53:03 AM | nrc.gov |
| TWGWPO04.HQGWDO01 | 03/23/2007 8:53:04 AM | nrc.gov |

| Files | Size | Date & Time |
|---|---|---|
| MESSAGE | 661 | 03/23/2007 8:52:42 AM |
| SummarySlides.ppt | 1170432 | 03/23/2007 8:47:40 AM |

**Options**

| | |
|---|---|
| **Auto Delete:** | No |
| **Expiration Date:** | None |

| | |
|---|---|
| **Notify Recipients:** | Yes |
| **Priority:** | Standard |
| **ReplyRequested:** | No |
| **Return Notification:** | None |
| **Concealed Subject:** | No |
| **Security:** | Standard |
| **To Be Delivered:** | Immediate |
| **Status Tracking:** | All Information |

# Key Conclusions of Exponent's December 15, 2006 Report:

## "Review & Analysis of the Davis-Besse March 2002 Reactor Pressure Vessel Head Wastage Event"

Ron Latanision, Dan Bullen, David Taylor

Exponent *Failure Analysis Associates*

March 22, 2007

BN63097.001 F0T0 0307 DB11

Exponent®

# Principal Conclusion

- Large undercut wastage cavity at CRDM Nozzle 3 developed between October/November 2001 and February 2002
- Basis:
  - Detailed stress analysis of nozzle/weld at Nozzle 3
  - NRC/ANL 2006 crack growth data for actual DB CRDM Nozzle 3 Alloy 600 material
  - Fracture mechanics studies of crack growth
  - Axial nozzle crack leak rate vs. crack length above weld
  - Weld crack leak rate vs. weld crack dimensions
  - Detailed CFD modeling of thermal hydraulic conditions in developing wastage cavity
  - NRC/ANL 2005 data on wetted molten metaboric acid corrosion of low alloy steel
  - Identification of thermal hydraulic conditions leading to rapid metal removal by mechanical jet action and by corrosion due to wetted molten metaboric acid
  - Final wastage cavity morphology
  - Plant operating history



Exponent®

# Cracking/Wastage Timeline

- 12RFO – April/May 2000:
  - Nozzle 3 axial crack has grown to about 0.5 inches above and about 0.8 inches below the weld, total length around 2.5 inches
  - The leak rate from the 0.5 inch axial above-weld crack is estimated at 0.0004 gpm
  - Rapid evaporation to dry-out occurs at this leak rate
  - Sub-surface metal removal at a low rate occurs by mechanical erosion with very little annulus enlargement
  - Total boric acid accumulation from the leakage through this crack at 12RFO is estimated at less than 1 cubic inch
  - This boric acid accumulation may have been visible on the RPV head if there had been no boric acid deposits from leaking CRDM flanges
  - Cleaning of CRDM flange leakage boric acid from the RPV head would have removed any deposits from the leaking crack
  - No annulus enlargement would have been visible even if the RPV head had been clean



Exponent®

# Cracking/Wastage Timeline (cont'd)

- April/May 2001:
  - Nozzle 3 axial crack has grown to about 1.0 inch above the weld
  - The leak rate from this crack is estimated at 0.01 gpm, similar to the total leakage estimated from all cracks at Nozzle 2 in February 2002
  - Sub-surface metal removal at a low rate by mechanical erosion continues and metal removal has likely caused a wastage cavity to form similar in size to that found at Nozzle 2 in February 2002
  - At this leak rate, moisture penetrates into the bottom of the wastage cavity
  - Metal temperatures remain high enough to result in phase transformation of boric acid to metaboric acid and melting
  - Presence of molten metaboric acid and moisture results in acceleration of metal removal at the bottom of the wastage cavity

# Cracking/Wastage Timeline (cont'd)

- May/October 2001:
  - Nozzle 3 axial crack has grown to about 1.1 inches above the weld by October 2001
  - The leak rate from this crack is estimated at 0.02 gpm
  - The upward growing axial nozzle crack and downward growing wastage cavity have intersected
  - Mechanical erosion at the bottom of the wastage cavity increases due to the change in crack jet direction and high velocity jet impingement
  - Moisture penetrates further into the bottom of the wastage cavity due to the higher leak rate
  - Metal temperatures still remain high enough to result in phase transformation of boric acid to metaboric acid and melting
  - Combined action of wetted molten metaboric acid corrosion and mechanical action rapidly removes the 1 inch of remaining low alloy steel covering the weld
  - Undercutting of the wastage cavity likely begins



Exponent®

# CRDM Nozzle 3 and Weld Cracking






Exponent®

# Cracking/Wastage Timeline (cont'd)

- October/November 2001:
  - Large pre-existing weld crack is uncovered by the rapidly downward growing wastage cavity
  - Leak rate increases to around 0.16 gpm
  - Cavity metal wall temperatures remain higher than phase transformation to and melting temperature of metaboric acid
  - High velocity high flow jet impingement and wetted molten metaboric acid corrosion cause rapid wastage cavity growth, undercutting, and large cavity by February 2002
  - Significant moisture penetrates to the RPV head underneath the existing boric acid deposit from CRDM leakage
  - Head surface metal temperature remains high enough to form molten metaboric acid and presence of moisture from higher leak rate results in top-down wastage of RPV alloy steel evident in final wastage cavity morphology



Exponent®

# CRDM Nozzle 3 Weld Cracking

- Metallurgical examination of the Nozzle 3 weld revealed a through weld crack
  - Crack extended radially across the weld from the nozzle OD to the RPV head alloy steel
  - Crack was through weld from bottom to top
  - Crack was much wider than the axial crack in Nozzle 3 above the weld



Exponent®

# CRDM Nozzle 3 Weld Cracking (cont'd)

- Scanning electron micrograph of CRDM Nozzle 3 crack at 180° location showing typical width of PWSCC nozzle cracks. Maximum crack width is about 20 microns (0.0008 inches)




- Optical micrograph of J-groove weld crack in CRDM Nozzle 3 at 10° location. Nominal crack width is about 400 microns (0.016 inches), about 20 times larger than the PWSCC crack in the same nozzle






Exponent®

# Final Wastage Cavity at CRDM Nozzle 3






Exponent®

# CRDM Nozzle 3 Cracking Behavior

- Nozzle 3 Alloy 600 Heat M3935 was shown to be highly susceptible to PWSCC
- Heat M3935 was used at Davis-Besse in the central 5 nozzles out of 69 total nozzles
- Cracking behavior of CRDM nozzles made from Heat M3935 has been highly variable



Exponent®

# CRDM Nozzle 3 Cracking Behavior (cont'd)






Exponent®

# CRDM Nozzle 3 Cracking Behavior (cont'd)

- Actual Nozzle 3 Alloy 600 material exhibited very high crack growth rates in NRC/ANL work reported in 2006
- Crack growth rates for Nozzle 3 Alloy 600 material were 3 to 4 times industry expected rates, at 95$^{th}$ percentile of data
- Explains why the Nozzle 3 axial crack grew to 1.23 inches above the weld and 4.08 inches in total length
- Led to conclusion that cracking timeline for CRDM Nozzle 3 was much shorter than previously thought



Exponent®