



Figure 7.1-7—Safety Automation System Architecture



Note 1 – Hardwired inputs may be from sensors or other safety I&C systems

EPR3030 T2


Figure 7.1-8—Priority and Actuator Control System Architecture



Note 1 – The assignment of the hardwired inputs is in accordance with the functional requirements for the actuator and the priority principles

EPR3035 T2


Figure 7.1-9—Severe Accident I&C System Architecture



Note 1 – Hardwired inputs may be from sensors or other I&C systems

EPR3040 T2

**Figure 7.1-10—Reactor Control, Surveillance, and Limitation System Architecture**



EPR3045 T2

Figure 7.1-11—Process Automation System Architecture (Nuclear Island Subsystem)






Figure 7.1-12—Process Automation System Architecture (Turbine Island and Balance of Plant Subsystem)



Note 1 – Hardwired inputs may be from sensors or other I&C systems

EPR3055 T2


Figure 7.1-13—Process Automation System Architecture (Diverse Actuation Subsystem)



Note 1 – Hardwired inputs may be from sensors or other I&C systems

EPR3060 T2


Figure 7.1-14—Measuring Ranges of Excore Instrumentation



EPR3065 T2



Figure 7.1-15—Excore Instrument Detector Locations




**Notes:**

- |          |   |                             |                            |
|----------|---|-----------------------------|----------------------------|
| 1. PRD : | Ø | Power Range Detector        | 4 locations of 2 detectors |
| 2. IRD : | Ø | Intermediate Range Detector | 4 locations of 1 detector  |
| 3. SRD : | O | Source Range Detector       | 3 locations of 1 detector  |


EPR3070 T2

Figure 7.1-16—Boron Concentration Measurement System Arrangement




EPR3075 T2

Figure 7.1-17—Implementation of Defense-In-Depth




EPR3080 T2

Figure 7.1-18—Implementation of Diversity




EPR3085 T2

Figure 7.1-19—Implementation of Independence Between Redundant Divisions



EPR3090 T2

Figure 7.1-20—Implementation of Independence Between Safety and Non-Safety I&C



EPR3095 T2

Figure 7.1-21—Levels of Defense for Cybersecurity

