
CHAPTER 15—TRANSIENT AND ACCIDENT ANALYSES

15.0 TRANSIENT AND ACCIDENT ANALYSES	15.0-1
15.0.0.1 Classification of Transients and Accidents.....	15.0-1
15.0.0.2 Accident Analysis Acceptance Criteria.....	15.0-2
15.0.0.3 Plant Characteristics Considered in the Safety Analysis.....	15.0-2
15.0.1 Radiological Consequence Analysis	15.0-9
15.0.2 Computer Codes Used in Analysis.....	15.0-10
15.0.2.1 PRISM	15.0-10
15.0.2.2 NEMO-K	15.0-10
15.0.2.3 LYNXT	15.0-10
15.0.2.4 S-RELAP5	15.0-10
15.0.2.5 ORIGEN	15.0-11
15.0.3 Radiological Consequences of Design Basis Accidents	15.0-11
15.0.3.1 Introduction.....	15.0-11
15.0.3.2 Event Categorization	15.0-11
15.0.3.3 Analytical Assumptions	15.0-12
15.0.3.4 Receptor Variables	15.0-14
15.0.3.5 Small Line Carrying Primary Coolant Break Outside of the Reactor Building Accident.....	15.0-16
15.0.3.6 Steam Generator Tube Rupture Accident	15.0-19
15.0.3.7 Main Steam Line Break Outside of Reactor Building Accident.....	15.0-21
15.0.3.8 Locked Rotor Accident	15.0-24
15.0.3.9 Rod Ejection Accident	15.0-26
15.0.3.10 Fuel Handling Accident	15.0-28
15.0.3.11 Loss of Coolant Accident.....	15.0-30
15.0.3.12 Postaccident Reactor Building Water Chemistry Control.....	15.0-34
15.0.3.13 Control Room Radiological Habitability	15.0-35

15.0.4 Post Chapter 15 Events Cooldown.....	15.0-35
15.0.4.1 Analysis	15.0-35
15.0.4.2 Conclusion.....	15.0-37
15.0.5 Compliance with Section C.I.15, "Transient and Accident Analyses," of Regulatory Guide 1.206	15.0-38
15.0.6 References	15.0-38
15.1 Increase in Heat Removal by the Secondary System	15.1-1
15.1.1 Decrease in Feedwater Temperature.....	15.1-1
15.1.1.1 Identification of Causes and Event Description	15.1-1
15.1.1.2 Methods of Analysis and Assumptions	15.1-1
15.1.1.3 Results	15.1-2
15.1.1.4 Radiological Consequences	15.1-3
15.1.1.5 Conclusions	15.1-3
15.1.1.6 SRP Acceptance Criteria.....	15.1-3
15.1.2 Increase in Feedwater Flow	15.1-5
15.1.2.1 Identification of Causes and Event Description	15.1-5
15.1.2.2 Methods of Analysis and Assumptions	15.1-6
15.1.2.3 Results	15.1-7
15.1.2.4 Radiological Consequences	15.1-7
15.1.2.5 Conclusions.....	15.1-7
15.1.2.6 SRP Acceptance Criteria.....	15.1-8
15.1.3 Increase in Steam Flow	15.1-9
15.1.3.1 Identification of Causes and Event Description	15.1-9
15.1.3.2 Methods of Analysis and Assumptions	15.1-10
15.1.3.3 Results	15.1-10
15.1.3.4 Radiological Consequences	15.1-11
15.1.3.5 Conclusions	15.1-11
15.1.3.6 SRP Acceptance Criteria.....	15.1-11
15.1.4 Inadvertent Opening of a Steam Generator Relief or Safety Valve	15.1-13
15.1.4.1 Identification of Causes and Event Description	15.1-13
15.1.4.2 Methods of Analysis and Assumptions	15.1-14
15.1.4.3 Results	15.1-15
15.1.4.4 Radiological Consequences	15.1-16

15.1.4.5 Conclusions.....	15.1-17
15.1.4.6 SRP Acceptance Criteria.....	15.1-17
15.1.5 Steam System Piping Failures Inside and Outside of Containment (PWR)	15.1-18
15.1.5.1 Identification of Causes and Event Description	15.1-19
15.1.5.2 Methods of Analysis and Assumptions	15.1-19
15.1.5.3 Results	15.1-20
15.1.5.4 Radiological Consequences	15.1-21
15.1.5.5 Conclusions	15.1-21
15.1.5.6 SRP Acceptance Criteria.....	15.1-21
15.1.6 References	15.1-23
15.2 Decrease in Heat Removal by the Secondary System	15.2-1
15.2.1 Loss of External Load.....	15.2-1
15.2.1.1 Identification of Causes and Event Description.....	15.2-1
15.2.1.2 Method of Analysis and Assumptions	15.2-2
15.2.1.3 Conclusions.....	15.2-2
15.2.2 Turbine Trip	15.2-2
15.2.2.1 Identification of Causes and Event Description.....	15.2-2
15.2.2.2 Method of Analysis and Assumptions	15.2-3
15.2.2.3 Results	15.2-3
15.2.2.4 Radiological Consequences.....	15.2-4
15.2.2.5 Conclusions.....	15.2-4
15.2.2.6 SRP Acceptance Criteria.....	15.2-4
15.2.3 Loss of Condenser Vacuum	15.2-7
15.2.3.1 Radiological Consequences.....	15.2-7
15.2.4 Inadvertent Closure of Main Steam Isolation Valves.....	15.2-7
15.2.4.1 Identification of Causes and Event Description.....	15.2-7
15.2.4.2 Method of Analysis and Assumptions	15.2-8
15.2.4.3 Results	15.2-9
15.2.4.4 Radiological Consequences.....	15.2-10
15.2.4.5 Conclusions.....	15.2-10
15.2.4.6 SRP Acceptance Criteria.....	15.2-10

15.2.5 Steam Pressure Regulator Failure	15.2-13
15.2.6 Loss of Non-Emergency AC Power to the Station Auxiliaries	15.2-13
15.2.7 Loss of Normal Feedwater Flow.....	15.2-14
15.2.7.1 Identification of Causes and Event Description....	15.2-14
15.2.7.2 Method of Analysis and Assumptions	15.2-15
15.2.7.3 Results	15.2-15
15.2.7.4 Radiological Consequences.....	15.2-16
15.2.7.5 Conclusions.....	15.2-16
15.2.7.6 SRP Acceptance Criteria.....	15.2-17
15.2.8 Feedwater Piping Breaks Inside and Outside Containment..	15.2-19
15.2.8.1 Identification of Causes and Event Description....	15.2-19
15.2.8.2 Method of Analysis and Assumptions	15.2-20
15.2.8.3 Results	15.2-22
15.2.8.4 Radiological Consequences.....	15.2-24
15.2.8.5 Conclusions.....	15.2-24
15.2.8.6 SRP Acceptance Criteria.....	15.2-25
15.2.9 References	15.2-27
15.3 Decrease in Reactor Coolant System Flow Rate	15.3-1
15.3.1 Partial Loss of Forced Reactor Coolant Flow	15.3-1
15.3.1.1 Identification of Causes and Event Description....	15.3-1
15.3.1.2 Method of Analysis and Assumptions	15.3-2
15.3.1.3 Results	15.3-3
15.3.1.4 Radiological Consequences.....	15.3-3
15.3.1.5 Conclusions.....	15.3-3
15.3.1.6 SRP Acceptance Criteria.....	15.3-3
15.3.2 Complete Loss of Forced Reactor Coolant Flow.....	15.3-5
15.3.2.1 Identification of Causes and Event Description....	15.3-5
15.3.2.2 Method of Analysis and Assumptions	15.3-6
15.3.2.3 Results	15.3-6
15.3.2.4 Radiological Consequences	15.3-7
15.3.2.5 Conclusions	15.3-7
15.3.2.6 SRP Acceptance Criteria.....	15.3-7

15.3.3 Reactor Coolant Pump Rotor Seizure	15.3-9
15.3.3.1 Identification of Causes and Event Description.....	15.3-9
15.3.3.2 Method of Analysis and Assumptions	15.3-9
15.3.3.3 Results	15.3-9
15.3.3.4 Radiological Consequences	15.3-10
15.3.3.5 Conclusions	15.3-10
15.3.3.6 SRP Acceptance Criteria.....	15.3-10
15.3.4 Reactor Coolant Pump Shaft Break	15.3-12
15.3.4.1 Identification of Causes and Event Description	15.3-12
15.3.4.2 Method of Analysis and Assumptions	15.3-13
15.3.5 References	15.3-13
15.4 Reactivity and Power Distribution Anomalies	15.4-1
15.4.1 Uncontrolled Control Rod Assembly Withdrawal from a Subcritical or Low-Power Startup Condition	15.4-1
15.4.1.1 Identification of Causes and Event Description.....	15.4-1
15.4.1.2 Method of Analysis and Assumptions	15.4-3
15.4.1.3 Results	15.4-4
15.4.1.4 Radiological Conclusions	15.4-4
15.4.1.5 Conclusions.....	15.4-4
15.4.1.6 SRP Acceptance Criteria.....	15.4-4
15.4.2 Uncontrolled Control Rod Assembly Withdrawal at Power ...	15.4-5
15.4.2.1 Identification of Causes and Event Description.....	15.4-5
15.4.2.2 Method of Analysis and Assumptions	15.4-7
15.4.2.3 Results	15.4-8
15.4.2.4 Radiological Consequences.....	15.4-8
15.4.2.5 Conclusions.....	15.4-8
15.4.2.6 SRP Acceptance Criteria.....	15.4-9
15.4.3 Control Rod Misoperation (System Malfunction or Operator Error).....	15.4-9
15.4.3.1 Dropped RCCA or RCCA Sub-Bank	15.4-10
15.4.3.2 Statically Misaligned RCCA.....	15.4-13
15.4.3.3 Single RCCA Withdrawal	15.4-13
15.4.3.4 SRP Acceptance Criteria.....	15.4-14

15.4.4 Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature	15.4-15
15.4.4.1 Identification of Causes and Event Description.....	15.4-15
15.4.4.2 Method of Analysis and Assumptions	15.4-15
15.4.4.3 Results	15.4-16
15.4.4.4 Radiological Consequences.....	15.4-17
15.4.4.5 Conclusions.....	15.4-17
15.4.4.6 SRP Acceptance Criteria.....	15.4-17
15.4.5 Flow Controller Malfunction Causing an Increase in BWR Core Flow Rate	15.4-18
15.4.6 Chemical and Volume Control System Malfunction that Results in a Decrease in the Boron Concentration in the Reactor Coolant	15.4-18
15.4.6.1 Identification of Causes and Accident Description	15.4-18
15.4.6.2 Method of Analysis	15.4-22
15.4.6.3 Results	15.4-25
15.4.6.4 Radiological Conclusions	15.4-26
15.4.6.5 Conclusions.....	15.4-26
15.4.6.6 SRP Acceptance Criteria.....	15.4-26
15.4.7 Inadvertent Loading and Operation of a Fuel Assembly in an Improper Position	15.4-29
15.4.7.1 Identification of Causes and Accident Description	15.4-29
15.4.7.2 Method of Analysis and Assumptions	15.4-29
15.4.7.3 Results	15.4-30
15.4.7.4 Conclusions.....	15.4-31
15.4.7.5 SRP Acceptance Criteria.....	15.4-31
15.4.8 Spectrum of Rod Ejection Accidents in a PWR	15.4-32
15.4.8.1 Identification of Causes and Accident Description	15.4-32
15.4.8.2 Method of Analysis and Assumptions	15.4-33
15.4.8.3 Results	15.4-35
15.4.8.4 Radiological Consequences.....	15.4-36
15.4.8.5 Conclusions	15.4-36
15.4.8.6 SRP Acceptance Criteria.....	15.4-36

15.4.9 Spectrum of Rod Drop Accidents (BWR)	15.4-37
15.4.10 References	15.4-37
15.5 Increase in Reactor Coolant Inventory	15.5-1
15.5.1 Inadvertent Operation of ECCS or EBS	15.5-1
15.5.1.1 Identification of Causes and Event Description	15.5-1
15.5.1.2 Method of Analysis and Assumptions	15.5-2
15.5.1.3 Results	15.5-3
15.5.1.4 Radiological Consequences	15.5-3
15.5.1.5 Conclusions	15.5-3
15.5.1.6 SRP Acceptance Criteria	15.5-4
15.5.2 Chemical and Volume Control System Malfunction that Increases Reactor Coolant Inventory	15.5-5
15.5.2.1 Identification of Causes and Event Description	15.5-5
15.5.2.2 Method of Analysis and Assumptions	15.5-6
15.5.2.3 Results	15.5-6
15.5.2.4 Radiological Consequences	15.5-7
15.5.2.5 Conclusions	15.5-7
15.5.2.6 SRP Acceptance Criteria	15.5-8
15.5.3 References	15.5-9
15.6 Decrease in Reactor Coolant Inventory Events	15.6-1
15.6.1 Inadvertent Opening of a Pressurizer Safety Valve	15.6-1
15.6.1.1 Identification of Causes and Event Description	15.6-1
15.6.1.2 Method of Analysis and Assumptions	15.6-3
15.6.1.3 Results	15.6-4
15.6.1.4 Radiological Consequences	15.6-5
15.6.1.5 Conclusions	15.6-5
15.6.1.6 SRP Acceptance Criteria	15.6-5
15.6.2 Radiological Consequences of the Failure of Small Lines Carrying Primary Coolant Outside Containment	15.6-6
15.6.3 Steam Generator Tube Failure (PWR)	15.6-6
15.6.3.1 Identification of Causes and Accident Description	15.6-6
15.6.3.2 Method of Analysis and Assumptions	15.6-9
15.6.3.3 Results	15.6-10

15.6.3.4	Radiological Consequences	15.6-12
15.6.3.5	Conclusions.....	15.6-13
15.6.3.6	SRP Acceptance Criteria.....	15.6-13
15.6.4	Radiological Consequences of Main Steam Line Failure Outside Containment (BWR)	15.6-13
15.6.5	Loss of Coolant Accidents Resulting from Spectrum of Postulated Piping Breaks Within the Reactor Coolant Pressure Boundary	15.6-14
15.6.5.1	Large Break Loss of Coolant Accident	15.6-14
15.6.5.2	Small Break Loss of Coolant Accident	15.6-21
15.6.5.3	Coolable Core Geometry.....	15.6-31
15.6.5.4	Long-Term Core Cooling.....	15.6-32
15.6.6	References	15.6-37
15.7	Radioactive Release from a Subsystem or Component.....	15.7-1
15.7.1	Radioactive Gas Waste System Leak or Failure	15.7-1
15.7.2	Radioactive Liquid Waste System Leak or Failure	15.7-1
15.7.3	Postulated Radioactive Releases due to Liquid-Containing Tank Failures.....	15.7-1
15.7.4	Radiological Consequences of Fuel Handling Accidents	15.7-1
15.7.5	Spent Fuel Cask Drop Accidents	15.7-1
15.8	Anticipated Transients Without Scram	15.8-1
15.8.1	General Background.....	15.8-1
15.8.1.1	U.S. EPR Design Features.....	15.8-1
15.8.1.2	Protection System	15.8-2
15.8.1.3	Process Automation System	15.8-2
15.8.1.4	Emergency Feedwater System	15.8-3
15.8.1.5	Extra Borating System.....	15.8-3
15.8.1.6	Mechanical Blockage of Rod Cluster Control Assemblies	15.8-3
15.8.2	Anticipated Transients Without Scram	15.8-4
15.8.2.1	Loss of Feedwater.....	15.8-4
15.8.2.2	Loss of Electrical Load	15.8-4
15.8.2.3	Turbine Trip	15.8-5
15.8.2.4	Loss of Condenser Vacuum	15.8-5

15.8.2.5 Loss of Offsite Power	15.8-6
15.8.2.6 Closure of Main Steam Line Isolation Valves.....	15.8-6
15.8.2.7 Rod Cluster Control Assembly Events	15.8-7
15.8.3 Conclusion.....	15.8-8
15.8.4 References	15.8-9
15.9 Boiling Water Reactor Stability.....	15.9-1
15.10 Spent Fuel Pool Criticality and Boron Dilution Analysis	15.10-1