Docket Nos. 50-390 and 50-391

Mr. Oliver D. Kingsley, Jr.
Senior Vice President, Nuclear Power
Tennessee Valley Authority
6N 38A Lookout Place
1101 Market Street
Chattanooga, Tennessee 37402-2801

Dear Mr. Kingsley:

SUBJECT: WATTS BAR UNIT 1 - APPROVAL OF TRANSITION FROM AMERICAN SOCIETY

OF MECHANICAL ENGINEERS (ASME) CODE SECTION III TO SECTION XI WELDING

REQUIREMENTS (TAC 72106)

In a letter dated October 24, 1990, Mr. E. G. Wallace of your staff requested NRC approval of TVA's approach for transition from the ASME Code Section III welding requirements to ASME Code Section XI welding requirements. Specifically, Mr. Wallace proposed that after the ASME Code Section III construction requirements are completed, including supplements to the ASME N-5 data packages and system acceptance by the Department of Operation, any subsequent welding activities affecting the system will be performed in accordance with the requirements of ASME Code Section XI.

This transition is consistent with industry practice and we find this approach acceptable. This process will provide for an orderly transition from the ASME Code Section III construction phase welding activities to ASME Code Section XI operation phase welding activities. This completes our efforts on Mr. Wallace's request. The review was performed by Mr. G. Georgiev of the Chemical Engineering Branch.

Sincerely.

Original signed by

Peter S. Tam, Senior Project Manager Project Directorate II-4 Division of Reactor Projects - I/II Office of Nuclear Reactor Regulation

cc: See next page

PDR

ADOCK 05000390

OFC :PDII-47LA	:PDII-4/PM	:PDII-47DD	:PDII 34/D	Star State Star Star Star Star Star Star Star Star	ET BALL BALL BALL BALL BALL BALL BALL BAL
NAME MKrebs MK	:PTam:as	SBlack	FHebdon	: ब्राट्स कर कर है अब ब्रह्म कर कर कर कर कर है। है है	70. Die een hat dat dat dat de dat de
	11/ <b>[9</b> /90	:11/20/90	:11/20/90	- max Bac Ber () 640 644 644 645 644 655 6 6 7	
OFFICIAL RECORD COPY Document Name: LTR. 20113		() x 0 \		m/A-4/	

Mr. Oliver D. Kingsley, Jr.

cc: Mr. Marvin Runyon, Chairman Tennessee Valley Authority ET 12A 7A 400 West Summit Hill Drive Knoxville, Tennessee 37902

Mr. Edward G. Wallace
Manager, Nuclear Licensing
and Regulatory Affairs
Tennessee Valley Authority
5N 157B Lookout Place
Chattanooga, Tennessee 37402-2801

Mr. John B. Waters, Director Tennessee Valley Authority ET 12A 9A 400 West Summit Hill Drive Knoxville, Tennessee 37902

Mr. W. F. Willis Chief Operating Officer ET 12B 16B 400 West Summit Hill Drive Knoxville, Tennessee 37902

General Counsel
Tennessee Valley Authority
400 West Summit Hill Drive
ET 11B 33H
Knoxville, Tennessee 37902

Mr. Dwight Nunn Vice President, Nuclear Projects Tennessee Valley Authority 6N 38A Lookout Place 1101 Market Street Chattanooga, Tennessee 37902

Dr. Mark O. Medford Vice President, Nuclear Assurance, Licensing and Fuels Tennessee Valley Authority 6N 38A Lookout Place Chattanooga, Tennessee 37402-2801

Tennessee Valley Authority Rockville Office 11921 Rockville Pike Suite 402 Rockville, Maryland 20852 Mr. John H. Garrity, Site Vice President Watts Bar Nuclear Plant Tennessee Valley Authority P. O. Box 800 Spring City, Tennessee 37381

Mr. R. J. Stevens, Site Licensing Manager Watts Bar Nuclear Plant Tennessee Valley Authority P. C. Box 800 Spring City, Tennessee 37381

Mr. Richard F. Wilson Vice Fresident, New Projects Tennessee Valley Authority 6N 38A Lookout Place Chattanooga, Tennessee 37402-2801

Honorable Robert Aikman, County Judge Rhea County Courthouse Dayton, Tennessee 37321

Honorable Johnny Powell, County Judge Meigs County Courthouse, Route 2 Decatur, Tennessee 37322

Mr. Michael H. Mobley, Director Division of Radiological Health T.E.R.R.A. Building, 6th Floor 150 9th Avenue North Nashville, Tennessee 37219-5404

Regional Administrator, Region II U.S. Nuclear Regulatory Commission 101 Marietta Street, N.W. Atlanta, Georgia 30323

Senior Resident Inspector Watts Bar Nuclear Plant U. S. Nuclear Regulatory Commission Route 2, Box 700 Spring City, Tennessee 37381

14-E-4
14-H-3
<del></del>
RII
15-B-18
MNBB-3701