



Adult Cardiology

Phillip H. Behrens, MD, FACC
Phillip R. Casino, MD, FACC
Deborah A. Cortlandt, DO
Barry J. Crevey, MD, FACP
David B. Curtis, MD, FACC
Hassan Hamed, MD, FACC
Asem A. Rimawi, MD
Asim Rehman, MD, FACP, FACC
Sanford E. Schen, MD, LMCC

Pediatric Cardiology

Deepa H. Kumbar, MD, FAAP, FACC

Cardiovascular Surgery

Larry D. Bucshon, MD
Stephen L. Dickson, Jr., MD, FACS

Nurse Practitioners

Shaleen L. Ayers, C.N.S.
Vickie L. Bush, F.N.P.
Vande L. Cox, F.N.P.
Kacy S. Jones, M.S.N., A.C.N.P.
Claudia R. Merkley, A.C.N.P.

901 St. Mary Drive, Suite 300
Evansville, IN 47714
(812) 473-2642 Phone
(812) 474-4473 Fax
Administration Voice Mail
(812) 474-4477, Extension 600

Doctor's Plaza, Suite 206
611 Harriet Street
Evansville, IN 47710
(812) 425-2454 Phone
(812) 425-2692 Fax

914 Elm Street
Henderson, KY 42420
(270) 830-6651 Phone
(270) 830-9811 Fax

800-26-HEART
www.ovhc.com

December 11, 2007

U. S. Nuclear Regulatory Commission
Materials Licensing Section
2443 Warrenville Road, Suite 210
Lisle, IL 60532-4352

Dear Sir or Madam:

Ohio Valley Heartcare would like to amend its Byproduct Materials License, Number 13-24600-01, to add David Curtis, MD as an Authorized User of materials licensed under 10 C.F.R. 35.100 and 35.200. Enclosed is NRC Form 313A(aud), documenting Dr. Curtis' training and experience.

If there are any questions concerning this license amendment, please contact our nuclear medicine physicist, Mr. Patrick J. Byrne, D.A.B.R., C.H.P. at 877-317-5811.

Sincerely,

A handwritten signature in black ink, appearing to read "Phillip Behrens".

Phillip Behrens, MD
Radiation Safety Officer

RECEIVED DEC 26 2007

**AUTHORIZED USER TRAINING AND EXPERIENCE
AND PRECEPTOR ATTESTATION**
(for uses defined under 35.100, 35.200, and 35.500)
[10 CFR 35.190, 35.290, and 35.590]

APPROVED BY OMB: NO. 3150-0120
EXPIRES: 10/31/2008

Name of Proposed Authorized User

David B. Curtis, M.D.

State or Territory Where Licensed

Indiana

Requested Authorization(s) (check all that apply)

35.100 Uptake, dilution, and excretion studies

35.200 Imaging and localization studies

35.500 Sealed sources for diagnosis (specify device _____)

PART I -- TRAINING AND EXPERIENCE
(Select one of the three methods below)

* Training and Experience, including board certification, must have been obtained within the 7 years preceding the date of application or the individual must have obtained related continuing education and experience since the required training and experience was completed. Provide dates, duration, and description of continuing education and experience related to the uses checked above.

1. Board Certification

- a. Provide a copy of the board certification.
- b. If using only 35.500 materials, stop here. If using 35.100 and 35.200 materials, skip to and complete Part II Preceptor Attestation.

2. Current 35.390 Authorized User Seeking Additional 35.290 Authorization

- a. Authorized user on Materials License _____ meeting 10 CFR 35.390 or equivalent Agreement State requirements seeking authorization for 35.290.
- b. Supervised Work Experience.
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

Description of Experience	Location of Experience/License or Permit Number of Facility	Clock Hours	Dates of Experience*
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs			

Total Hours of Experience:

Supervising Individual

License/Permit Number listing supervising individual as an authorized user

Supervisor meets the requirements below, or equivalent Agreement State requirements (check all that apply).

- 35.290 35.390 + generator experience in 32.290(c)(1)(ii)(G)

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. Training and Experience for Proposed Authorized User

a. Classroom and Laboratory Training.

Description of Training	Location of Training	Clock Hours	Dates of Training*
Radiation physics and instrumentation			
Radiation protection			
Mathematics pertaining to the use and measurement of radioactivity			
Chemistry of byproduct material for medical use (not required for 35.590)			
Radiation biology			
Total Hours of Training: 80			

b. Supervised Work Experience (completion of this table is not required for 35.590).
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

Supervised Work Experience		Total Hours of Experience: 620	
Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Ordering, receiving, and unpacking radioactive materials safely and performing the related radiation surveys	Ohio Valley Heartcare 13-24600-01	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5/07 to 12/07
Performing quality control procedures on instruments used to determine the activity of dosages and performing checks for proper operation of survey meters	" "	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. Training and Experience for Proposed Authorized User (continued)

b. Supervised Work Experience. (continued)

Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Calculating, measuring, and safely preparing patient or human research subject dosages	"	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"
Using administrative controls to prevent a medical event involving the use of unsealed byproduct material	"	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"
Using procedures to contain spilled byproduct material safely and using proper decontamination procedures	"	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"
Administering dosages of radioactive drugs to patients or human research subjects	"	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs	Associates in Medical Physics, LLC 5288 Transportation Blvd. Cleveland, Ohio 44125 Phone: 216-663-7000 via GE Radiopharmacy 8300 Sweet Valley, SDuite 304 Valley View, Ohio 44125	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9-20-2007

Supervising Individual Phillip Behrens, M.D.	License/Permit Number listing supervising individual as an authorized user 13-24600-01
---	---

Supervisor meets the requirements below, or equivalent Agreement State requirements (*check one*).

35.190 35.290 35.390 35.390 + generator experience in 35.290(c)(1)(ii)(G)

c. For 35.590 only, provide documentation of training on use of the device.

Device	Type of Training	Location and Dates

d. For 35.500 uses only, stop here. For 35.100 and 35.200 uses, skip to and complete Part II Preceptor Attestation.

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

PART II – PRECEPTOR ATTESTATION

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each. (Not required to meet training requirements in 35.590)

First Section

Check one of the following for each use requested:

For 35.190

Board Certification

I attest that _____ has satisfactorily completed the requirements in
Name of Proposed Authorized User

10 CFR 35.190(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

OR

Training and Experience

I attest that David B. Curtis, M.D. has satisfactorily completed the 60 hours of training and
Name of Proposed Authorized User

experience, including a minimum of 8 hours of classroom and laboratory training, required by 10 CFR 35.190(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

For 35.290

Board Certification

I attest that _____ has satisfactorily completed the requirements in
Name of Proposed Authorized User

10 CFR 35.290(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

OR

Training and Experience

I attest that David B. Curtis, M.D. has satisfactorily completed the 700 hours of training
Name of Proposed Authorized User


and experience, including a minimum of 80 hours of classroom and laboratory training, required by 10 CFR 35.290(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

Second Section

Complete the following for preceptor attestation and signature:

I meet the requirements below, or equivalent Agreement State requirements, as an authorized user for:

- 35.190
- 35.290
- 35.390
- 35.390 + generator experience

Name of Preceptor Phillp Behrens, M.D.	Signature 	Telephone Number 812-473-2642	Date 12-18-07
License/Permit Number/Facility Name Ohio Valley Heartcare			




901 St. Mary Drive, Suite 300
Evansville, Indiana 47714
Address Service Requested

PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT
OF THE RETURN ADDRESS, FOLD AT DOTTED LINE
CERTIFIED MAIL™



7003 1010 0000 8510 0794



Hasler

016H26508964

\$05.21₀
12/19/2007

Mailed From 47714
US POSTAGE

U.S. Nuclear Regulatory Commission
Materials Licensing Section
2443 Warrenville Road, Suite 210
Lisle, IL 60532-4352

60532-4352 0021 *