

**CERTIFICATE OF COMPLIANCE
FOR RADIOACTIVE MATERIAL PACKAGES**

Formatted Table

1	a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
	9328	3	71-9328	USA/9328/AF-96	1	OF 4

2. PREAMBLE

Formatted: Left: 0.5", Right: 0.5",
Top: 1.28"

Formatted Table

- a. This certificate is issued to certify that the package (packaging and contents) described in Item 5 below meets the applicable safety standards set forth in Title 10, Code of Federal Regulations, Part 71, "Packaging and Transportation of Radioactive Material."
- b. This certificate does not relieve the consignor from compliance with any requirement of the regulations of the U.S. Department of Transportation or other applicable regulatory agencies, including the government of any country through or into which the package will be

3. THIS CERTIFICATE IS ISSUED ON THE BASIS OF A SAFETY ANALYSIS REPORT OF THE PACKAGE DESIGN OR APPLICATION

- a. ISSUED TO (*Name and Address*)
[AREVA Federal Services LLC](#)
1102 Broadway Plaza, Suite 300
Tacoma, WA 98402-3526
- b. TITLE AND IDENTIFICATION OF REPORT OR APPLICATION
Packaging Technology, Inc., application dated
August 28, 2006, as supplemented.

4. CONDITIONS

This certificate is conditional upon fulfilling the requirements of 10 CFR Part 71, as applicable, and the conditions specified below.

5.



**CERTIFICATE OF COMPLIANCE
FOR RADIOACTIVE MATERIAL PACKAGES**

1.	a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
	9328	2	71-9328	USA/9328/AF-96	2 OF	4


a. Packaging

- (1) Model No.: TN-55
- (2) Description

The Model No. TN-55 packaging is designed to transport uranium oxide powder. The packaging consists of a 55-gallon drum within an overpack. The uranium oxide powder is transported inside the drum. The 55-gallon drum is a DOT specification 7A Type A drum with a reinforced closure system and ceramic gasket. The overpack for the drum has an outer surface of nominal 18-gauge galvanized carbon steel, and a reinforced fiberglass liner. The void space between the liner and outer surface is filled with a polyurethane foam. Forklift pockets, made of 12-gauge galvanized carbon steel, are located on the bottom of the overpack. The nominal outside dimensions of the overpack are 32 inch diameter and 51-5/8 inch height. The maximum gross weight of the package is 1,010 pounds.

- (3) Drawing

The packaging shall be constructed and assembled in accordance with Areva Drawing No. 60699-SAR, Revision No. 1, sheets 1 through 4.



**CERTIFICATE OF COMPLIANCE
FOR RADIOACTIVE MATERIAL PACKAGES**

1. a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
9328	3	71-9328	USA/9328/AF-96	3 OF	4

b. Contents (continued)

(1) Type and Form of Material

Unirradiated uranium oxide powder with a maximum moisture content of 2 percent. The maximum enrichment is 1.2 weight percent u-235. The content may be packaged in plastic packaging or with other plastic material within the 55-gallon drum, provided the total plastic per drum does not exceed 1,307 grams water-hydrogen equivalent or (1,000 grams of polyethylene). Materials with a hydrogen density greater than water are not authorized, with the exception of polyethylene.

(2) Maximum Quantity of Material per Package

Up to 650 pounds (295 kilograms) of unirradiated uranium oxide powder per package.

c. Criticality Safety Index: 1.7

6. Transport by air is not authorized.

7. In addition to the requirements of Subpart G of 10 CFR Part 71:


a. Each package shall be prepared for shipment and operated in accordance with the "Package Operations," in Chapter 7 of the application.

b. Each packaging shall be tested and maintained in accordance with the "Acceptance Tests and Maintenance Program," in Chapter 8 of the application.

8. The package authorized by this certificate is hereby approved for use under general license provisions of 10 CFR 71.17.

9. Revision No. 2 of this certificate may be used until December 31, 2008.

10. Expiration date: April 30, 2012.



NRC FORM 618 (8-2000) 10 CFR 71		U.S. NUCLEAR REGULATORY COMMISSION			
CERTIFICATE OF COMPLIANCE FOR RADIOACTIVE MATERIAL PACKAGES					
1. a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
9328	3	71-9328	USA/9328/AF-96	4 OF	4

Formatted Table

REFERENCES

Packaging Technology, Inc., application dated August 28, 2006.

Supplement dated: January 31, 2007, and November 26, 2007.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

/RA/
 Robert A. Nelson, Chief
 Licensing Branch
 Division of Spent Fuel Storage and Transportation
 Office of Nuclear Material Safety
 and Safeguards

Date: January 1, 2008

