DISTRIBUTION:
Doc. Room
Compliance, HQs (2)
Suppl.
C. Luke, ML
Br. & Div. RFs

DML: KEL 70-58

APR 1 4 1965

Martin Company Nuclear Division Baltimore, Maryland 21203

Attention: Mr. C. W. Keller

Nuclear Accountability and Licensing Representative

## Gentlemen:

This refers to your letter dated February 24, 1965, requesting amendment of License No. SNM-53 to authorize shipment of uranium oxide powder.

The shipping container described in your letter does not appear to meet the criteria for Class I type containers, i.e., packages which may be transported in unlimited numbers, in any arrangement and which require no control during transport to avoid criticality. However, the container is acceptable provided adequate procedures for commingling control are observed.

Since you propose that commingling control will be achieved by your obtaining a written certificate from the carrier, please confirm that such a certificate will be obtained from the carrier prior to the shipment and that the certificate will specify that the special nuclear material will be transported in the same vehicle with no intermediate unloading or transshipment until final delivery to the consignee, that no cargo containing other special nuclear material will be transported in the same vehicle, and that the name of the carrier, the consignee and the location of the consignee's facility at the destination and the mode of transport will also appear on the certificate.

If the shipment will involve intermediate loading or unloading or transshipment at a terminal, you should describe the arrangements which have been made with all carriers involved and with terminal authorities to assure that your shipment will not be placed closer than twenty (20) feet to other special nuclear material at any time during loading, transshipment and delivery.

Very truly yours,

					· · ( · · ·	
OFFICE >	DML	DML	DML Donald	A. Nussbaums	r. Chief	
	جري المراج ا				clear Materia	ls Br.
SURNAME >	auterbach: jb	CLuke DNu		on of Materia	ls Licensing	
DATE >	4/13/65		4/14/65			