



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

January 8, 2008

Docket No. 03033578
Control No. 141467

License No. 24-04206-19MD

Kay M. Yoder
Director, Radiation , Environment, Safety & Health
Mallinckrodt, Inc.
675 McDonnell Blvd.
P.O. Box 5840
St. Louis, MO 63134

SUBJECT: MALLINCKRODT, INC., LICENSE AMENDMENT, CONTROL NO. 141467

Dear Ms. Yoder:

This refers to your license amendment request. Enclosed with this letter is the amended license.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5239, so that we can provide appropriate corrections and answers.

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14).

Current NRC regulations and guidance are included on the NRC's website at www.nrc.gov; select **Nuclear Materials; Medical, Academic, and Industrial Uses of Nuclear Material**; then **Regulations, Guidance, and Communications**. You may also obtain these documents by contacting the Government Printing Office (GPO) toll-free at 1-866-512-1800. The GPO is open from 7:00 a.m. to 8:00 p.m. EST, Monday through Friday (except Federal holidays).

Thank you for your cooperation.

Sincerely,

Original signed by Thomas K. Thompson

Thomas K. Thompson
Senior Health Physicist
Commercial and R&D Branch
Division of Nuclear Materials Safety

Enclosure:
Amendment No. 21

K. Yoder
Malinckrodt, Inc.

2

cc:
Michael Mezeivtch, Radiation Safety Officer

DOCUMENT NAME: C:\FileNet\ML080140147.wpd

SUNSI Review Complete: TThompson

After declaring this document "An Official Agency Record" it will be released to the Public.

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	<input checked="" type="checkbox"/> N	DNMS/RI	<input type="checkbox"/>	DNMS/RI	<input type="checkbox"/>	<input type="checkbox"/>
NAME	TThompson/TKT						
DATE	1/8/08						

OFFICIAL RECORD COPY

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee	In accordance with the letter dated December 19, 2007,
1. Mallinckrodt, Inc.	3. License No. 24-04206-19MD is amended in its entirety to read as follows:
2. 675 McDonnell Boulevard P.O. Box 5840 St. Louis, Missouri 63134	4. Expiration Date: March 31, 2011
	5. Docket No. 030-33578

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license
A. Any byproduct material with atomic numbers 1 through 83, except molybdenum 99, technetium 99m, iodine 131 and xenon 133	A. Any, except sealed sources	A. Not to exceed 500 millicuries per radionuclide with half life of less than 120 days, and 1 curie total
B. Molybdenum 99	B. Any, except sealed sources	B. 200 curies
C. Technetium 99m	C. Any, except sealed sources	C. 200 curies
D. Iodine 131	D. Any, except sealed sources	D. 5 curies
E. Xenon 133	E. Any, except sealed sources	E. 2 curies
F. Any byproduct material listed in 10 CFR 31.11(a)	F. Prepackaged units for <i>in vitro</i> diagnostic tests	F. 20 millicuries
G. Any byproduct material authorized under 10 CFR 35.65	G. Sealed sources	G. 50 millicuries
H. Depleted Uranium	H. Metal	H. 999 kilograms
I. Iodine 125	I. Any brachytherapy source permitted by 10 CFR 35.400	I. 4 curies
J. Yttrium 90	J. Any	J. 1 curie

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.
24-04206-19MD

Docket No.
030-33578

Amendment No. 21

9. Authorized use:

- A. - D. Preparation and distribution of radioactive drugs, production of technetium 99m pertechnetate, compounding of iodine 131 and redistribution of unused molybdenum 99/technetium 99m generators to authorized recipients in accordance with 10 CFR 32.72 and to authorized recipients for non-medical use.
- E. Redistribution to specific licenses provided the packaging and labeling remain unchanged.
- F. Redistribution to specific licensees or general licensees pursuant to 10 CFR 31.11 provided the packaging and labeling remain unchanged.
- G. Calibration and checking of instruments. Distribution of sealed sources to authorized recipients in accordance with 10 CFR 32.74 and to authorized recipients for non-medical use.
- H. Shielding for molybdenum 99/technetium 99m generators.
- I. Distribution of sealed sources pursuant to 10 CFR 32.74 to persons licensed pursuant to 10 CFR 35.400 or under equivalent licenses of any Agreement State.
- J. Preparation and distribution of radioactive drugs in accordance with 10 CFR 32.72.

CONDITIONS

10. Licensed material may be used or stored only at the licensee's facilities located at 333 33rd Street, Pittsburgh, Pennsylvania.
11. Licensed material shall be used by, or under the supervision of:
- A. A pharmacist working or designated as an authorized nuclear pharmacist in accordance with 10 CFR 32.72(b)(2)(i) or (4).
 - B. Authorized Nuclear Pharmacists:

Brandon Baker, R.Ph.	Todd Hays, R.Ph.	Cynthia Posey, R.Ph.
Sean Barrett, R.Ph.	Eric Hunt, R.Ph.	David Poydence, R.Ph.
Christopher Brunner, R.Ph.	Timothy Layne, R.Ph.	Robert Schork, R.Ph.
Padmesh Chhita, R.Ph.	Michael Loiseau, R.Ph.	Gary Spence, R.Ph.
Carrie Connahan, R.Ph.	Brad Martin, R.Ph.	Donna Stephenson, R.Ph.
James Dawson, R.Ph.	Berry Means, R.Ph.	Michael Stipanovich, R.Ph.
Kerry Eberly, R.Ph.	Michael Mezeivtch, R.Ph.	Brian Thurston, Pharm.D.
Andrew Gerner, R.Ph.	Steven Petner, R.Ph.	
Michael Haigh, R.Ph.	Karen Pieszala, R.Ph.	
12. The Radiation Safety Officer (RSO) for this license is Michael Mezeivtch, R.Ph.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License No.
24-04206-19MDDocket No.
030-33578

Amendment No. 21

13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d), 40.36(b), and 70.25(d) for establishing financial assurance for decommissioning.
14. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed six months or at the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
- B. Notwithstanding Paragraph A of this Condition, sealed sources designed to primarily emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.
- C. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- D. Sealed sources need not be tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.
- E. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- F. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- G. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- H. Records of leak test results shall be kept in units of microcuries and shall be maintained for 5 years.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License No.
24-04206-19MDDocket No.
030-33578

Amendment No. 21

15. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders or detector cells by the licensee.
16. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
17. The licensee is authorized to hold byproduct material with a physical half-life of less than 120 days for decay-in-storage before disposal without regard to its radioactivity if it:
 - A. Monitors byproduct material at the surface before disposal and determines that its radioactivity cannot be distinguished from the background radiation level with an appropriate radiation detection survey meter set on its most sensitive scale and with no interposed shielding; and
 - B. Removes or obliterates all radiation labels, except for radiation labels on materials that are within containers and that will be managed as biomedical waste after they have been released from the licensee; and
 - C. Maintains records of the disposal of licensed material for three years. The record must include the date of the disposal, the survey instrument used, the background radiation level, the radiation level measured at the surface of each waste container, and the name of the individual who performed the disposal.
18. The licensee is authorized to retrieve, receive and dispose of radioactive waste from its customers limited to radiopharmacy supplied syringes and vials and their contents.
19. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
20. This license does not authorize distribution to persons exempt from licensing.
21. Except for maintaining labeling as required by 10 CFR Part 20 or 71, the licensee shall obtain authorization from the U. S. Nuclear Regulatory Commission before making any changes in the sealed source, device, or source-device combination that would alter the description or specifications as indicated in the respective Registration Certificates issued either by the Commission pursuant to 10 CFR 32.210 or by an Agreement State.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License No.
24-04206-19MDDocket No.
030-33578

Amendment No. 21

22. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U. S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated September 20, 2000 [ML003756283]
- B. Letter dated March 19, 2001 [ML010790234]
- C. Letter dated September 4, 2002 [ML022560356]
- D. Letter dated January 21, 2003 [ML030310130]
- E. Letter dated April 10, 2003 received by fax. [ML031070171]
- F. Letter dated March 18, 2003 [ML031080444]
- G. Letter dated June 20, 2003 [ML031750484]
- H. Letter dated September 11, 2003 [ML032690060]
- I. Letter dated October 1, 2003 [ML032890442]
- J. Letter dated May 9, 2005 [ML051430332]
- K. Letter dated May 13, 2005 [ML051430335]
- L. Letter dated August 5, 2005 [ML052240358]



For the U. S. Nuclear Regulatory Commission

Date January 8, 2008

Original signed by Thomas K. Thompson
By _____
Thomas K. Thompson
Commercial and R&D Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406