

October 20, 2003

Mr. John L. Skolds, President
Exelon Nuclear
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, IL 60555

SUBJECT: PUBLIC MEETING TO DISCUSS OPERATION ABOVE THE LICENSED
THERMAL POWER LIMITS AT THE BYRON STATION

Dear Mr. Skolds:

This refers to the public meeting held on September 18, 2003, in Lisle, Illinois, to discuss the operation of Byron Station above the licensed thermal power limits as a result of events related to Byron's ultrasonic feedwater flow measurement correction factor errors. This meeting served to provide a brief overview of Exelon's activities to date and proposed future actions to address this issue. Mr. Chip Pardee and other Exelon managers presented information concerning the investigations performed, root cause and immediate corrective actions associated with the technical issues, and plans to review the appropriateness of decisions made in handling this issue.

As discussed at the meeting, we are concerned with decisions and direction taken by the Byron Station management and that NRC involvement was necessary for timely resolution of the issue. We look forward to discussing your evaluation of the decision-making process and any lessons learned and corrective actions in the near future.

The handouts provided at the meeting by the Exelon staff and a listing of principal NRC and Exelon Nuclear attendees are attached as Enclosures 1 and 2 to this letter.

In accordance with 10 CFR 2.790 of the NRC's "Rule of Practice," a copy of this letter and its enclosures will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records System (PARS) component of NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

B-43

J. Skolds -2-

If you have any questions regarding this meeting, please contact me at (630) 829-9733.

Sincerely,

/RA/

David Hills, Chief
Mechanical Engineering Branch
Division of Reactor Safety

Docket Nos. 50-454; 50-455
License Nos. NPF-37; NPF-66

Enclosures: 1. List of Principal Attendees
2. Exelon Handout

See Attached Distribution

J. Skolds -3-

cc w/encl: Site Vice President - Byron
Byron Station Plant Manager
Regulatory Assurance Manager - Byron
Chief Operating Officer
Senior Vice President - Nuclear Services
Vice President - Mid-West Operations Support
Vice President - Licensing and Regulatory Affairs
Director Licensing
Manager Licensing - Braidwood and Byron
Senior Counsel, Nuclear
Document Control Desk - Licensing
M. Aguilar, Assistant Attorney General
Illinois Department of Nuclear Safety
State Liaison Officer
State Liaison Officer, State of Wisconsin
Chairman, Illinois Commerce Commission

J. Skolds -2-

If you have any questions regarding this meeting, please contact me at (630) 829-9733.

Sincerely,

/RA/

David Hills, Chief
Mechanical Engineering Branch
Division of Reactor Safety

Docket Nos. 50-454; 50-455
License Nos. NPF-37; NPF-66

- Enclosures:
1. List of Principal Attendees
 2. Exelon Handout

See Attached Distribution

DOCUMENT NAME: G:\DRS\BYR 09__03 DRS .wpd

*See previous concurrence

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	RIII	RIII			
NAME	*TBilik:tr	*AStone	DHills		
DATE	10/02/03	10/08/03	10/20/03		

OFFICIAL RECORD COPY

J. Skolds -3-

cc w/encl: Site Vice President - Byron
Byron Station Plant Manager
Regulatory Assurance Manager - Byron
Chief Operating Officer
Senior Vice President - Nuclear Services
Vice President - Mid-West Operations Support
Vice President - Licensing and Regulatory Affairs
Director Licensing
Manager Licensing - Braidwood and Byron
Senior Counsel, Nuclear
Document Control Desk - Licensing
M. Aguilar, Assistant Attorney General
Illinois Department of Nuclear Safety
State Liaison Officer
State Liaison Officer, State of Wisconsin
Chairman, Illinois Commerce Commission

ADAMS Distribution:

AJM
DFT
GFD
RidsNrrDipmlipb
GEG
HBC
RAS
DRPIII
DRSIII
PLB1
JRK1

Byron Thermal Power Measurement Public Meeting

September 18, 2003

List of Principal Attendees

Nuclear Regulatory Commission

J. Caldwell, Regional Administrator
G. Grant, Deputy Regional Administrator
S. Reynolds, Acting Division Director, Division of Reactor Projects
C. Pederson, Director, Division of Reactor Safety
A. Stone, Chief, Reactor Projects Branch 3
V. Mitleyng, Public Affairs Officer
K. Lambert, Enforcement Coordinator
M. Parker, Sr. Reactor Analyst,
D. Hills, Chief, Mechanical Engineering Branch
T. Bilik, Reactor Inspector

Licensee

K. Jury, Director, Licensing and Regulatory Affairs
J. Benjamin, Vice President, Licensing and Regulatory Affairs
C. Pardee, Senior Vice President, Nuclear Services
J. Meister, Vice President, Engineering
B. Kouba, Exelon Engineering Director
B. Adams, Byron Site Engineering Director
S. Kuczynski, Byron Site Vice President
D. Hoots, Byron Plant Manager
C. Dunn, Braidwood Site Engineering Director
K. Ainger, Byron/Braidwood Licensing Manager
J. Drowley, Mechanical Engineering Manager
B. Grundmann, Byron Regulatory Assurance Manager
K. Root, Braidwood Regulatory Assurance Manager
D. Drawbaugh, Byron Regulatory Assurance

Westinghouse

S. Hauser, Westinghouse, Exelon Project Manager
R. Doney, Westinghouse, Manager, Plant Systems
R. Hunter, Westinghouse, Vice President, Exelon Customer Relations

IEMA - DNS

C. Thompson, Resident Inspector
C. Settles, Head - Resident Inspector Section

AMAG

A. Lopez, President

Caldon

Ernest Hauser, President - Nuclear

Enclosure 1