



LANDER REGIONAL HOSPITAL

RECEIVED

JAN 04 2008

DNMS

11 December 2007

U.S. Nuclear Regulatory Commission, Region IV
Nuclear Materials Licensing Section
611 Ryan Plaza Drive, Suite 400
Arlington Texas 76011-8064

License: 49-17813-01
030 -13375

To Whom It May Concern:

Please amend the NRC by product materials license to add Perry Fletcher Cook, M.D. as the new radiation safety officer. Dr. Cook is listed as an authorized user on the Lander Valley Medical Center NRC license.

Please remove Roy G. Hediger, M.D. as the RSO on the NRC by product materials license.

Please contact me at (307-335-6250) if you have any questions regarding the enclosed information

Sincerely,

Phil Eaton
CEO
Lander Regional Hospital

ACCEPTANCE REVIEW MEMO (ARM)

Licensee: Lander Valley Medical Center, LLC **License No.:** 49-17813-01
Docket No.: 030-13375 **Mail Control No.:** 471621
Type of Action: Amend **Date of Requested Action:** 12-11-07
Reviewer Assigned: **ARM reviewer(s):** Torres

Response	Deficiencies Noted During Acceptance Review
	<input type="checkbox"/> Open ended possession limits. Submit inventory. Limit possession. <input type="checkbox"/> Submit copies of latest leak test results. <input type="checkbox"/> Add IC L.C., split cover letter from license, add SUNSI markings to license. <input type="checkbox"/> Confirm with licensee if they have NARM material.

Reviewer's Initials: _____ **Date:** _____

<input type="checkbox"/> Yes	<input type="checkbox"/> No	Request for unrestricted release Group 2 or >. Consult with Bravo Branch.
<input type="checkbox"/> Yes	<input type="checkbox"/> No	Termination request < 90 days from date of expiration
<input type="checkbox"/> Yes	<input type="checkbox"/> No	Expedite (medical emergency, no RSO, location of use/storage not on license, RAM in possession not on license, other)
<input type="checkbox"/> Yes	<input type="checkbox"/> No	TAR needed to complete action.

Branch Chief's and/or HP's Initials: _____ **Date:** _____

SUNSI Screening according to RIS 2005-31

Yes No **Sensitive and Non-Publicly Available** if any item below is checked

General guidance:

- _____ RAM = or > than Category 3 (Table 1, RIS 2005-31), use Unity Rule
- _____ Exact location of RAM (whether = or > than Category 3 or not)
- _____ Design of structure and/or equipment (site specific)
- _____ Information on nearby facilities
- _____ Detailed design drawings and/or performance information
- _____ Emergency planning and/or fire protection systems

Specific guidance for medical, industrial and academic (above Category 3):

- _____ RAM quantities and inventory
- _____ Manufacturer's name and model number of sealed sources & devices
- _____ Site drawings with exact location of RAM, description of facility
- _____ RAM security program information (locks, alarms, etc.)
- _____ Emergency Plan specifics (routes to/from RAM, response to security events)
- _____ Vulnerability/security assessment/accident-safety analysis/risk assess
- _____ Mailing lists related to security response

Branch Chief's and/or HP's Initials: RTT **Date:** JAN 23 2008

Checklist to Ensure That Radioactive Material Will Be Used as Intended

Applicant Information:

Control No. 471621

Name: Lander Valley Medical Center, LLC	Type of Request: Amend Program Code(s): 02121
Location: WY	License No.: 49-17813-01 Docket No.: 030-13375

STEP 1, ITEM A - INITIAL SCREENING

Instructions for Step 1: Complete Step 1 for all applications. If Step 1, Items A and B, are "YES" then do not complete Step 2. Sign and date the completed form and add it to ADAMS as Non-Sensitive and Non-Publicly Available. If a "NO" response is indicated for Item A or Item B, add the completed form to ADAMS as Sensitive and Non-Publicly Available, and complete Step 2 (Additional Screening). If the type of use is subject to a Security Order, complete Step 3, Item A, without delay. If the additional requirements for increased controls will be applied or voided, complete Step 3, Item B, without delay.	YES or NO
A. The applicant is a known entity or a licensee transferring control to a known entity. This determination has been made using the screening criteria in Worksheet A below.	Yes

Worksheet A

Instructions for Worksheet A: Answer each of the 6 questions below by placing a "Yes", "No", or "NA" response in the column on the right. Best practices for a reviewer are provided after each of the questions. If the answer to any of the 6 questions is "Yes" then indicate "Yes" in Step 1, Item A, above. If the answers to all of the 6 questions is "No" then indicate "No" in Step 1, Item A, above. NOTE - If the reviewer has personal knowledge of the applicant's veracity, this can be taken into account in responding to any questions. For example, if the applicant's management and/or RSO have been associated with a current or previous NRC or Agreement State license, then the applicant may be considered as a known entity.	YES, NO, or NA
1. Does the applicant have a current Agreement State or NRC license? The reviewer should 1) confirm that a valid license/registration/authorization exists for the applicant; and 2) compare the current license to the application to verify that the application represents a reasonable expansion of the licensee's operation (i.e., medical facility adding a gamma knife or an Agreement State licensee obtaining an NRC license in order to work in NRC jurisdiction without filing reciprocity).	Yes
2. Does the applicant have a current Agreement State or NRC license at another location and the new application represents the addition of a new facility within the scope of the licensee's core business? The reviewer should contact the appropriate licensing authority to confirm that a valid license/registration/authorization exists for the applicant and the corporate office of the licensee to verify that it has knowledge of and approves of the new application.	
3. Does the applicant have a current State or Federal government license, registration, authorization, etc., for other operations within the scope of its proposed license activities? (e.g., a company authorized by a State for mining that is now requesting authorization to use fixed gauges). The reviewer should contact the appropriate government office to confirm that the license, registration, authorization, etc., is valid; and the applicant's corporate office to confirm that it has knowledge of and approves of the new application to possess radioactive materials.	
4. Is the applicant a local, State or Federal government agency? The reviewer should contact the local, State or Federal government office to confirm that the applicant is a government entity.	
5. Does the application only involve the relocation of an existing licensee, or its mailing address, to another State? This includes new licenses created from existing licenses listing locations in multiple States, in preparation for transfer of licenses to States that will shortly sign an Agreement with the NRC.	
6. Is the application only the result of a licensee failing to submit a renewal application in a timely manner?	

STEP 1, ITEM B - INITIAL SCREENING CONTINUED

<p>B. The applicant is requesting certain radionuclides and quantities that are less than the Risk Significant Quantity (TBq) values in Worksheet B, below, as "highlighted" by the reviewer, or is currently subject to a security order or additional requirements for increased controls. If "Yes", there is no need to proceed further.</p>	<p>N/A</p>
---	------------

Worksheet B - Risk Significant Quantities

(Category 2 Quantities, IAEA Safety Guide No. RS-G-1.9, Categorization of Radioactive Sources, August 2005)

Radionuclide	Risk Significant Quantity (TBq ¹)	Risk Significant Quantity (Ci ¹)	Radionuclide	Risk Significant Quantity (TBq ¹)	Risk Significant Quantity (Ci ¹)
Am-241	0.6	16	Pm-147	400	11,000
Am-241/Be	0.6	16	Pu-238	0.6	16
Cf-252	0.2	5.4	Pu-239/Be	0.6	16
Cm-244	0.5	14	Ra-226 ²	0.4	11
Co-60	0.3	8.1	Se-75	2	54
Cs-137	1	27	Sr-90 (Y-90)	10	270
Gd-153	10	270	Tm-170	200	5,400
Ir-192	0.8	22	Yb-169	3	81

¹ The primary values are TBq. The curie (Ci) values are for informational purposes only.
² The Atomic Energy Act, as amended by the Energy Policy Act of 2005, authorizes NRC to regulate Ra-226 and NRC is in the process of amending its regulations for discrete sources of Ra-226.

<p>Calculations of the Total Activity or the Unity Rule were completed. NOTE—If an amendment of an existing license is being requested, the calculations will include the previously authorized quantities for the radionuclide(s).</p>	<p>Yes, No, or Not Applicable (NA)</p>
<p>Total Activity—multiple activities are requested for a single radionuclide and the sum of the activities is less than the Risk Significant Quantity (TBq) for the radionuclide.</p>	
<p>Unity Rule—multiple radionuclides are requested and the sum of the ratios is less than 1.0, e.g., [(total activity for radionuclide A) ÷ (risk significant quantity for radionuclide A)] + [(total activity for radionuclide B) ÷ (risk significant quantity for radionuclide B)] < 1.0.</p>	

Signature and Date for Step 1:


 License Reviewer and Date

JAN 23 2008

JAN 29 2008

This is to acknowledge the receipt of your letter/application dated 12-11-07 and to inform you that the initial processing, which includes an administrative review, has been performed.

DATE

There were no administrative omissions. Your application will be assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

Please provide to this office within 30 days of your receipt of this card:

The action you requested is normally processed within 90 days.

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned **Mail Control Number** 471621.
When calling to inquire about this action, please refer to this mail control number.
You may call me at 817-860-8103.

Sincerely,



Licensing Assistant

BETWEEN:

License Fee Management Branch, ARM
and
Regional Licensing Sections

: (FOR LFMS USE)
: INFORMATION FROM LTS
: -----
: Program Code: 02121
: Status Code: 0
: Fee Category: 7C
: Exp. Date: 20110831
: Fee Comments: CODE 33
: Decom Fin Assur Reqd: N
:

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED

Applicant/Licensee: LANDER VALLEY MEDICAL CENTER, LLC
Received Date: 20080104
Docket No: 3013375
Control No.: 471621
License No.: 49-17813-01
Action Type: Amendment

2. FEE ATTACHED

Amount: _____
Check No.: /

3. COMMENTS

Signed Colleen Murahan
Date 1-29-08

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered /_/)

1. Fee Category and Amount: _____

2. Correct Fee Paid. Application may be processed for:

Amendment _____
Renewal _____
License _____

3. OTHER _____

Signed _____
Date _____



LANDER REGIONAL HOSPITAL

1320 Bishop Randall Drive
Lander, Wyoming 82520-3996

5/4

U.S. Nuclear Regulatory Commission, Region IV
Nuclear Materials Licensing Section
611 Ryan Plaza Drive, Suite 400
Arlington, Texas 76011-8064

760114005 0024

