

(9-2007)
10 CFR 30.36(j)(1), 40.42(j)(1),
70.26(j)(1), and 72.54(k)(5)(1)(1)

Estimated burden per response to comply with this mandatory collection request: 30 minutes. This submittal is used by NRC as part of the basis for its determination that the facility is released for unrestricted use. Send comments regarding burden estimate to the Records and FOIA/Privacy Services Branch (T-5 F52), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to infocollects@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0028), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

CERTIFICATE OF DISPOSITION OF MATERIALS

LICENSEE NAME AND ADDRESS

Giles Engineering Associates, Inc.
N8 W22350 Johnson Dr, Suite A-1
Waukesha, WI 53186

LICENSE NUMBER

48-18547-02

DOCKET NUMBER

LICENSE EXPIRATION DATE

June 30, 2014

A. LICENSE STATUS (Check the appropriate box)

This license has expired: This license has not yet expired; please terminate it:

B. DISPOSAL OF RADIOACTIVE MATERIAL

(Check the appropriate boxes and complete as necessary. If additional space is needed, provide attachments)

The licensee, or any individual executing this certificate on behalf of the licensee, certifies that:

1. No radioactive materials have ever been procured or possessed by the licensee under this license.
- X 2. All activities authorized by this license have ceased, and all radioactive materials procured and/or possessed by the licensee under this license number cited above have been disposed of in the following manner:
 - X a. Transfer of radioactive materials to the licensee listed below:
State of Wisconsin Radioactive Materials License 133-1112-01, expires Jan. 31, 2009
 - b. Disposal of radioactive materials:
 1. Directly by the licensee:
 2. By licensed disposal site:
 3. By waste contractor:
 - c. All radioactive materials have been removed such that any remaining residual radioactivity is within the limits of 10 CFR Part 20, Subpart E, and is ALARA.

C. SURVEYS PERFORMED AND REPORTED

1. A radiation survey was conducted by the licensee. The survey confirms:
 - a. the absence of licensed radioactive materials
 - b. that any remaining residual radioactivity is within the limits of 10 CFR 20, Subpart E, and is ALARA.
2. A copy of the radiation survey results:
 - a. is attached; or
 - b. is not attached (Provide explanation); or
 - c. was forwarded to NRC on: _____ Date
- X 3. A radiation survey is not required as only sealed sources were ever possessed under this license, and
 - a. The results of the latest leak test are attached; and/or
 - X b. No leaking sources have ever been identified.

The person to be contacted regarding the information provided on this form:

Charles S. Gresser, PE TITLE Radiation Safety Officer

TELEPHONE (Include Area Code) 262-544-0118


E-MAIL ADDRESS cgresser@gilesengr.com

Mail all future correspondence regarding this license to Charles S. Gresser

C. CERTIFYING OFFICIAL

I CERTIFY UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT

PRINTED NAME AND TITLE Terry L. Giles, PE

SIGNATURE 

DATE Jan. 29, 2008

WARNING: FALSE STATEMENTS IN THIS CERTIFICATE MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECT. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.



GILES
ENGINEERING ASSOCIATES, INC.

N8 W22350 Johnson Road • Suite A1 • Waukesha, WI 53186



UNITED STATES POSTAGE
PITNEY BOWES
02 1M
0004252585
\$ 00.41⁰
JAN 29 2008
MAILED FROM ZIP CODE 53186

US Nuclear Regulatory Commission
Materials Licensing Section
2443 Warrenville Road, Ste 210
Lisle , IL 60532-4352

605324352 0021

